

# *Catalog for School Safety Solutions*

---

DigitalEdge Contract #ESD112-DE-15B

Updated July 26,2016

## **AWARDED VENDORS:**

Ednetics

GenCOMM



*A Purchasing Program at*

**Educational Service District 112**

2500 NE 65th Avenue | Vancouver, WA 98661

E: [digitaledge.specialist@esd112.org](mailto:digitaledge.specialist@esd112.org)

P: 360.952.3415

W: [digitaledge.esd112.org](http://digitaledge.esd112.org)





---

## Catalog of School Safety Solutions

DigitalEdge Contract #ESD112-DE-15B ● Updated July 26,2016

States Awarded: ID / OR / WA

For information about the products and services in this catalog, call 208.777.4709 to find your state or regional representative.

### Important Note to Purchasers:

For audit verification, it's very important that you note DigitalEdge Contract #ESD112-DE-15B on all purchase-related documentation. Please check your organizations's governing laws to see if you need to enter into an interlocal agreement with ESD 112 in order to use our contract as a purchasing vehicle.

PURCHASING POWER FOR  
21ST CENTURY SCHOOLS

**DigitalEdge**



---

A Purchasing Program at Educational Service District 112 ● 2500 NE 65th Avenue ● Vancouver, WA 98661

E: [digitaledge.specialist@esd112.org](mailto:digitaledge.specialist@esd112.org) ● P: 360.952.3415 ● W: [digitaledge.esd112.org](http://digitaledge.esd112.org)

# Catalog Overview



## Category:

*Video Surveillance Solutions*

*Access Control Solutions*

*Communication Systems*

*Bidder's Choice*

## Manufacturers:

Arecont Video Surveillance  
Avigilon Video Surveillance  
Axis Video Surveillance  
ExacqVision Video Management  
ONNSI Video Management  
ClearPix Servers  
Razberri Servers  
Samsung Video Surveillance  
Sony Video Surveillance

Avigilon

Ednetics Voice Services  
Ednetics Speakers and Clocks  
Atlas Speakers and Clocks  
ClearPix Emergency Notification Systems  
Singlewire Informacast Advanced Notification  
Third-party Informacast Compatible Accessories  
Digital Signage - Assorted Manufacturers  
2N Communications

Bosch Security Systems  
ClearPix Emergency Notification Triggers  
Ekahau Safety and Tracking Solutions  
Etherwan  
Hall Pass Visitor Tracking System  
Viewz Monitors

**Category:**  
**Video Surveillance Solutions (Surveillance Cameras, Video Management Hardware, Software)**

Model Number	Product Name and Short Description	Contract Price
<b>Arecont Video Surveillance</b>		
AV5115DNv1	5 Megapixel, 14 fps, H.264/MJPEG Day/Night Camera, 2592x1944, motorized IR cut filter, Compact, 12VDC/24VAC/PoE, Binning	552.50
AV5115DNAIv1	5 Megapixel, 14 fps, H.264/MJPEG Day/Night & Auto-iris Camera, 2592x1944, motorized IR cut filter, Compact, 12VDC/24VAC/PoE, Binning	572.00
AV10115DNv1	10 Megapixel/1080p, 7 fps/32 fps, Dual Mode H.264/MJPEG Day/Night Camera, 3648 x 2752/1920 x 1080, binning, motorized IR cut filter, Compact, 12VDC/24VAC/PoE	682.50
AV10115DNAIv1	10 Megapixel/1080p, 7 fps/32 fps, Dual Mode H.264/MJPEG Day/Night & Auto-iris Camera, 3648 x 2752/1920 x 1080, binning, motorized IR cut filter, Compact, 12VDC/24VAC/PoE	682.50
AV3236DN	New 3MP/1.2 Megapixel H.264/MJPEG DayNight (Dual Sensor) WDR + B&W Camera, 2048x1536 / 1280 x 960, Compact, PoE	643.50
AV12176DN-NL	12 Megapixel WDR & Day/Night H.264/MJPEG Omni-Directional Camera, 4 x 2048x1536, No Lens, Surface mount, Indoor/Outdoor, IP66, IK-10, PoE Powered Fan	1,558.70
AV12176DN-28	12 Megapixel WDR & Day/Night H.264/MJPEG Omni-Directional Camera, 4 x 2048x1536, 4 x 2.8mm MP Lens, Surface mount, Indoor/Outdoor, IP66, IK-10, PoE Powered Fan	1,688.70
AV12176DN-08	12 Megapixel WDR & Day/Night H.264/MJPEG Omni-Directional Camera, 4 x 2048x1536, 4 x 8.0mm MP Lens, Surface mount, Indoor/Outdoor, IP66, IK-10, PoE Powered Fan	1,688.70
AV20175DN-NL	20 Megapixel Day/Night H.264/MJPEG Omni-Directional Camera, 4 x 2560x1920, No Lens, Surface mount, Indoor/Outdoor, IP66, IK-10, PoE Powered Fan	1,753.70
AV20175DN-28	20 Megapixel Day/Night H.264/MJPEG Omni-Directional Camera, 4 x 2560x1920, 4 x 2.8mm MP Lens, Surface mount, Indoor/Outdoor, IP66, IK-10, PoE Powered Fan	1,883.70
AV20175DN-08	20 Megapixel Day/Night H.264/MJPEG Omni-Directional Camera, 4 x 2560x1920, 4 x 8.0mm MP Lens, Surface mount, Indoor/Outdoor, IP66, IK-10, PoE Powered Fan	1,883.70
AV2246PM-D	1080p MegaBall™ 2, WDR, Day/Night, 1920x1080, 30 fps, MJPEG/H.264, 3-10mm RF/RZ P-iris Lens, In-ceiling/Surface Mount Indoor Dome, 12VDC/24VAC/PoE, Ball/Liner Color: Black, Bezel/Can Color: Black	617.50
AV2246PM-D-LG	1080p MegaBall™ 2, WDR, Day/Night, 1920x1080, 30 fps, MJPEG/H.264, 3-10mm RF/RZ P-iris Lens, In-ceiling/Surface Mount Indoor Dome, 12VDC/24VAC/PoE, Ball/Liner Color: Black, Bezel/Can Color: Light Gray	617.50
AV3245PM-D	3MP MegaBall™ 2, Day/Night, 2048x1536, 21 fps, MJPEG/H.264, 3-10mm RF/RZ P-iris Lens, In-ceiling/Surface Mount Indoor Dome, 12VDC/24VAC/PoE, Ball/Liner Color: Black, Bezel/Can Color: Black	682.50
AV3245PM-D-LG	3MP MegaBall™ 2, Day/Night, 2048x1536, 21 fps, MJPEG/H.264, 3-10mm RF/RZ P-iris Lens, In-ceiling/Surface Mount Indoor Dome, 12VDC/24VAC/PoE, Ball/Liner Color: Black, Bezel/Can Color: Light Gray	682.50
AV3246PM-D	3MP MegaBall™ 2, WDR, Day/Night, 2048x1536, 21 fps, MJPEG/H.264, 3-10mm RF/RZ P-iris Lens, In-ceiling/Surface Mount Indoor Dome, 12VDC/24VAC/PoE, Ball/Liner Color: Black, Bezel/Can Color: Black	747.50

Model Number	Product Name and Short Description	Contract Price
AV3246PM-D-LG	3MP MegaBall™ 2, WDR, Day/Night, 2048x1536, 21 fps, MJPEG/H.264, 3-10mm RF/RZ P-iris Lens, In-ceiling/Surface Mount Indoor Dome, 12VDC/24VAC/PoE, Ball/Liner Color: Black, Bezel/Can Color: Light Gray	747.50
AV5245PM-D	5MP MegaBall™ 2, Day/Night, 2592X1944, 14 fps, MJPEG/H.264, 3.4-10mm RF/RZ P-iris Lens, In-ceiling/Surface Mount Indoor Dome, 12VDC/24VAC/PoE, Ball/Liner Color: Black, Bezel/Can Color: Black	780.00
AV5245PM-D-LG	5MP MegaBall™ 2, Day/Night, 2592X1944, 14 fps, MJPEG/H.264, 3.4-10mm RF/RZ P-iris Lens, In-ceiling/Surface Mount Indoor Dome, 12VDC/24VAC/PoE, Ball/Liner Color: Black, Bezel/Can Color: Light Gray	780.00
AV5245DN-01-D	5MP MegaBall™ 2, Day/Night, 2592X1944, 14 fps, MJPEG/H.264, 0.98mm (Short axis) &1.12mm (Long axis) Panomorph Lens, In-ceiling/Surface Mount Indoor Dome, 12VDC/24VAC/PoE, Ball/Liner Color: Black, Bezel/Can Color: Black	910.00
AV5245DN-01-D-LG	5MP MegaBall™ 2, Day/Night, 2592X1944, 14 fps, MJPEG/H.264,0.98mm (Short axis) &1.12mm (Long axis) Panomorph Lens, In-ceiling/Surface Mount Indoor Dome, 12VDC/24VAC/PoE, Ball/Liner Color: Black, Bezel/Can Color: Light Gray	910.00
AV2256PM	1080p MegaDome®2, 1920x1080, 30 fps, WDR, Day/Night, 3-9mm Remote Focus, Remote Zoom P-Iris Lens, IP66, IK-10, 12VDC/24VAC/PoE, PoE Powered Fan	845.00
AV2256PMIR-S	WDR 1080p MegaDome® 2 1920x1080, 3-9mm F1.2, 30fps, Remote Zoom, Remote Focus, P-iris, IR, IP66, IK-10, 12VDC/24VAC/PoE, PoE Powered Fan, SD card, CorridorView™, Scaling	942.50
AV2256PMTIR-S	WDR 1080p MegaDome® 2 1920x1080, 8-22mm F1.6, 30fps, Remote Zoom, Remote Focus, P-iris, IR, IP66, IK-10, 12VDC/24VAC/PoE, PoE Powered Fan, SD card, CorridorView™, Scaling	975.00
AV3256PMIR-S	WDR 3MP MegaDome® 2 2048x1536, 3-9mm F1.2, 21fps, Remote Zoom, Remote Focus, P-iris, IR, IP66, IK-10, 12VDC/24VAC/PoE, PoE Powered Fan, SD card, CorridorView™, Scaling	1,072.50
AV3256PMIR-SA	WDR 3MP MegaDome® 2 2048x1536, 3-9mm F1.2, 21fps, Remote Zoom, Remote Focus, P-iris, IR, IP66, IK-10, 12VDC/24VAC/PoE, PoE Powered Fan, Audio, SD card, CorridorView™, Scaling	1,137.50
AV3256PMTIR-S	WDR 3MP MegaDome® 2 2048x1536, 8-22mm F1.6, 21fps, Remote Zoom, Remote Focus, P-iris, IR, IP66, IK-10, 12VDC/24VAC/PoE, PoE Powered Fan, SD card, CorridorView™, Scaling	1,105.00
AV5255AM-H	5 MP MegaDome®2, 2592X1944, 14 fps, Day/Night, 3.6-9mm Remote Focus, Remote Zoom Auto Iris Lens, IP66, IK-10, 12VDC/24VAC/PoE, PoE Heater	1,007.50
AV5255PMIR-SH	5MP MegaDome® 2 2592x1944, 3-8mm F1.4, 14fps, Remote Zoom, Remote Focus, P-iris, IR, IP66, IK-10, 12VDC/24VAC/PoE, PoE Heater, SD card, CorridorView™, Scaling	1,105.00
AV5255PMIR-SAH	5MP MegaDome® 2 2592x1944, 3-8mm F1.4, 14fps, Remote Zoom, Remote Focus, P-iris, IR, Audio, IP66, IK-10, 12VDC/24VAC/PoE, PoE Heater, SD card, CorridorView™, Scaling	1,170.00
AV5255PMTIR-SH	5MP MegaDome® 2 2592x1944, 9-22mm F2.0, 14fps, Remote Zoom, Remote Focus, P-iris, IR, IP66, IK-10, 12VDC/24VAC/PoE, PoE Heater, SD card, CorridorView™, Scaling	1,137.50
AV10255PMIR-SH	10MP MegaDome® 2 3648x2752, 4-8mm F1.6, 7fps, Remote Zoom, Remote Focus, P-iris, IR, IP66, IK-10, 12VDC/24VAC/PoE, PoE Heater, SD card, CorridorView™, Scaling	1,235.00
AV10255PMTIR-SH	10MP MegaDome® 2 3648x2752, 12-22mm F2.2, 7fps, Remote Zoom, Remote Focus, P-iris, IR, IP66, IK-10, 12VDC/24VAC/PoE, PoE Heater, SD card, CorridorView™, Scaling	1,267.50
AV2226PMIR-S	1080p MegaView®2, 1920x1080, 30 fps, WDR, IR LED Array, Day/Night, 3-9mm, F1.2, Remote Focus, Remote Zoom P-Iris Lens, IP66, 12VDC/24VAC/PoE, PoE Powered Fan, SD card, CorridorView™, Scaling	988.00
AV2226PMTIR-S	1080p MegaView®2, 1920x1080, 30 fps, WDR, 200ft IR LED Array, Day/Night, 8-22mm, F1.6, Remote Focus, Remote Zoom P-Iris Lens, IP66, 12VDC/24VAC/PoE, PoE Powered Fan, SD card, CorridorView™, Scaling	1,020.50

Model Number	Product Name and Short Description	Contract Price
AV3226PMIR-S	3 MP MegaView®2, 2048x1536, 21 fps, WDR, IR LED Array, Day/Night, 3-9mm, F1.2, Remote Focus, Remote Zoom P-Iris Lens, IP66, 12VDC/24VAC/PoE, PoE Powered Fan, SD card, CorridorView™, Scaling	1,137.50
AV3226PMIR-A	3 MP MegaView®2, 2048x1536, 21 fps, WDR, IR LED Array, Day/Night, 3-9mm Remote Focus, Remote Zoom P-Iris Lens, IP66, Audio, 12VDC/24VAC/PoE, PoE Powered Fan	1,170.00
AV3226PMIR-SA	3 MP MegaView®2, 2048x1536, 21 fps, WDR, IR LED Array, Day/Night, 3-9mm, F1.2, Remote Focus, Remote Zoom P-Iris Lens, IP66, Audio, 12VDC/24VAC/PoE, PoE Powered Fan, SD card, CorridorView™, Scaling	1,170.00
AV3226PMTIR-S	3 MP MegaView®2, 2048x1536, 21 fps, WDR, 200ft IR LED Array, Day/Night, 8-22mm, F1.6, Remote Focus, Remote Zoom P-Iris Lens, IP66, 12VDC/24VAC/PoE, PoE Powered Fan, SD card, CorridorView™, Scaling	1,170.00
AV5225PMIR-S	5 MP MegaView®2, 2592X1944, 14 fps, IR LED Array, Day/Night, 3.6-9mm, F1.3, Remote Focus, Remote Zoom P-Iris Lens, IP66, 12VDC/24VAC/PoE, PoE Powered Fan, SD card, CorridorView™, Scaling	1,137.50
AV5225PMIR-A	5 MP MegaView®2, 2592X1944, 14 fps, IR LED Array, Day/Night, 3.6-9mm Remote Focus, Remote Zoom P-Iris Lens, IP66, Audio, 12VDC/24VAC/PoE, PoE Powered Fan	1,170.00
AV5225PMIR-SA	5 MP MegaView®2, 2592X1944, 14 fps, IR LED Array, Day/Night, 3.6-9mm, F1.3, Remote Focus, Remote Zoom P-Iris Lens, IP66, Audio, 12VDC/24VAC/PoE, PoE Powered Fan, SD card, CorridorView™, Scaling	1,170.00
AV5225PMTIR-S	5 MP MegaView®2, 2592X1944, 14 fps, 200ft IR LED Array, Day/Night, 9-22mm, F2.0, Remote Focus, Remote Zoom P-Iris Lens, IP66, 12VDC/24VAC/PoE, PoE Powered Fan, SD card, CorridorView™, Scaling	1,170.00
AV10225PMIR-S	10 MP MegaView®2, 3648 x 2752, 7fps, IR LED Array, Day/Night, 4.7-9mm, F1.5, Remote Focus, Remote Zoom P-Iris Lens, IP66, 12VDC/24VAC/PoE, PoE Powered Fan, SD card, CorridorView™, Scaling	1,235.00
AV10225PMTIR-S	10 MP MegaView®2, 3648 x 2752, 7fps, 200ft IR LED Array, Day/Night, 12-22mm, F2.2, Remote Focus, Remote Zoom P-Iris Lens, 12VDC/24VAC/PoE, PoE Powered Fan, SD card, CorridorView™, Scaling	1,300.00
AV5115DNv1-5Y-DE	5 Megapixel, 14 fps, H.264/MJPEG Day/Night Camera, 2592x1944, motorized IR cut filter, Compact, 12VDC/24VAC/PoE, Binning, 5 year warranty	552.50
AV10115DNv1-5Y-DE	10 Megapixel/1080p, 7 fps/32 fps, Dual Mode H.264/MJPEG Day/Night Camera, 3648 x 2752/1920 x 1080, binning, motorized IR cut filter, Compact, 12VDC/24VAC/PoE, 5 year warranty	682.50
AV3236DN-5Y-DE	New 3MP/1.2 Megapixel H.264/MJPEG DayNight (Dual Sensor) WDR + B&W Camera, 2048x1536 / 1280 x 960, Compact, PoE, 5 year warranty	643.50
AV12176DN-NL-5Y-DE	12 Megapixel WDR & Day/Night H.264/MJPEG Omni-Directional Camera, 4 x 2048x1536, No Lens, Surface mount, Indoor/Outdoor, IP66, IK-10, PoE Powered Fan, 5 year warranty	1,558.70
AV12176DN-28-5Y-DE	12 Megapixel WDR & Day/Night H.264/MJPEG Omni-Directional Camera, 4 x 2048x1536, 4 x 2.8mm MP Lens, Surface mount, Indoor/Outdoor, IP66, IK-10, PoE Powered Fan, 5 year warranty	1,688.70
AV12176DN-08-5Y-DE	12 Megapixel WDR & Day/Night H.264/MJPEG Omni-Directional Camera, 4 x 2048x1536, 4 x 8.0mm MP Lens, Surface mount, Indoor/Outdoor, IP66, IK-10, PoE Powered Fan, 5 year warranty	1,688.70
AV20175DN-NL-5Y-DE	20 Megapixel Day/Night H.264/MJPEG Omni-Directional Camera, 4 x 2560x1920, No Lens, Surface mount, Indoor/Outdoor, IP66, IK-10, PoE Powered Fan, 5 year warranty	1,753.70
AV20175DN-28-5Y-DE	20 Megapixel Day/Night H.264/MJPEG Omni-Directional Camera, 4 x 2560x1920, 4 x 2.8mm MP Lens, Surface mount, Indoor/Outdoor, IP66, IK-10, PoE Powered Fan, 5 year warranty	1,883.70
AV20175DN-08-5Y-DE	20 Megapixel Day/Night H.264/MJPEG Omni-Directional Camera, 4 x 2560x1920, 4 x 8.0mm MP Lens, Surface mount, Indoor/Outdoor, IP66, IK-10, PoE Powered Fan, 5 year warranty	1,883.70

Model Number	Product Name and Short Description	Contract Price
AV2245PM-D-LG-5Y-DE	1080p MegaBall™ 2, Day/Night, 1920x1080, 31 fps, MJPEG/H.264, Casino Mode, 3-10mm RF/RZ P-iris Lens, In-ceiling/Surface Mount Indoor Dome, 12VDC/24VAC/PoE, Ball/Liner Color: Black, Bezel/Can Color: Light Gray, 5 year warranty	585.00
AV2246PM-D-LG-5Y-DE	1080p MegaBall™ 2, WDR, Day/Night, 1920x1080, 30 fps, MJPEG/H.264, 3-10mm RF/RZ P-iris Lens, In-ceiling/Surface Mount Indoor Dome, 12VDC/24VAC/PoE, Ball/Liner Color: Black, Bezel/Can Color: Light Gray, 5 year warranty	617.50
AV3245PM-D-LG-5Y-DE	3MP MegaBall™ 2, Day/Night, 2048x1536, 21 fps, MJPEG/H.264, 3-10mm RF/RZ P-iris Lens, In-ceiling/Surface Mount Indoor Dome, 12VDC/24VAC/PoE, Ball/Liner Color: Black, Bezel/Can Color: Light Gray, 5 year warranty	682.50
AV3246PM-D-LG-5Y-DE	3MP MegaBall™ 2, WDR, Day/Night, 2048x1536, 21 fps, MJPEG/H.264, 3-10mm RF/RZ P-iris Lens, In-ceiling/Surface Mount Indoor Dome, 12VDC/24VAC/PoE, Ball/Liner Color: Black, Bezel/Can Color: Light Gray, 5 year warranty	747.50
AV5245PM-D-LG-5Y-DE	5MP MegaBall™ 2, Day/Night, 2592x1944, 14 fps, MJPEG/H.264, 3.4-10mm RF/RZ P-iris Lens, In-ceiling/Surface Mount Indoor Dome, 12VDC/24VAC/PoE, Ball/Liner Color: Black, Bezel/Can Color: Light Gray, 5 year warranty	780.00
AV5245DN-01-D-LG-5Y-DE	5MP MegaBall™ 2, Day/Night, 2592x1944, 14 fps, MJPEG/H.264, 0.98mm (Short axis) & 1.12mm (Long axis) Panomorph Lens, In-ceiling/Surface Mount Indoor Dome, 12VDC/24VAC/PoE, Ball/Liner Color: Black, Bezel/Can Color: Light Gray, 5 year warranty	910.00
AV2556DN-F-NL-5Y-DE	1080p MicroDome™ G2, WDR, Day/Night, 1920x1080, 30 fps, MJPEG/H.264, Remote Focus, In-ceiling Flush Mount, Indoor, IK-10, Microphone, PoE, 3 Axis Gimbal, NO LENS, 5 year warranty	442.00
AV2556DN-S-NL-5Y-DE	1080p MicroDome™ G2, WDR, Day/Night, 1920x1080, 30 fps, MJPEG/H.264, Remote Focus, Surface Mount, Outdoor, IP66, IK10, PoE, 3 Axis Gimbal, NO LENS, 5 year warranty	442.00
AV3556DN-F-NL-5Y-DE	3MP MicroDome™ G2, WDR, Day/Night, 2048x1536, 21 fps, MJPEG/H.264, Remote Focus, In-ceiling Flush Mount, Indoor, IK-10, Microphone, PoE, 3 Axis Gimbal, NO LENS, 5 year warranty	468.00
AV3556DN-S-NL-5Y-DE	3MP MicroDome™ G2, WDR, Day/Night, 2048x1536, 21 fps, MJPEG/H.264, Remote Focus, Surface Mount, Outdoor, IP66, IK-10, PoE, 3 Axis Gimbal, NO LENS, 5 year warranty	468.00
AV5555DN-F-NL-5Y-DE	5MP MicroDome™ G2, Day/Night, 2592x1944, 14 fps, MJPEG/H.264, Remote Focus, Indoor, IK-10, Microphone, PoE, 3 Axis Gimbal, NO LENS, 5 year warranty	468.00
AV5555DN-S-NL-5Y-DE	5MP MicroDome™ G2, Day/Night, 2592x1944, 14 fps, MJPEG/H.264, Remote Focus, Surface Mount, Outdoor, IP66, IK10, PoE, 3 Axis Gimbal, NO LENS, 5 year warranty	468.00
AV2256PMIR-S-5Y-DE	WDR 1080p MegaDome® 2 1920x1080, 3-9mm F1.2, 30fps, Remote Zoom, Remote Focus, P-iris, IR, IP66, IK-10, 12VDC/24VAC/PoE, PoE Powered Fan, SD card, CorridorView™, Scaling, 5 year warranty	942.50
AV2256PMTIR-S-5Y-DE	WDR 1080p MegaDome® 2 1920x1080, 8-22mm F1.6, 30fps, Remote Zoom, Remote Focus, P-iris, IR, IP66, IK-10, 12VDC/24VAC/PoE, PoE Powered Fan, SD card, CorridorView™, Scaling, 5 year warranty	975.00
AV3256PM-5Y-DE	3 MP MegaDome® 2, 2048x1536, 21 fps, WDR, Day/Night, 3-9mm Remote Focus, Remote Zoom P-Iris Lens, IP66, IK-10, 12VDC/24VAC/PoE, PoE Powered Fan, 5 year warranty	975.00
AV3256PMIR-S-5Y-DE	WDR 3MP MegaDome® 2 2048x1536, 3-9mm F1.2, 21fps, Remote Zoom, Remote Focus, P-iris, IR, IP66, IK-10, 12VDC/24VAC/PoE, PoE Powered Fan, SD card, CorridorView™, Scaling, 5 year warranty	1,072.50

Model Number	Product Name and Short Description	Contract Price
AV3256PMTIR-S-5Y-DE	WDR 3MP MegaDome® 2 2048x1536, 8-22mm F1.6, 21fps, Remote Zoom, Remote Focus, P-iris, IR, IP66, IK-10, 12VDC/24VAC/PoE, PoE Powered Fan, SD card, CorridorView™, Scaling, 5 year warranty	1,105.00
AV5255PMIR-SH-5Y-DE	5MP MegaDome® 2 2592x1944, 3-8mm F1.4, 14fps, Remote Zoom, Remote Focus, P-iris, IR, IP66, IK-10, 12VDC/24VAC/PoE, PoE Heater, SD card, CorridorView™, Scaling, 5 year warranty	1,105.00
AV5255PMIR-SAH-5Y-DE	5MP MegaDome® 2 2592x1944, 3-8mm F1.4, 14fps, Remote Zoom, Remote Focus, P-iris, IR, Audio, IP66, IK-10, 12VDC/24VAC/PoE, PoE Heater, SD card, CorridorView™, Scaling, 5 year warranty	1,170.00
AV5255PMTIR-SH-5Y-DE	5MP MegaDome® 2 2592x1944, 9-22mm F2.0, 14fps, Remote Zoom, Remote Focus, P-iris, IR, IP66, IK-10, 12VDC/24VAC/PoE, PoE Heater, SD card, CorridorView™, Scaling, 5 year warranty	1,137.50
AV2226PMIR-S-5Y-DE	1080p MegaView®2, 1920x1080, 30 fps, WDR, IR LED Array, Day/Night, 3-9mm, F1.2, Remote Focus, Remote Zoom P-Iris Lens, IP66, 12VDC/24VAC/PoE, PoE Powered Fan, SD card, CorridorView™, Scaling, 5 year warranty	988.00
AV2226PMTIR-S-5Y-DE	1080p MegaView®2, 1920x1080, 30 fps, WDR, 200ft IR LED Array, Day/Night, 8-22mm, F1.6, Remote Focus, Remote Zoom P-Iris Lens, IP66, 12VDC/24VAC/PoE, PoE Powered Fan, SD card, CorridorView™, Scaling, 5 year warranty	1,020.50
AV3226PMIR-S-5Y-DE	3 MP MegaView®2, 2048x1536, 21 fps, WDR, IR LED Array, Day/Night, 3-9mm, F1.2, Remote Focus, Remote Zoom P-Iris Lens, IP66, 12VDC/24VAC/PoE, PoE Powered Fan, SD card, CorridorView™, Scaling, 5 year warranty	1,137.50
AV3226PMIR-SA-5Y-DE	3 MP MegaView®2, 2048x1536, 21 fps, WDR, IR LED Array, Day/Night, 3-9mm, F1.2, Remote Focus, Remote Zoom P-Iris Lens, IP66, Audio, 12VDC/24VAC/PoE, PoE Powered Fan, SD card, CorridorView™, Scaling, 5 year warranty	1,170.00
AV3226PMTIR-S-5Y-DE	3MP MegaView®2, 2048x1536, 21 fps, WDR, IR LED Array, Day/Night, 3-9mm, F1.2, Remote Focus,	1,170.00
AV5225PMIR-S-5Y-DE	Remote Zoom P-Iris Lens, IP66, 12VDC/24VAC/PoE, PoE Powered Fan, SD card, CorridorView™, Scaling	1,137.50
AV5225PMIR-SA-5Y-DE	5 MP MegaView®2, 2592X1944, 14 fps, IR LED Array, Day/Night, 3.6-9mm, F1.3, Remote Focus, Remote Zoom P-Iris Lens, IP66, 12VDC/24VAC/PoE, PoE Powered Fan, SD card, CorridorView™, Scaling, 5 year warranty	1,170.00
AV5225PMTIR-S-5Y-DE	5 MP MegaView®2, 2592X1944, 14 fps, IR LED Array, Day/Night, 3.6-9mm, F1.3, Remote Focus, Remote Zoom P-Iris Lens, IP66, Audio, 12VDC/24VAC/PoE, PoE Powered Fan, SD card, CorridorView™, Scaling, 5 year warranty	1,170.00
AV2225PMIR-S-5Y-DE	5 MP MegaView®2, 2592X1944, 14 fps, 200ft IR LED Array, Day/Night, 9-22mm, F2.0, Remote Focus, Remote Zoom P-Iris Lens, IP66, 12VDC/24VAC/PoE, PoE Powered Fan, SD card, CorridorView™, Scaling, 5 year warranty	923.00
AV2225PMIR-SA-5Y-DE	1080p MegaView®2, 1920x1080, 30 fps, IR LED Array, Day/Night, 3-9mm, F1.2, Remote Focus, Remote Zoom P-Iris Lens, IP66, Casino Mode, 12VDC/24VAC/PoE, PoE Powered Fan, SD card, CorridorView™, Scaling, 5 year warranty	955.50
AV2225PMTIR-S-5Y-DE	1080p MegaView®2, 1920x1080, 30 fps, IR LED Array, Day/Night, 3-9mm, F1.2, Remote Focus, Remote Zoom P-Iris Lens, IP66, Casino Mode, Audio, 12VDC/24VAC/PoE, PoE Powered Fan, SD card, CorridorView™, Scaling, 5 year warranty	955.50



Model Number	Product Name and Short Description	Contract Price
AV12275DN-NL-5Y-DE	SurroundVideo Omni G2, 12 Megapixel, Remote Focus & Day/Night H.264/MJPEG Omni-Directional Camera G2, 4 x 2048x1536, No Lens, Surface mount, Indoor/Outdoor, IP66, IK-10, PoE Powered Fan NEW All verified	1,818.70
AV12275DN-28-5Y-DE	SurroundVideo Omni G2, 12 Megapixel, Remote Focus & Day/Night H.264/MJPEG Omni-Directional Camera G2, 4 x 2048x1536, 4 x 2.8mm MP Lens, Surface mount, Indoor/Outdoor, IP66, IK-10, PoE Powered Fan	1,948.70
AV12275DN-08-5Y-DE	SurroundVideo Omni G2, 12 Megapixel, Remote Focus & Day/Night H.264/MJPEG Omni-Directional Camera G2, 4 x 2048x1536, 4 x 8.0mm MP Lens, Surface mount, Indoor/Outdoor, IP66, IK-10, PoE Powered Fan	1,948.70
AV12276DN-NL-5Y-DE	SurroundVideo Omni G2, 12 Megapixel WDR, Remote Focus & Day/Night H.264/MJPEG Omni-Directional Camera G2, 4 x 2048x1536, No Lens, Surface mount, Indoor/Outdoor, IP66, IK-10, PoE Powered Fan	1,896.70
AV12276DN-28-5Y-DE	SurroundVideo Omni G2, 12 Megapixel WDR, Remote Focus & Day/Night H.264/MJPEG Omni-Directional Camera G2, 4 x 2048x1536, 4 x 2.8mm MP Lens, Surface mount, Indoor/Outdoor, IP66, IK-10, PoE Powered Fan	2,026.70
AV12276DN-08-5Y-DE	SurroundVideo Omni G2, 12 Megapixel WDR, Remote Focus & Day/Night H.264/MJPEG Omni-Directional Camera G2, 4 x 2048x1536, 4 x 8.0mm MP Lens, Surface mount, Indoor/Outdoor, IP66, IK-10, PoE Powered Fan	2,026.70
AV20275DN-NL-5Y-DE	SurroundVideo Omni G2, 20 Megapixel, Remote Focus & Day/Night H.264/MJPEG Omni-Directional Camera G2, 4 x 2560x1920, No Lens, Surface mount, Indoor/Outdoor, IP66, IK-10, PoE Powered Fan	2,078.70
AV20275DN-28-5Y-DE	SurroundVideo Omni G2, 20 Megapixel, Remote Focus & Day/Night H.264/MJPEG Omni-Directional Camera G2, 4 x 2560x1920, 4 x 2.8mm MP Lens, Surface mount, Indoor/Outdoor, IP66, IK-10, PoE Powered Fan	2,208.70
AV20275DN-08-5Y-DE	SurroundVideo Omni G2, 20 Megapixel, Remote Focus & Day/Night H.264/MJPEG Omni-Directional Camera G2, 4 x 2560x1920, 4 x 8.0mm MP Lens, Surface mount, Indoor/Outdoor, IP66, IK-10, PoE Powered Fan	2,208.70
AV5585PM-5Y-DE	Stellar™ 5.0 Megapixel Day/Night H.264/MJPEG 180° Gen 5 Camera, 5120x960, 4 x 5.6mm MP Lens, Remote Focus, P-Iris Lens, Surface/hard-ceiling mount, Indoor/Outdoor, IP66, IK-10, 18-48VDC/24VAC/PoE, Heater/Blower	2,013.70
AV12586PM-5Y-DE	12 Megapixel WDR & Day/Night H.264/MJPEG 180° Gen 5 Camera, 8192x1536, 4 x 5.3mm MP Lens, Remote Focus, P-Iris Lens, Surface mount, Indoor/Outdoor, IP66, IK-10, 18-48VDC/24VAC/PoE, Heater/Blower	2,013.70
AV12585PM-5Y-DE	12 Megapixel Day/Night H.264/MJPEG 180° Camera, 8192x1536, 4 x 5.3mm MP Lens, Remote Focus, P-Iris Lens, Surface mount, Indoor/Outdoor, IP66, IK-10, 18-48VDC/24VAC/PoE, Heater/Blower	2,013.70
AV20585PM-5Y-DE	20 Megapixel Day/Night H.264/MJPEG 180° Gen 5 Camera, 10240x1920, 4 x 6.2mm MP Lens, Remote Focus, P-Iris Lens, Surface mount, Indoor/Outdoor, IP66, IK-10, 18-48VDC/24VAC/PoE, Heater/Blower	2,208.70
AV10255PMIR-SH	10MP MegaDome® 2 3648x2752, 4-8mm F1.6, 7fps, Remote Zoom, Remote Focus, P-iris, IR, IP66, IK-10, 12VDC/24VAC/PoE, PoE Heater, SD card, CorridorView™, Scaling	1,235.00
AV10255PMTIR-SH	10MP MegaDome® 2 3648x2752, 12-22mm F2.2, 7fps, Remote Zoom, Remote Focus, P-iris, IR, IP66, IK-10, 12VDC/24VAC/PoE, PoE Heater, SD card, CorridorView™, Scaling	1,267.50

Model Number	Product Name and Short Description	Contract Price
AV1245PMIR-SB-LG-5Y-DE	Stellar™ 1.2 MP MegaBall™ G2, 37 fps, H.264/MJPEG 3-10mm RF/RZ P-iris Lens, Adjustable IR, SD Card, Surface Bell Mount Indoor Camera, 12VDC/24VAC/PoE, Housing Color: Light Gray	520.00
AV2245PM-B-LG-5Y-DE	1080p MegaBall™ G2, 1920x1080, 30 fps, MJPEG/H.264, Casino Mode, 3-10mm RF/RZ P-iris Lens, SD Card, In-ceiling/Surface Mount Indoor Dome, 12VDC/24VAC/PoE, Housing Color: Light Gray	468.00
AV2245PMIR-SB-LG-5Y-DE	1080p MegaBall™ G2, 1920x1080, 30 fps, MJPEG/H.264, Casino Mode, 3-10mm RF/RZ P-iris Lens, Adjustable IR, SD Card, Surface Bell Mount Indoor Camera, 12VDC/24VAC/PoE, Housing Color: Light Gray	533.00
AV2246PM-B-LG-5Y-DE	1080p MegaBall™ G2, WDR, 1920x1080, 30 fps, MJPEG/H.264, 3-10mm RF/RZ P-iris Lens, SD Card, Surface Bell Mount Indoor Camera, 12VDC/24VAC/PoE, Housing Color: Light Gray	494.00
AV2246PMIR-SB-LG-5Y-DE	1080p MegaBall™ G2, WDR, 1920x1080, 30 fps, MJPEG/H.264, 3-10mm RF/RZ P-iris Lens, Adjustable IR, SD Card, Surface Bell Mount Indoor Camera, 12VDC/24VAC/PoE, Housing Color: Light Gray	546.00
AV3245PM-B-LG-5Y-DE	3MP MegaBall™ G2, 2048x1536, 21 fps, MJPEG/H.264, 3-10mm RF/RZ P-iris Lens, SD Card, Surface Bell Mount Indoor Camera, 12VDC/24VAC/PoE, Housing Color: Light Gray	611.00
AV3245PMIR-SB-LG-5Y-DE	3MP MegaBall™ G2, 2048x1536, 21 fps, MJPEG/H.264, 3-10mm RF/RZ P-iris Lens, Adjustable IR, SD Card, Surface Bell Mount Indoor Camera, 12VDC/24VAC/PoE, Housing Color: Light Gray	676.00
AV3246PM-B-LG-5Y-DE	3MP MegaBall™ G2, WDR, 2048x1536, 21 fps, MJPEG/H.264, 3-10mm RF/RZ P-iris Lens, SD Card, Surface Bell Mount Indoor Camera, 12VDC/24VAC/PoE, Housing Color: Light Gray	650.00
AV3246PMIR-SB-LG-5Y-DE	3MP MegaBall™ G2, WDR, 2048x1536, 21 fps, MJPEG/H.264, 3-10mm RF/RZ P-iris Lens, Adjustable IR, SD Card, Surface Bell Mount Indoor Camera, 12VDC/24VAC/PoE, Housing Color: Light Gray	702.00
HSG2	Outdoor IP67 PoE housing for MegaVideo® cameras, sunshield, dual fan, heater (Total PoE Solution)	214.50
HSG2-WMT	Wall Mount for HSG2 housing	39.00
D4F	Indoor Flush Mount Dome Accessory for Compact Cameras (Camera & Lens not included)	48.75
D4S	Indoor Surface Mount Dome Accessory for Compact Cameras (Camera & Lens not included)	48.75
D4SO	Outdoor Surface Mount Dome Accessory for Compact Cameras (Camera & Lens not included)	97.50
DOME4-I	Indoor 4" vandal resistant dome, dome for single/dual sensor cameras, IP66 (Arecont Vision fixed focal lenses only)	123.50
DOME4-O	Outdoor 4" vandal resistant dome, dome for single/dual sensor cameras, IP66 w/heater (Arecont Vision fixed focal lenses only)	169.00
DOME5-I	Indoor 5" recessed dome for single/dual sensor cameras	123.50
D4S-WMT	Wall Mount fo D4S and MegaBall Indoor Dome, Color: Light Gray	54.60
D4S-CMT	Pendant Mount for D4S and MegaBall Indoor Dome, Color: Light Gray	65.00
D4S-WMT-B	Wall Mount fo MegaBall Indoor Dome, Color: Black	54.60
D4S-CMT-B	Pendant Mount for MegaBall Indoor Dome, Color: Black	65.00
MD-WMT2	Wall Mount for MegaDome®, D4SO Series & 12MP Panoramic - 1.5" NPT Nipple	97.50
MD-CMT	Pendant Mount for MegaDome®, D4SO Series & 12MP Panoramic - 2 piece mount with gasket	97.50
MD-CAP	Pendant Mount Cap for MegaDome®, D4SO Series & 12MP Panoramic - 1.5" NPT Nipple	52.00
MD-FMA	Flush Mount for MegaDome®, D4SO Series & 12MP Panoramic	65.00
AV-WMJB	Wall Mount Bracket with Junction Box (No Cap) for SurroundVideo® Omni Series - 1.5" NPT Female	84.50
AV-PMJB	Pendant Mount Bracket with Junction Box (No Cap) for SurroundVideo® Omni Series - 1.5" NPT Female	84.50
SO-CAP	Mount Cap for SurroundVideo® Omni - 1.5" NPT Male	45.50
AV-CRMA	Corner Mount Adapter for SurroundVideo® Omni Series	32.50

Model Number	Product Name and Short Description	Contract Price
AV-PMA	Pole Mount Adapter for SurroundVideo® Omni Series	32.50
SV-EBA	Electrical Box Adapter Plate for SV-WMT, MD-WMT2, HSG2-WMT and MegaView™	20.80
AV-JBA	Junction Box Adapter for AV-WMT, MD-WMT2, HSG2-WMT and MegaView™	52.00
MD-PMA	Pole Mount Adapter for SV-WMT, MD-WMT2, HSG2-WMT and MegaView™	58.50
MD-CRMA	Corner Mount Adapter for SV-WMT, MD-WMT2, HSG2-WMT and MegaView™	58.50
MD-EBA	Electrical Box Adapter Plate for MegaDome® (surface mount)	13.00
MD-JBA	Junction Box Adapter for MD-CMT MegaDome® Pendant Mount	63.70
M2514-MP	Computar 25mm, 2/3", f1.4, Manual Iris	208.00
M5018-MP2	Computar 50mm, 2/3", f1.8, Manual Iris	208.00
SY110M	Theia 1.67mm, 1/2.5, f1.8, Manual Iris	201.50
MPL33-11AI	Arecont 3.3-11mm, 1/2.5, f1.4 CS-mount, IR corrected, DC Auto Iris	130.00
MPL12-40AI	Arecont 12-40mm, 1/2", f1.8, CS-mount, IR Corrected, DC Auto Iris	227.50
JHF25M	Spacecom 25mm, 2/3", f1.4, C-mount	383.50
JHF35M	Spacecom 35mm, 2/3", f1.4, C-mount	383.50
MPM2.8	Arecont 2.8mm, 1/2.5", F1.8 M12-mount; Fixed iris, IR CORRECTED	39.00
MPM4.0	Arecont 4mm, 1/2.5", F1.6 M12-mount; Fixed iris, IR CORRECTED	35.75
MPM6.0	Arecont 6mm, 1/2.5", F1.6 M12-mount; Fixed iris, IR CORRECTED	35.75
MPM8.0	Arecont 8mm, 1/2.5", F1.6 M12-mount; Fixed iris, IR CORRECTED	35.75
MPM12.0	Arecont 12mm, 1/2.5", F1.6 M12-mount; Fixed iris, IR CORRECTED	35.75
MPM16.0	Arecont 16mm, 1/2.5", F1.6 M12-mount; Fixed iris, IR CORRECTED	35.75

Avigilon Video Surveillance		
1C-ACC5-COR	ACC 5 Core license for up to 1 camera channels and 2 viewing clients	76.00
4C-ACC5-COR	ACC 5 Core license for up to 4 camera channels and 2 viewing clients	260.00
8C-ACC5-COR	ACC 5 Core license for up to 8 camera channels and 2 viewing clients	516.00
16C-ACC5-COR	ACC 5 Core license for up to 16 camera channels and 2 viewing clients	1,028.00
24C-ACC5-COR	ACC 5 Core license for up to 24 camera channels and 2 viewing clients	1,516.00
1C-ACC5-COR-STD-UPG	ACC 5 upgrade license Core to Standard for 1 camera channel	92.00
4C-ACC5-COR-STD-UPG	ACC 5 upgrade license Core to Standard for 4 camera channels	340.00
8C-ACC5-COR-STD-UPG	ACC 5 upgrade license Core to Standard for 8 camera channels	684.00
16C-ACC5-COR-STD-UPG	ACC 5 upgrade license Core to Standard for 16 camera channels	1,356.00
24C-ACC5-COR-STD-UPG	ACC 5 upgrade license Core to Standard for 24 camera channels	2,040.00
1C-ACC5-STD	ACC 5 Standard license for up to 1 camera channels and 5 viewing clients	148.00
4C-ACC5-STD	ACC 5 Standard license for up to 4 camera channels and 5 viewing clients	532.00

Model Number	Product Name and Short Description	Contract Price
8C-ACC5-STD	ACC 5 Standard license for up to 8 camera channels and 5 viewing clients	1,060.00
16C-ACC5-STD	ACC 5 Standard license for up to 16 camera channels and 5 viewing clients	2,116.00
24C-ACC5-STD	ACC 5 Standard license for up to 24 camera channels and 5 viewing clients	3,164.00
1C-ACC5-STD-ENT-UPG	ACC 5 upgrade license for 1 camera channel	172.00
4C-ACC5-STD-ENT-UPG	ACC 5 upgrade license for 4 camera channels	572.00
8C-ACC5-STD-ENT-UPG	ACC 5 upgrade license for 8 camera channels	1,136.00
16C-ACC5-STD-ENT-UPG	ACC 5 upgrade license for 16 camera channels	2,276.00
24C-ACC5-STD-ENT-UPG	ACC 5 upgrade license for 24 camera channels	3,396.00
1C-ACC5-ENT	ACC 5 Enterprise license for up to 1 camera channels and unlimited viewing clients	268.00
4C-ACC5-ENT	ACC 5 Enterprise license for up to 4 camera channels and unlimited viewing clients	924.00
8C-ACC5-ENT	ACC 5 Enterprise license for up to 8 camera channels and unlimited viewing clients	1,832.00
16C-ACC5-ENT	ACC 5 Enterprise license for up to 16 camera channels and unlimited viewing clients	3,596.00
24C-ACC5-ENT	ACC 5 Enterprise license for up to 24 camera channels and unlimited viewing clients	5,356.00
ACC5-4TO5-COR-UPG	ACC 5 upgrade license for one ACC 4 Core server	76.00
ACC5-4TO5-STD-UPG	ACC 5 upgrade license for one ACC 4 Standard server	148.00
ACC5-4TO5-ENT-UPG	ACC 5 upgrade license for one ACC 4 Enterprise server	268.00
VMA-AS1-8P2	HD Video Appliance 8-port 2TB unit with ACC Core 8-ch license	1,997.60
VMA-AS1-8P4	HD Video Appliance 8-port 4TB unit with ACC Core 8-ch license	2,196.00
8C-ACC5-COR-STD-UPG	ACC 5 upgrade license Core to Standard for 8 camera channels	684.00
VMA-AS1-16P06	HD Video Appliance Pro 16-port 6TB unit with ACC Standard 16-ch license	6,183.20
VMA-AS1-16P09	HD Video Appliance Pro 16-port 9TB unit with ACC Standard 16-ch license	6,587.20
VMA-AS1-16P12	HD Video Appliance Pro 16-port 12TB unit with ACC Standard 16-ch license	6,968.80
VMA-AS1-24P09	HD Video Appliance Pro 24-port 9TB unit with ACC Standard 24-ch license	7,613.60
VMA-AS1-24P12	HD Video Appliance Pro 24-port 12TB unit with ACC Standard 24-ch license	9,238.40
16C-ACC5-STD-ENT-UPG	ACC 5 upgrade license Standard to Enterprise for 16 camera channels	2,276.00
24C-ACC5-STD-ENT-UPG	ACC 5 upgrade license Standard to Enterprise for 24 camera channels	3,396.00
3.0TB-HD-NVR2	HD NVR, 3.0 TB Storage, 2U Rack Mount	4,128.00
5.0TB-HD-NVR2	HD NVR, 5.0 TB Storage, 2U Rack Mount	6,128.00
10.0TB-HD-NVR2	HD NVR, 10.0 TB Storage, 2U Rack Mount	7,728.00
15.0TB-HD-NVR2	HD NVR, 15.0 TB Storage, 2U Rack Mount	9,328.00
21.0TB-HD-NVR2	HD NVR, 21.0 TB Storage, 2U Rack Mount	11,996.00
HD-NVR2-2ND-PS	Secondary redundant power supply for a HD NVR Server	220.00
HD-NVR2-EXP2-CARD	Expansion card for connecting HD-NVR-EXP2 storage expansions to an HD NVR Server.	716.00
HD-NVR2-LPRPROC	Additional processor and memory installation kit for use with ACC HD LPR	716.00
HD-NVR-EXP2-10TB	10TB RAID 6 Expansion, 2U Rack Mount	7,836.00
HD-NVR-EXP2-20TB	20TB RAID 6 Expansion, 2U Rack Mount	13,996.00
HD-NVR-EXP2-30TB	30TB RAID 6 Expansion, 2U Rack Mount	16,360.00
2.0-H3A-DO1	2.0 Megapixel (1080p) Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens, Adaptive Video Analytics	792.00
2.0-H3A-DO1-IR	2.0 Megapixel (1080p) Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator, Adaptive Video Analytics	832.00

Model Number	Product Name and Short Description	Contract Price
2.0-H3A-DP1	2.0 Megapixel (1080p) Day/Night Pendant Dome, 3-9mm f/1.2 P-iris lens, Adaptive Video Analytics	792.00
2.0-H3A-DO2	2.0 Megapixel (1080p) Day/Night Outdoor Dome, 9-22mm f/1.6 P-iris lens, Adaptive Video Analytics	824.00
2.0-H3A-DP2	2.0 Megapixel (1080p) Day/Night Pendant Dome, 9-22mm f/1.6 P-iris lens, Adaptive Video Analytics	824.00
3.0W-H3A-DO1	3.0 Megapixel (1080p) Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens, Adaptive Video Analytics	888.00
3.0W-H3A-DO1-IR	3.0 Megapixel (1080p) Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator, Adaptive Video Analytics	928.00
3.0W-H3A-DP1	3.0 Megapixel (1080p) Day/Night Pendant Dome, 3-9mm f/1.2 P-iris lens, Adaptive Video Analytics	888.00
3.0W-H3A-DO2	3.0 Megapixel (1080p) Day/Night Outdoor Dome, 9-22mm f/1.6 P-iris lens, Adaptive Video Analytics	920.00
3.0W-H3A-DP2	3.0 Megapixel (1080p) Day/Night Pendant Dome, 9-22mm f/1.6 P-iris lens, Adaptive Video Analytics	920.00
2.0W-H3A-BO1-IR	2.0 Megapixel (1080p) WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Adaptive Video Analytics	832.00
2.0W-H3A-BO2-IR	2.0 Megapixel (1080p) WDR, 9-22mm f/1.6 P-iris lens, Integrated IR, Adaptive Video Analytics	864.00
3.0W-H3A-BO1-IR	3.0 Megapixel WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Adaptive Video Analytics	928.00
3.0W-H3A-BO2-IR	3.0 Megapixel WDR, 9-22mm f/1.6 P-iris lens, Integrated IR, Adaptive Video Analytics	960.00
MNT-PEND-WALL	Compact wall bracket for use with H3PTZ-DP and H3-DP Pendant Dome Cameras	72.00
MNT-AD-POLE-B	Pole mount adapter for use with MNT-PEND-WALL, H3-BO-JB or HD Bullet Camera	72.00
MNT-AD-CORNER	Corner mount adapter for use with MNT-PEND-WALL, H3-BO-JB or HD Bullet Camera	72.00
H3-DOP-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for outdoor and pendant domes.	48.00
H3-DOP-SMOKE	Replacement smoked transparent cover, includes dome bubble and camera cover for outdoor and pendant domes. Reduces light transmission by 50% compared to the standard clear cover. Not recommended for low light applications or with the integrated IR illuminator.	48.00
3.0W-H3-D1	3.0 Megapixel WDR Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens	668.00
3.0W-H3-D1-IR	3.0 Megapixel WDR Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator	708.00
3.0W-H3-DO1	3.0 Megapixel WDR Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens	788.00
3.0W-H3-DO1-IR	3.0 Megapixel WDR Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator	828.00
3.0W-H3-DP1	3.0 Megapixel WDR Day/Night Pendant Dome, 3-9mm f/1.2 P-iris lens	788.00
3.0W-H3-DC1	3.0 Megapixel WDR Day/Night In-Ceiling Dome, 3-9mm f/1.2 P-iris lens	708.00
3.0W-H3-D2	3.0 Megapixel WDR Day/Night Indoor Dome, 9-22mm f/1.6 P-iris lens	700.00
3.0W-H3-DO2	3.0 Megapixel WDR Day/Night Outdoor Dome, 9-22mm f/1.6 P-iris lens	820.00
3.0W-H3-DP2	3.0 Megapixel WDR Day/Night Pendant Dome, 9-22mm f/1.6 P-iris lens	820.00
3.0W-H3-DC2	3.0 Megapixel WDR Day/Night In-Ceiling Dome, 9-22mm f/1.6 P-iris lens	740.00
5.0-H3-D1	5.0 Megapixel Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens	764.00
5.0-H3-D1-IR	5.0 Megapixel Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator	804.00
5.0-H3-DO1	5.0 Megapixel Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens	884.00
5.0-H3-DO1-IR	5.0 Megapixel Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens, IR Illuminator	924.00
5.0-H3-DP1	5.0 Megapixel Day/Night Pendant Dome, 3-9mm f/1.2 P-iris lens	884.00
5.0-H3-DC1	5.0 Megapixel Day/Night In-Ceiling Dome, 3-9mm f/1.2 P-iris lens	804.00
5.0-H3-D2	5.0 Megapixel Day/Night Indoor Dome, 9-22mm f/1.6 P-iris lens	796.00
5.0-H3-DO2	5.0 Megapixel Day/Night Outdoor Dome, 9-22mm f/1.6 P-iris lens	916.00
5.0-H3-DP2	5.0 Megapixel Day/Night Pendant Dome, 9-22mm f/1.6 P-iris lens	916.00
5.0-H3-DC2	5.0 Megapixel Day/Night In-Ceiling Dome, 9-22mm f/1.6 P-iris lens	836.00

Model Number	Product Name and Short Description	Contract Price
MNT-PEND-WALL	Compact wall bracket for use with H3PTZ-DP and H3-DP Pendant Dome Cameras	72.00
MNT-AD-POLE-B	Pole mount adapter for use with MNT-PEND-WALL, H3-BO-JB or HD Bullet Camera	72.00
MNT-AD-CORNER	Corner mount adapter for use with MNT-PEND-WALL, H3-BO-JB or HD Bullet Camera	72.00
H3-D-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for indoor domes.	32.00
H3-DOP-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for outdoor and pendant domes.	48.00
H3-DC-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for in-ceiling domes.	32.00
H3-DC-PNL	Metal ceiling panel for use with H3-DC in-ceiling dome cameras to replace or reinforce the existing ceiling tile in suspended ceiling installations.	76.00
H3-D-SMOKE	Replacement smoked transparent cover, includes dome bubble and camera cover for indoor domes. Reduces light transmission by 50% compared to the standard clear cover. Not recommended for low light applications or with the integrated IR illuminator.	32.00
H3-DOP-SMOKE	Replacement smoked transparent cover, includes dome bubble and camera cover for outdoor and pendant domes. Reduces light transmission by 50% compared to the standard clear cover. Not recommended for low light applications or with the integrated IR illuminator.	48.00
H3-DC-SMOKE	Replacement smoked transparent cover, includes dome bubble and camera cover for in-ceiling domes. Reduces light transmission by 50% compared to the standard clear cover. Not recommended for low light applications.	32.00
2.0-H3-B2	2.0 Megapixel (1080p) Day/Night, 3-9mm f/1.2 P-iris lens	488.00
2.0-H3-B3	2.0 Megapixel (1080p) Day/Night, 9-22mm f/1.6 P-iris lens	512.00
2.0-H3-B1	2.0 Megapixel (1080p) Day/Night, 4.7-84.6mm f/1.6 lens	520.00
3.0W-H3-B2	3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-Iris lens	668.00
3.0W-H3-B3	3.0 Megapixel WDR Day/Night, 9-22mm f/1.6 P-iris lens	700.00
5.0-H3-B2	5.0 Megapixel Day/Night 3-9mm f/1.2 P-Iris lens	764.00
5.0-H3-B3	5.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens	796.00
2.0W-H3-BO1-IR	2.0 Megapixel (1080p) WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Onboard storage	624.00
2.0W-H3-BO2-IR	2.0 Megapixel (1080p) WDR, 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage	648.00
3.0W-H3-BO1-IR	3.0 Megapixel WDR, 3-9mm f/1.2 P-Iris lens, Integrated IR, Onboard storage	828.00
3.0W-H3-BO2-IR	3.0 Megapixel WDR, 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage	860.00
5.0-H3-BO1-IR	5.0 Megapixel 3-9mm f/1.2 P-Iris lens, Integrated IR, Onboard storage	924.00
5.0-H3-BO2-IR	5.0 Megapixel 9-22mm f/1.6 P-Iris lens, Integrated IR, Onboard storage	956.00
H3-BO-JB	Junction box for the H3-BO-IR HD Bullet Cameras	76.00
1.0W-H3PTZ-DP20	1.0 Megapixel (720p) WDR Day/Night, 20x, Pendant Dome	2,396.00
2.0W-H3PTZ-DP20	2.0 Megapixel (1080p) WDR Day/Night, 20x, Pendant Dome	2,796.00
1.0W-H3PTZ-DC20	1.0 Megapixel (720p) WDR Day/Night, 20x, In-Ceiling Dome	2,116.00
2.0W-H3PTZ-DC20	2.0 Megapixel (1080p) WDR Day/Night, 20x, In-Ceiling Dome	2,516.00
MNT-PEND-WALL	Compact wall bracket for use with H3PTZ-DP and H3-DP Pendant Dome Cameras	72.00
MNT-AD-POLE-B	Pole mount adapter for use with MNT-PEND-WALL, H3-BO-JB or HD Bullet Camera	72.00
MNT-AD-CORNER	Corner mount adapter for use with MNT-PEND-WALL, H3-BO-JB or HD Bullet Camera	72.00
H3PTZ-DC-PNL	Metal ceiling panel for use with H3PTZ-DC in-ceiling dome cameras to replace or reinforce the existing ceiling tile in suspended ceiling installations.	72.00

Model Number	Product Name and Short Description	Contract Price
H3PTZ-DC-SMOKE	Replacement smoked transparent cover, includes dome bubble and camera cover HD PTZ In-Ceiling cameras. Reduces light transmission by 50% compared to the standard clear cover. Not recommended for low light applications.	96.00
H3PTZ-DC-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for HD PTZ In-Ceiling cameras.	96.00
H3PTZ-DP-SMOKE	Replacement smoked transparent cover, includes dome bubble and camera cover for HD PTZ Pendant cameras. Reduces light transmission by 50% compared to the standard clear cover. Not recommended for low light applications.	96.00
H3PTZ-DP-CLEAR-IK	IK10 replacement clear transparent cover, includes dome bubble and camera cover for HD PTZ Pendant cameras.	120.00
H3PTZ-DP-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for HD PTZ Pendant cameras.	96.00
ENC-4P-H264	4-Port H.264 Analog Video Encoder with 4 audio support	276.00
ENC-BRK1U	Mounting bracket for 3 Avigilon Analog Video Encoders in 1U of standard rack space	44.00
8L-H4PRO-B	8 Megapixel H.264 HD Pro with LightCatcher Technology	3,720.00
12L-H4PRO-B	12 Megapixel H.264 HD Pro with LightCatcher Technology	5,660.00
16L-H4PRO-B	16 Megapixel H.264 HD Pro with LightCatcher Technology	6,000.00
1L-HD-LP-35	35ft (11m) Single Lane HD LPR Capture Kit	3,960.00
1L-HD-LP-50	50ft (15m) Single Lane HD LPR Capture Kit	3,960.00
1L-HD-LP-75	75ft (23m) Single Lane HD LPR Capture Kit	3,960.00
1L-HD-LP-100	100ft (30m) Single Lane HD LPR Capture Kit	4,120.00
2L-HD-LP-40	40ft (12m) Dual Lane HD LPR Capture Kit	4,760.00
1LPR-HD-NVMS	Avigilon Control Center HD LPR base license for 1 lane of LPR on a single ACC 4 server. Includes a single USB security dongle required for ACC HD LPR.	2,560.00
1LPR-HD-NVMS-ADD	Add-on to add an additional LPR lane to an ACC 4 server, required for a dual lane capture kit or when running multiple HD LPR Capture kits on a single NVR server.	1,200.00
1LPR-ACC5-BASE-M	Avigilon Control Center HD LPR base license for 1 lane of LPR on a single ACC 5 server. Includes a single USB security dongle required for ACC HD LPR.	2,560.00
1LPR-ACC5-ADD	Add-on to add an additional LPR lane to an ACC 5 server, required for a dual lane capture kit or when running multiple HD LPR Capture kits on a single NVR server.	1,200.00
LEF2414CA	Canon, 24mm, f/1.4, Auto-Iris	2,832.00
LEF2818CA	Canon, 28mm, f/1.8, Auto-Iris	744.00
LEFS3014SI	Sigma, 30mm, f/1.4, Auto-Iris	692.00
LEF3514CA	Canon, 35mm, f/1.4, Auto-Iris	2,333.60
LEF3520CA	Canon, 35mm, f/2.0, Auto-Iris	533.60
LEF4028CA	Canon, 40mm, f/2.8, Auto-Iris	320.00
LEF5012CA	Canon, 50mm, f/1.2, Auto-Iris	2,665.60
LEF5014CA	Canon, 50mm, f/1.4, Auto-Iris	667.20
LEF5018CA	Canon, 50mm, f/1.8, Auto-Iris	165.60
LEF8512CA	Canon, 85mm, f/1.2, Auto-Iris	3,284.00
LEF8518CA	Canon, 85mm, f/1.8, Auto-Iris	768.00
LEF10020CA	Canon, 100mm, f/2.0, Auto-Iris	725.60
LEF20028CA	Canon, 200mm, f/2.8, Auto-Iris	1,536.00
LEFS111628TO	Tokina, 11-16mm, f/2.8, Auto-Iris, Vari Focal	1,024.00

Model Number	Product Name and Short Description	Contract Price
LEF163528CA	Canon, 16-35mm, f/2.8, Auto-Iris, Vari Focal	2,533.60
LEFS175028SI	Sigma, 17-50mm, f/2.8, Auto-Iris, Vari Focal	712.00
LEFS183518SI	Sigma, 18-35mm, f/1.8, Auto-Iris, Vari Focal	1,208.00
LEF247028SI	Sigma 24-70mm, f/2.8, Auto-Iris, Vari Focal	1,516.00
LEF7020028CA	Canon, 70-200mm, f/2.8, Auto-Iris, Vari Focal	2,167.20
LEF7030040CA	Canon, 70-300mm, f/4-f/5.6, Auto-Iris, Vari Focal	904.00
LEF10040045CA	Canon, 100-400mm, f/4.5-f/5.6, Auto-Iris, Vari Focal	2,684.00
ES-HD-HWS-SM	Standard Format Enclosure for Avigilon HD H.264 IP Cameras with 12VDC/24VAC Heater, Wall Bracket and Sunshield. Maximum combined camera and lens length is 9.8" (25 cm).	120.00
ES-HD-HWS	Standard Format Enclosure for cameras with 12VDC/24VAC Heater, Wall Bracket and Sunshield. Maximum combined camera and lens length is 9.8" (25 cm).	180.00
ES-HD-CWS	Standard Format Enclosure for cameras with 12VDC/24VAC Vented Cooler, Wall Bracket and Sunshield. Maximum combined camera and lens length is 9.8" (25 cm).	264.00
ES-HD-HWS-LG	Large Format Enclosure for Avigilon HD IP Professional Cameras with 12VDC/24VAC Heater, Wall Bracket and Sunshield. Maximum combined camera and lens length is 12.8" (32.5 cm).	332.00
ES-HD-CWS-LG	Large Format Enclosure for Avigilon HD IP Professional Cameras with 12VDC/24VAC Vented Cooler, Wall Bracket and Sunshield. Maximum combined camera and lens length is 12.8" (32.5 cm).	400.00
ES-HD-HS-XL	Extra Large Format Enclosure for Avigilon HD IP Professional Cameras with 24 VAC Triple fan assisted heater. Maximum combined camera and lens length is 20" (51.9 cm).	1,364.00
ES-HD-IPM	Optional PoE+ power module. Powers full camera enclosure features & camera with a single Ethernet connection. Compatible with ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG	188.00
ES-HD-MNT-PAR	Pedestal and ceiling mount for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG	88.00
ES-HD-MNT-POLE-LG	Large pole mount for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG.	128.00
ES-HD-MNT-POLE-MD	Medium pole mount for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG. Additional mounting point if used with ES-HD-MNT-PLATE.	152.00
ES-HD-MNT-POLE-SM	Small dual pole mount for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG.	60.00
ES-HD-MNT-ARM	Ceiling arm mount for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG.	92.00
ES-HD-MNT-CORNER	Corner mount adapter for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG.	52.00
ES-HD-MNT-PLATE	Reinforcing wall mount adapter for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG.	32.00
ES-HD-MNT-WBLA	Ball join mount for ES-HD-HS-XL	648.00
8L-H4PRO-B	8 Megapixel H.264 HD Pro with LightCatcher Technology	1,668.00
9W-H3-3MH-DP1	3x 3MP, Pendant Multisensor Camera, 2.8-8mm f/1.3	1,500.00
12W-H3-4MH-DP1	4x 3MP, Pendant Multisensor camera, 2.8-8mm f/1.3	1,700.00
9W-H3-3MH-DC1	3x 3MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3	1,420.00
12W-H3-4MH-DC1	4x 3MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3	1,620.00
9W-H3-3MH-DO1	3x 3MP, Outdoor Multisensor camera, 2.8-8mm f/1.3	1,500.00
12W-H3-4MH-DO1	4x 3MP, Outdoor Multisensor camera, 2.8-8mm f/1.3	1,700.00
LEF247028TA	Tamron 24-70, f/2.8, Auto-Iris, Vari Focal. For x-H4PRO-B & x-HD-PRO-x. Replacement for LEF247028SI	1,516.00



Model Number	Product Name and Short Description	Contract Price
HD-NVR2-LPRPROC-24	Additional processor and memory installation kit for use with ACC HD LPR	716.00
2.0-H3M-DP1	2.0 Megapixel (1080p) Pendant Micro Dome, 2.8mm f/1.6 lens	356.00
2.0-H3M-DP1-BL	2.0 Megapixel (1080p) Pendant Micro Dome, 2.8mm f/1.6 lens, Black	356.00
2.0C-H3A-D1	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.2 P-iris lens, Self-Learning Video Analytics	688.00
2.0C-H3A-D1-IR	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator, Self-Learning Video Analytics	720.00
2.0C-H3A-DO1	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.2 P-iris lens, Self-Learning Video Analytics	792.00
2.0C-H3A-DO1-IR	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator, Self-Learning Video Analytics	832.00
2.0C-H3A-DP1	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Pendant Dome, 3-9mm f/1.2 P-iris lens, Self-Learning Video Analytics	792.00
2.0C-H3A-DC1	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, In-Ceiling Dome, 3-9mm f/1.2 P-iris lens, Self-Learning Video Analytics	720.00
2.0C-H3A-D2	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Indoor Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	712.00
2.0C-H3A-DO2	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Outdoor Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	824.00
2.0C-H3A-DP2	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Pendant Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	824.00
2.0C-H3A-DC2	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, In-Ceiling Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	748.00
3.0C-H3A-D1	3.0 Megapixel WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.2 P-iris lens, Self-Learning Video Analytics	768.00
3.0C-H3A-D1-IR	3.0 Megapixel WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator, Self-Learning Video Analytics	808.00
3.0C-H3A-DO1	3.0 Megapixel WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.2 P-iris lens, Self-Learning Video Analytics	888.00
3.0C-H3A-DO1-IR	3.0 Megapixel WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator, Self-Learning Video Analytics	928.00
3.0C-H3A-DP1	3.0 Megapixel WDR, LightCatcher, Day/Night, Pendant Dome, 3-9mm f/1.2 P-iris lens, Self-Learning Video Analytics	888.00
3.0C-H3A-DC1	3.0 Megapixel WDR, LightCatcher, Day/Night, In-Ceiling Dome, 3-9mm f/1.2 P-iris lens, Self-Learning Video Analytics	808.00
3.0C-H3A-D2	3.0 Megapixel WDR, LightCatcher, Day/Night, Indoor Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	800.00
3.0C-H3A-DO2	3.0 Megapixel WDR, LightCatcher, Day/Night, Outdoor Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	920.00
3.0C-H3A-DP2	3.0 Megapixel WDR, LightCatcher, Day/Night, Pendant Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	920.00
3.0C-H3A-DC2	3.0 Megapixel WDR, LightCatcher, Day/Night, In-Ceiling Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	840.00
2.0C-H3A-BO1-IR	2.0 Megapixel (1080p) WDR, LightCatcher, 3-9mm f/1.2 P-iris lens, Integrated IR, Self-Learning Video Analytics	832.00
2.0C-H3A-BO2-IR	2.0 Megapixel (1080p) WDR, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Self-Learning Video Analytics	864.00
3.0C-H3A-BO1-IR	3.0 Megapixel WDR, LightCatcher, 3-9mm f/1.2 P-iris lens, Integrated IR, Self-Learning Video Analytics	928.00
3.0C-H3A-BO2-IR	3.0 Megapixel WDR, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Self-Learning Video Analytics	960.00

Model Number	Product Name and Short Description	Contract Price
<b>Avis Video Surveillance Cameras and Encoders</b>		
<b>Axis Cameras</b>		
0586-001	AXIS P3365-V Day/night fixed dome with discreet, vandal-resistant indoor casing. Varifocal 3-9 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max full HDTV 1080p/2MP resolution at 30 fps. WDR – dynamic contrast.	719.10
0587-001	AXIS P3365-VE Day/night fixed dome with vandal-resistant, IP66-rated outdoor casing. Varifocal 3-9 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max full HDTV 1080p / 2MP resolution at 30 fps. WDR.	899.10
0406-001	AXIS P3367-V 5MP, day/night, fixed dome with discreet, vandal-resistant indoor casing. Varifocal 3-9 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max 5MP resolution at 12 fps or HDTV 1080p at 30 fps. WDR.	899.10
0407-001	AXIS P3367-VE 5MP, day/night, fixed dome with vandal-resistant, IP66-rated outdoor casing. Varifocal 3-9 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max 5MP resolution at 12 fps or HDTV 1080p at 30 fps. WDR.	1,079.10
0536-001	AXIS M3025-VE Compact, day/night fixed mini dome in a vandal-resistant casing for outdoor or indoor installation. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 30 fps.	494.10
0547-001	AXIS M3026-VE Compact, day/night fixed mini dome in a vandal-resistant casing for outdoor or indoor installation. Fixed, 106° lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 30 fps or 3 MP resolution at 20 fps.	584.10
0556-001	AXIS M3027-PVE Compact, day/night fixed mini dome in a vandal-resistant casing for outdoor or indoor installation, offering 360°/180° panoramic views as well as quad and digital PTZ views. Multiple, individually configurable H.264 and Motion JPEG streams in up to 5MP resolution at 12 fps.	674.10
0517-001	AXIS M3005-V Ultra-compact, indoor fixed mini dome with dust- and vandal-resistant casing for easy mounting on wall or ceiling. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 30 fps.	269.10
0514-001	AXIS M3006-V Compact, indoor fixed mini dome with dust- and vandal-resistant casing. Easy mounting on wall or ceiling. Fixed, 134° lens, and digital PTZ can be used as digital varifocal to set the angle of view. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 30 fps or 3 MP resolution at 20 fps.	404.10
0543-001	AXIS M3007-P Ultra-discreet, smoke detector-like indoor fixed mini dome with tamper-resistant casing, offering 360°/180° panoramic views as well as quad and digital PTZ views. Multiple, individually configurable H.264 and Motion JPEG streams in up to 5MP resolution at 12 fps.	494.10
0515-001	AXIS M3007-PV Compact, indoor fixed mini dome with dust- and vandal-resistant casing, offering 360°/180° panoramic views as well as quad and digital PTZ views. Easy mounting on wall or ceiling. Multiple, individually configurable H.264 and Motion JPEG streams in up to 5MP resolution at 12 fps.	494.10
0658-001	AXIS F41 MAIN UNIT AXIS F41 Main Unit. To be used with any of AXIS F Series Sensor Units. Supports full HDTV 1080p and WDR - Forensic Capture. Two way audio, 4 configurable I/Os with 12 V output and RS232.	404.10
0659-001	AXIS F44 MAIN UNIT AXIS F44 Main Unit. 4-channel main unit to be used with any of AXIS F Series Sensor Units. Supports 1080p in 15/12.5 fps or 720p in full frame rate. Two way audio, 4 configurable I/Os with 12 V output and RS232.	494.10

Model Number	Product Name and Short Description	Contract Price
0675-001	AXIS F1005-E SENSOR UNIT 3M AXIS F1005-E Sensor Unit with a 3 meter cable to the main unit. IP66 rated. To be used with AXIS F Series Main Units. Fixed lens that provides 113° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit.	224.10
0676-001	AXIS F1005-E SENSOR UNIT 12M AXIS F1005-E Sensor Unit with a 12 meter cable to the main unit. IP66 rated. To be used with AXIS F Series Main Units. Fixed lens that provides 113° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit.	242.10
0677-001	AXIS F1015 SENSOR UNIT 3M AXIS F1015 Sensor Unit with a 3 meter cable to the main unit. To be used with AXIS F Series Main Units. Vari-focal lens that provides 53° - 108° horizontal FOV. Full HDTV 1080p resolution and support for WDR	251.10
0678-001	AXIS F1015 SENSOR UNIT 12M AXIS F1015 Sensor Unit with a 12 meter cable to the main unit. To be used with AXIS F Series Main Units. Vari-focal lens that provides 53° - 108° horizontal FOV. Full HDTV 1080p resolution and support for WDR	269.10
0735-001	AXIS F1025 SENSOR UNIT 3M AXIS F1025 Sensor Unit with a 3 meter cable to the main unit. To be used with AXIS F Series Main Units. Pinhole lens that provides 92° horizontal FOV. Full HDTV 1080p resolution and support for WDR	224.10
0734-001	AXIS F1025 SENSOR UNIT 12M AXIS F1025 Sensor Unit with a 12 meter cable to the main unit. To be used with AXIS F Series Main Units. Pinhole lens that provides 92° horizontal FOV. Full HDTV 1080p resolution and support for WDR	242.10
0737-001	AXIS F1035-E SENSOR UNIT 3M AXIS F1035-E Sensor Unit with a 3 meter cable to the main unit. IP66 rated. To be used with AXIS F Series Main Units. Fisheye lens that provides 194° horizontal FOV. Full HDTV 1080p resolution and support for WDR	224.10
0736-001	AXIS F1035-E SENSOR UNIT 12M AXIS F1035-E Sensor Unit with a 12 meter cable to the main unit. IP66 rated. To be used with AXIS F Series Main Units. Fisheye lens that provides 194° horizontal FOV. Full HDTV 1080p resolution and support for WDR	242.10
0616-001	AXIS Q3505-V 9MM Day/night fixed dome with support for WDR – Forensic Capture in a discreet, dust and IK10 vandal-resistant indoor casing. Varifocal 3-9 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams; full HDTV 1080p/2MP resolution at up to 60 fps.	899.10
0617-001	AXIS Q3505-V 22MM Day/night fixed dome with support for WDR – Forensic Capture in a discreet, dust and IK10 vandal-resistant indoor casing. Varifocal 9-22 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams; full HDTV 1080p/2MP resolution at up to 60 fps. Electronic image stabilization.	989.10
0618-001	AXIS Q3505-VE 9MM Day/night fixed dome with support for WDR – Forensic Capture in an IK10+ vandal-resistant outdoor casing. Varifocal 3-9 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams; full HDTV 1080p/2MP resolution at up to 60 fps. Electronic image stabilization.	1,034.10
0619-001	AXIS Q3505-VE 22MM Day/night fixed dome with support for WDR – Forensic Capture in an IK10+ vandal-resistant outdoor casing. Varifocal 9-22 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams; full HDTV 1080p/2MP resolution at up to 60 fps. Electronic image stabilization.	1,124.10

Model Number	Product Name and Short Description	Contract Price
0620-001	AXIS P1405-E Compact and outdoor-ready HDTV camera for day and night surveillance, IP66-rated, varifocal 2.8-10 mm P-iris lens . Remote 3.5 x optical zoom and focus. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p /2MP resolution at 30 fps.Video motion detection, active tampering alarm, corridor format and WDR	539.10
0621-001	AXIS P1405-LE Compact and outdoor-ready HDTV camera for day and night surveillance, IP66-rated, varifocal 2.8-10 mm P-iris lens . Remote 3.5 x optical zoom and focus. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p /2MP resolution at 30 fps.Video motion detection, active tampering alarm, corridor format and WDR	584.10
0622-001	AXIS P1425-E Compact and outdoor-ready HDTV camera for day and night surveillance, IP66-rated, varifocal 3-10.5 mm P-iris lens . Remote 3.5 x optical zoom and focus. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p /2MP resolution at 30 fps.Video motion detection, active tampering alarm, corridor format and WDR	584.10
0623-001	AXIS P1425-LE Compact and outdoor-ready HDTV camera for day and night surveillance, IP66-rated, varifocal 3-10.5 mm P-iris lens . Remote 3.5 x optical zoom and focus. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p /2MP resolution at 30 fps.Video motion detection, active tampering alarm, corridor format and WDR	629.10
0624-001	AXIS P1427-E Compact and outdoor-ready HDTV camera for day and night surveillance, IP66-rated, varifocal 2.8-9.8 mm P-iris lens . Remote 3.5 x optical zoom and focus. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max 5 MP resolution at 12.5 fps.Video motion detection, active tampering alarm, corridor format and WDR	674.10
0625-001	AXIS P1427-LE Compact and outdoor-ready HDTV camera for day and night surveillance, IP66-rated, varifocal 2.8-9.8 mm P-iris lens . Remote 3.5 x optical zoom and focus. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max 5 MP resolution at 12.5 fps.Video motion detection, active tampering alarm, corridor format and WDR	719.10
0637-001	AXIS P1428-E Compact and outdoor-ready 4K Ultra HD camera for day and night surveillance, IP66-rated, varifocal 3.3-9.8 mm P-iris lens . Remote 3 x optical zoom and focus. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max 8.3 MP/4K Ultra HD resolution at 30 fps.Video motion detection, active tampering alarm and WDR	899.10
0641-001	AXIS P3905-R Fixed dome mobile surveillance camera with rugged design. Fixed lens. Flat, discreet and tamper-resistant casing. Multiple, individually configurable H.264 and Motion JPEG streams; max 1080p resolution at 30/25 fps.	494.10
0642-001	AXIS P3915-R M12 Fixed dome mobile surveillance camera with rugged design. Fixed lens. Flat, discreet and tamper-resistant casing. Multiple, individually configurable H.264 and Motion JPEG streams; max 1080p resolution at 30/25 fps.	539.10
0662-001	AXIS P3905-RE Fixed dome mobile surveillance camera for outdoors use on buses, trams, trucks and emergency vehicles. IP69K and IK09 rated. Fixed 6 mm lens providing 55° horizontal FOV. Flat, discreet and tamper-resistant casing. Supports H.264 and Motion JPEG streams; max 1080p resolution at 30/25 fps.	584.10
<b>Axis PTZ Cameras</b>		
0670-001	AXIS P5635-E 60HZ PTZ camera with continues 360° pan for both indoor and outdoor with 30x optical zoom. HDTV 1080p @30fps (1920x1080) in H.264 and Motion JPEG, Two-way audio, 4xI/O, 24V and PoE, Day & Night, IP66 and NEMA 4X classification. Advanced Gatekeeper, full-size SD-card slot.	1,799.10

Model Number	Product Name and Short Description	Contract Price
0636-001	AXIS Q6000-E 60HZ Outdoor-ready 360° situational awareness camera, comprising 4x2MP sensors, up to 4x720p @ 30fps (1280x720) in H.264 and Motion JPEG. Designed to be integrated with any AXIS Q60-E series camera for large area coverage and simultaneous zoomed-in view, using the one-click PTZ control feature.	1,439.10
0692-004	AXIS Q6045 MkII 60HZ < US > HDTV 1080p compliant, high-speed PTZ dome camera with 32x optical zoom for indoor use. HDTV 1080p (1920x1080)@30fps 720p@60fps. Continuous 360° rotation and 220° tilt with E-flip. Day & Night, IP52. Shock detection, autotracking, tour recording and Active Gatekeeper. Two-way audio, I/O and external power with multi-connector cable (not included).	2,744.10
0694-004	AXIS Q6045-E MkII 60HZ < US > Top performance HDTV 1080p compliant, outdoor-ready, IP66, IK09 and NEMA 4X-rated PTZ dome camera with 32x optical zoom.	3,239.10
0696-001	AXIS Q6045-C Mk II 60HZ Actively cooled, outdoor-ready high-speed PTZ dome camera with 32x optical zoom. IP66-, MIL-, IK10 and NEMA 4X-rated.	3,689.10
0698-001	AXIS Q6045-S Mk II 60HZ Stainless steel, (SS-316L) pressurized (5psi) Top performance HDTV 1080p compliant, outdoor-ready, IP66, IK10 and NEMA 4X-rated PTZ dome camera with 32x optical zoom. Auto day/night functionality. Continuous 360° rotation and 220° tilt with E-flip. HDTV 1080p (1920x1080) @ 30 fps, 720@60 fps.	5,399.10
<b>Axis Encoders</b>		
0298-001	AXIS M7001 1-channel video encoder. Dual streaming in H.264 and Motion JPEG; max. D1 resolution at 30/25 fps. Video motion detection.	224.10
0764-001	AXIS M7011 Video Encoder Single channel video encoder with H.264 (High, Main and Base profile) and Motion JPEG support	179.10
0415-004	AXIS M7014 Video Encoder Four-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 15 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm	269.10
0541-004	AXIS M7016 VIDEO ENCODER Sixteen-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection.	899.10
0417-004	AXIS P7214 Video Encoder Four-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection.	359.10
0417-031	AXIS P7214 VIDEO ENC BARE BONE Four-channel bare bone video encoder. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Two-way audio with audio detection.	359.10
0417-044	AXIS P7214 SURVEILLANCE KIT Bundle with 1 unit of AXIS P7214 Video Encoder and a 4-camera base license of AXIS Camera Station video management software for monitoring, recording, playback and event management	449.10
0418-001	AXIS P7224 Video Encoder Blade Four-channel video encoder blade. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Two-way audio with audio detection. PTZ support.	359.10
0542-004	AXIS P7216 VIDEO ENCODER Sixteen-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Two-way audio with audio detection. SFP slot for optional fiber connection and/or network redundancy.	1,169.10
0288-004	AXIS Q7401 VIDEO ENCODER 1 channel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection.	359.10

Model Number	Product Name and Short Description	Contract Price
0288-041	AXIS Q7401 VIDEO ENCODER BARE BONE Bare board 1 channel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection.	359.10
0288-051	AXIS Q7401 VIDEO ENCODER BARE BONE BULK 20PCS	7,182.00
0291-004	AXIS Q7404 VIDEO ENCODER Four-channel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams per channel; max. D1 resolution at 30/25 (NTSC/PAL) fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection on one channel. PTZ support	809.10
0518-004	AXIS Q7411 VIDEO ENCODER Video Encoder with H.264 (Main and Base profile) and Motion JPEG support. Supports 60/50 frames per second. Coax PTZ Control, video motion detection, two-way audio, configurable I/O connectors and ACAP support.	359.10
0354-001	AXIS Q7414 VIDEO ENCODER BLADE Four channel video encoder blade. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps per channel. Four bi-directional audio channels with AAC encoding. Video motion detection. Active tampering alarm.	899.10
0742-001	AXIS Q7424-R MKII VIDEO ENCODER Rugged Video Encoder with H.264 and Motion JPEG support. 1-4 video channels. Video motion detection. Two-way audio with audio detection. ACAP support on one channel. Ethernet port and SFP slot for fiber connection.	809.10
0584-001	AXIS Q7436 VIDEO ENCODER BLADE 6 channel video encoder blade. Multiple, individually configurable H.264 (Base, Main and High profile) and Motion JPEG streams; max. D1 resolution at 60/50 fps per channel. Video motion detection. Active tampering alarm. Coax PTZ Control (Coaxitron).	1,079.10
0656-004	AXIS Q7436/Q7920 KIT 14 x AXIS Q7436 Video Encoder Blade mounted in an AXIS Q7920 Video Encoder Chassis.	16,739.10
0267-004	AXIS 291 1U VIDEO SERV RACK 1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/1000Base-T output.	359.10
0267-001	AXIS 291 1U VIDEO SERVER RACK < GENERIC > 1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/1000Base-T output. No power cable.	359.10
0575-004	AXIS Q7920 VIDEO ENCODER CHASSIS 5 U rack-mount video encoder chassis, providing an expandable solution for migrating large-scale analog installations to network video. Holds up to 14 hot-swappable video encoder blades supporting up to 84 analog cameras.	2,339.10

ExacqVision Video Management		
ExacqVision Software		
START-01	START IP Camera license, per camera. Includes 90 days of software updates, or 3 years when purchased with an exacqVision server.	34.97
STARTIP-EVIP	START to PRO software upgrade, per IP camera. Must upgrade all currently licensed IP and analog camera channels.	77.00
EVIP-01	PROFESSIONAL IP Camera license, per camera. Includes 1 year of software updates, or 3 years when purchased with an exacqVision recorder.	105.00
EVENIP-01	ENTERPRISE option per IP channel for exacqVision professional servers. Includes 1 year of software updates, or 3 years when purchased with an exacqVision recorder.	157.50
EVAN-EVENAN	License to upgrade one PROFESSIONAL analog server license to one ENTERPRISE analog server license.	26.25
EVIP-EVENIP	License to upgrade one PROFESSIONAL IP server license to one ENTERPRISE IP server license.	52.50

Model Number	Product Name and Short Description	Contract Price
EDGE-TRANSFER	Transfer one EDGE or EDGE PLUS server license to another EDGE device. Requires current SSA.	17.50
EDGE	EDGE server license for one EDGE compatible device. Includes 90 days SSA.	35.00
EDGE-EDGEP	License to upgrade one EDGE server license to EDGE PLUS. Includes one year SSA from date of EDGE license creation.	70.00
EDGEP	EDGE PLUS server license for one EDGE PLUS compatible device. Includes one year SSA.	105.00
EVESM	License for one Enterprise System Manager Server, available to certified dealers only	3,500.00
SSA-STARTAN-01	START software updates per analog camera, per year	3.50
SSA-EDGE	EDGE server software updates per IP camera, per year.	5.95
SSA-START-01	START software updates per IP camera, per year	7.00
SSA-EVAN-01	PROFESSIONAL or ENTERPRISE software updates per analog camera, per year. Enterprise also requires SSA-EVES-01.	8.75
SSA-EDGEP	EDGE PLUS server software updates per IP camera, per year.	17.50
SSA-EVIP-01	PROFESSIONAL or ENTERPRISE software updates per IP camera, per year. Enterprise also requires SSA-EVES-01.	17.50
SSA-EVENIP-01	ENTERPRISE software updates per IP camera, per year.	31.50
SSA-EVENAN-01	ENTERPRISE software updates per analog camera, per year.	15.75
SSA-EDGE-C	EDGE software update to the current exacqVision version, per server.	24.50
SSA-START-C	START software update to the current exacqVision version, per server.	136.50
SSA-PRO-C	PROFESSIONAL software update to the current exacqVision version, per server.	206.50
SSA-ENT-C	ENTERPRISE software update to the current exacqVision version, per server.	276.50
EVIP-Transfer	Transfer a server license to a new MAC address. Requires a current SSA at time of transfer.	87.50
<b>ExacqVision Hardware</b>		
1608-08T-R2Z	Rackmount 2U recorder with 8 IP licenses, 16 looped analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	10,125.00
1608-08T-R2ZL	Rackmount 2U recorder with 8 IP licenses, 16 looped analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	10,125.00
1608-12T-R2ZL	Rackmount 2U recorder with 8 IP licenses, 16 looped analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	11,175.00
1608-12T-R2Z	Rackmount 2U recorder with 8 IP licenses, 16 looped analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	11,175.00

Model Number	Product Name and Short Description	Contract Price
1608-16T-R2Z	Rackmount 2U recorder with 8 IP licenses, 16 looped analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	12,225.00
1608-16T-R2ZL	Rackmount 2U recorder with 8 IP licenses, 16 looped analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	12,225.00
1608-20T-R2Z	Rackmount 2U recorder with 8 IP licenses, 16 looped analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	13,275.00
1608-20T-R2ZL	Rackmount 2U recorder with 8 IP licenses, 16 looped analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	13,275.00
1608-24T-R2ZL	Rackmount 2U recorder with 8 IP licenses, 16 looped analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	14,325.00
1608-24T-R2Z	Rackmount 2U recorder with 8 IP licenses, 16 looped analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	14,325.00
1608-28T-R2Z	Rackmount 2U recorder with 8 IP licenses, 16 looped analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	15,375.00
1608-28T-R2ZL	Rackmount 2U recorder with 8 IP licenses, 16 looped analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	15,375.00
1608-32T-R2Z	Rackmount 2U recorder with 8 IP licenses, 16 looped analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	16,425.00



Model Number	Product Name and Short Description	Contract Price
1608-32T-R2ZL	Rackmount 2U recorder with 8 IP licenses, 16 looped analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	16,425.00
3208-08T-R2Z	Rackmount 2U recorder with 8 IP licenses, 32 analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	11,625.00
3208-08T-R2ZL	Rackmount 2U recorder with 8 IP licenses, 32 analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	11,625.00
3208-12T-R2ZL	Rackmount 2U recorder with 8 IP licenses, 32 analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	12,675.00
3208-12T-R2Z	Rackmount 2U recorder with 8 IP licenses, 32 analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	12,675.00
3208-16T-R2Z	Rackmount 2U recorder with 8 IP licenses, 32 analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	13,725.00
3208-16T-R2ZL	Rackmount 2U recorder with 8 IP licenses, 32 analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	13,725.00
3208-20T-R2ZL	Rackmount 2U recorder with 8 IP licenses, 32 analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	14,775.00
3208-20T-R2Z	Rackmount 2U recorder with 8 IP licenses, 32 analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	14,775.00

Model Number	Product Name and Short Description	Contract Price
3208-24T-R2Z	Rackmount 2U recorder with 8 IP licenses, 32 analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	15,825.00
3208-24T-R2ZL	Rackmount 2U recorder with 8 IP licenses, 32 analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	15,825.00
3208-28T-R2ZL	Rackmount 2U recorder with 8 IP licenses, 32 analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	16,875.00
3208-28T-R2Z	Rackmount 2U recorder with 8 IP licenses, 32 analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	16,875.00
3208-32T-R2Z	Rackmount 2U recorder with 8 IP licenses, 32 analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	17,925.00
3208-32T-R2ZL	Rackmount 2U recorder with 8 IP licenses, 32 analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	17,925.00
1608-24T-R4Z	Rackmount 4U cameras with 8 IP licenses, 16 looped analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	17,925.00
1608-24T-R4ZL	Rackmount 4U cameras with 8 IP licenses, 16 looped analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	17,925.00
1608-28T-R4ZL	Rackmount 4U cameras with 8 IP licenses, 16 looped analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	18,975.00

Model Number	Product Name and Short Description	Contract Price
1608-28T-R4Z	Rackmount 4U cameras with 8 IP licenses, 16 looped analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	18,975.00
1608-32T-R4Z	Rackmount 4U cameras with 8 IP licenses, 16 looped analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	20,025.00
1608-32T-R4ZL	Rackmount 4U cameras with 8 IP licenses, 16 looped analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	20,025.00
1608-36T-R4ZL	Rackmount 4U cameras with 8 IP licenses, 16 looped analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	21,075.00
1608-36T-R4Z	Rackmount 4U cameras with 8 IP licenses, 16 looped analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	21,075.00
1608-40T-R4Z	Rackmount 4U cameras with 8 IP licenses, 16 looped analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	22,125.00
1608-40T-R4ZL	Rackmount 4U cameras with 8 IP licenses, 16 looped analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	22,125.00
1608-48T-R4ZL	Rackmount 4U cameras with 8 IP licenses, 16 looped analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	24,225.00
1608-48T-R4Z	Rackmount 4U cameras with 8 IP licenses, 16 looped analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	24,225.00

Model Number	Product Name and Short Description	Contract Price
1608-56T-R4ZL	Rackmount 4U cameras with 8 IP licenses, 16 looped analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	26,325.00
1608-56T-R4Z	Rackmount 4U cameras with 8 IP licenses, 16 looped analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	26,325.00
1608-64T-R4Z	Rackmount 4U cameras with 8 IP licenses, 16 looped analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	28,425.00
1608-64T-R4ZL	Rackmount 4U cameras with 8 IP licenses, 16 looped analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	28,425.00
1608-72T-R4Z	Rackmount 4U cameras with 8 IP licenses, 16 looped analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	30,525.00
1608-72T-R4ZL	Rackmount 4U cameras with 8 IP licenses, 16 looped analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	30,525.00
1608-80T-R4ZL	Rackmount 4U cameras with 8 IP licenses, 16 looped analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	32,625.00
1608-80T-R4Z	Rackmount 4U cameras with 8 IP licenses, 16 looped analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	32,625.00
3208-24T-R4Z	Rackmount 4U with 8 IP licenses, 32 analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	19,425.00

Model Number	Product Name and Short Description	Contract Price
3208-24T-R4ZL	Rackmount 4U with 8 IP licenses, 32 analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	19,425.00
3208-28T-R4ZL	Rackmount 4U with 8 IP licenses, 32 analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	20,475.00
3208-28T-R4Z	Rackmount 4U with 8 IP licenses, 32 analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	20,475.00
3208-32T-R4Z	Rackmount 4U with 8 IP licenses, 32 analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	21,525.00
3208-32T-R4ZL	Rackmount 4U with 8 IP licenses, 32 analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	21,525.00
3208-36T-R4ZL	Rackmount 4U with 8 IP licenses, 32 analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	22,575.00
3208-36T-R4Z	Rackmount 4U with 8 IP licenses, 32 analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	22,575.00
3208-40T-R4ZL	Rackmount 4U with 8 IP licenses, 32 analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	23,625.00
3208-40T-R4Z	Rackmount 4U with 8 IP licenses, 32 analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	23,625.00

Model Number	Product Name and Short Description	Contract Price
3208-48T-R4Z	Rackmount 4U with 8 IP licenses, 32 analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	25,725.00
3208-48T-R4ZL	Rackmount 4U with 8 IP licenses, 32 analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	25,725.00
3208-56T-R4Z	Rackmount 4U with 8 IP licenses, 32 analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	27,825.00
3208-56T-R4ZL	Rackmount 4U with 8 IP licenses, 32 analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	27,825.00
3208-64T-R4ZL	Rackmount 4U with 8 IP licenses, 32 analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	29,925.00
3208-64T-R4Z	Rackmount 4U with 8 IP licenses, 32 analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	29,925.00
3208-72T-R4Z	Rackmount 4U with 8 IP licenses, 32 analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	32,025.00
3208-72T-R4ZL	Rackmount 4U with 8 IP licenses, 32 analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	32,025.00
3208-80T-R4Z	Rackmount 4U with 8 IP licenses, 32 analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	34,125.00

Model Number	Product Name and Short Description	Contract Price
3208-80T-R4ZL	Rackmount 4U with 8 IP licenses, 32 analog inputs, 2 multiplexed monitor outputs, RS-232/485 serial port, 16 alarm inputs, 16 alarm outputs, 4 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	34,125.00
4808-24T-R4ZL	Rackmount 4U cameras with 8 IP licenses, 48 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 48 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous),RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates..	20,925.00
4808-24T-R4Z	Rackmount 4U cameras with 8 IP licenses, 48 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 48 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous),RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates..	20,925.00
4808-28T-R4Z	Rackmount 4U cameras with 8 IP licenses, 48 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 48 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous),RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates..	21,975.00
4808-28T-R4ZL	Rackmount 4U cameras with 8 IP licenses, 48 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 48 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous),RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates..	21,975.00
4808-32T-R4ZL	Rackmount 4U cameras with 8 IP licenses, 48 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 48 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous),RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates..	23,025.00
4808-32T-R4Z	Rackmount 4U cameras with 8 IP licenses, 48 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 48 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous),RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates..	23,025.00
4808-36T-R4Z	Rackmount 4U cameras with 8 IP licenses, 48 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 48 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous),RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates..	24,075.00
4808-36T-R4ZL	Rackmount 4U cameras with 8 IP licenses, 48 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 48 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous),RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates..	24,075.00

Model Number	Product Name and Short Description	Contract Price
4808-40T-R4ZL	Rackmount 4U cameras with 8 IP licenses, 48 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 48 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous),RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates..	25,125.00
4808-40T-R4Z	Rackmount 4U cameras with 8 IP licenses, 48 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 48 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous),RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates..	25,125.00
4808-48T-R4ZL	Rackmount 4U cameras with 8 IP licenses, 48 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 48 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous),RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates..	27,225.00
4808-48T-R4Z	Rackmount 4U cameras with 8 IP licenses, 48 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 48 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous),RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates..	27,225.00
4808-56T-R4Z	Rackmount 4U cameras with 8 IP licenses, 48 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 48 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous),RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates..	29,325.00
4808-56T-R4ZL	Rackmount 4U cameras with 8 IP licenses, 48 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 48 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous),RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates..	29,325.00
4808-64T-R4ZL	Rackmount 4U cameras with 8 IP licenses, 48 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 48 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous),RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates..	31,425.00
4808-64T-R4Z	Rackmount 4U cameras with 8 IP licenses, 48 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 48 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous),RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates..	31,425.00
4808-72T-R4ZL	Rackmount 4U cameras with 8 IP licenses, 48 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 48 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous),RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates..	33,525.00



Model Number	Product Name and Short Description	Contract Price
4808-72T-R4Z	Rackmount 4U cameras with 8 IP licenses, 48 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 48 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous),RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates..	33,525.00
4808-80T-R4Z	Rackmount 4U cameras with 8 IP licenses, 48 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 48 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous),RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates..	35,625.00
4808-80T-R4ZL	Rackmount 4U cameras with 8 IP licenses, 48 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 48 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous),RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates..	35,625.00
6408-24T-R4ZL	Rackmount 4U recorder with 8 IP licenses, 64 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 64 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	22,425.00
6408-24T-R4Z	Rackmount 4U recorder with 8 IP licenses, 64 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 64 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	22,425.00
6408-28T-R4Z	Rackmount 4U recorder with 8 IP licenses, 64 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 64 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	23,475.00
6408-28T-R4ZL	Rackmount 4U recorder with 8 IP licenses, 64 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 64 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	23,475.00
6408-32T-R4ZL	Rackmount 4U recorder with 8 IP licenses, 64 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 64 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	24,525.00
6408-32T-R4Z	Rackmount 4U recorder with 8 IP licenses, 64 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 64 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	24,525.00

Model Number	Product Name and Short Description	Contract Price
6408-36T-R4Z	Rackmount 4U recorder with 8 IP licenses, 64 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 64 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	25,575.00
6408-36T-R4ZL	Rackmount 4U recorder with 8 IP licenses, 64 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 64 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	25,575.00
6408-40T-R4ZL	Rackmount 4U recorder with 8 IP licenses, 64 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 64 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	26,625.00
6408-40T-R4Z	Rackmount 4U recorder with 8 IP licenses, 64 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 64 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	26,625.00
6408-48T-R4ZL	Rackmount 4U recorder with 8 IP licenses, 64 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 64 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	28,725.00
6408-48T-R4Z	Rackmount 4U recorder with 8 IP licenses, 64 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 64 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	28,725.00
6408-56T-R4Z	Rackmount 4U recorder with 8 IP licenses, 64 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 64 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	30,825.00
6408-56T-R4ZL	Rackmount 4U recorder with 8 IP licenses, 64 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 64 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	30,825.00
6408-64T-R4Z	Rackmount 4U recorder with 8 IP licenses, 64 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 64 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	32,925.00

Model Number	Product Name and Short Description	Contract Price
6408-64T-R4ZL	Rackmount 4U recorder with 8 IP licenses, 64 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 64 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	32,925.00
6408-72T-R4ZL	Rackmount 4U recorder with 8 IP licenses, 64 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 64 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	35,025.00
6408-72T-R4Z	Rackmount 4U recorder with 8 IP licenses, 64 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 64 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	35,025.00
6408-80T-R4ZL	Rackmount 4U recorder with 8 IP licenses, 64 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 64 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	37,125.00
6408-80T-R4Z	Rackmount 4U recorder with 8 IP licenses, 64 analog inputs, 4 multiplexed monitor outputs, RS-232/485 serial port, 8 alarm inputs, 1 alarm output, 64 audio inputs, dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	37,125.00
IP08-08T-R2Z	Rackmount 2U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	8,625.00
IP08-08T-R2ZL	Rackmount 2U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	8,625.00
IP08-12T-R2Z	Rackmount 2U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	9,675.00
IP08-12T-R2ZL	Rackmount 2U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	9,675.00
IP08-16T-R2Z	Rackmount 2U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	10,725.00
IP08-16T-R2ZL	Rackmount 2U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	10,725.00

Model Number	Product Name and Short Description	Contract Price
IP08-20T-R2ZL	Rackmount 2U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous),RS-232/485 serial port, RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	11,775.00
IP08-20T-R2Z	Rackmount 2U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous),RS-232/485 serial port, RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	11,775.00
IP08-24T-R2ZL	Rackmount 2U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous),RS-232/485 serial port, RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	12,825.00
IP08-24T-R2Z	Rackmount 2U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous),RS-232/485 serial port, RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	12,825.00
IP08-28T-R2ZL	Rackmount 2U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous),RS-232/485 serial port, RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	13,875.00
IP08-28T-R2Z	Rackmount 2U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous),RS-232/485 serial port, RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	13,875.00
IP08-32T-R2Z	Rackmount 2U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous),RS-232/485 serial port, RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	14,925.00
IP08-32T-R2ZL	Rackmount 2U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous),RS-232/485 serial port, RAID 5, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	14,925.00
IP08-16T-R3Z	Rackmount 3U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	12,450.00
IP08-16T-R3ZL	Rackmount 3U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	12,450.00
IP08-20T-R3ZL	Rackmount 3U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	13,500.00
IP08-20T-R3Z	Rackmount 3U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	13,500.00
IP08-24T-R3Z	Rackmount 3U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	14,550.00

Model Number	Product Name and Short Description	Contract Price
IP08-24T-R3ZL	Rackmount 3U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	14,550.00
IP08-28T-R3ZL	Rackmount 3U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	15,600.00
IP08-28T-R3Z	Rackmount 3U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	15,600.00
IP08-32T-R3Z	Rackmount 3U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	16,650.00
IP08-32T-R3ZL	Rackmount 3U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	16,650.00
IP08-36T-R3ZL	Rackmount 3U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	17,700.00
IP08-36T-R3Z	Rackmount 3U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	17,700.00
IP08-40T-R3Z	Rackmount 3U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	18,750.00
IP08-40T-R3ZL	Rackmount 3U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	18,750.00
IP08-48T-R3Z	Rackmount 3U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	20,850.00
IP08-48T-R3ZL	Rackmount 3U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	20,850.00
IP08-56T-R3Z	Rackmount 3U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	22,950.00
IP08-56T-R3ZL	Rackmount 3U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	22,950.00

Model Number	Product Name and Short Description	Contract Price
IP08-64T-R3Z	Rackmount 3U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	25,050.00
IP08-64T-R3ZL	Rackmount 3U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	25,050.00
IP08-24T-R4Z	Rackmount 4U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	14,925.00
IP08-24T-R4ZL	Rackmount 4U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	14,925.00
IP08-28T-R4ZL	Rackmount 4U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	15,975.00
IP08-28T-R4Z	Rackmount 4U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	15,975.00
IP08-32T-R4ZL	Rackmount 4U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	17,025.00
IP08-32T-R4Z	Rackmount 4U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	17,025.00
IP08-36T-R4ZL	Rackmount 4U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	18,075.00
IP08-36T-R4Z	Rackmount 4U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	18,075.00
IP08-40T-R4ZL	Rackmount 4U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	19,125.00
IP08-40T-R4Z	Rackmount 4U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	19,125.00
IP08-48T-R4Z	Rackmount 4U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	21,225.00

Model Number	Product Name and Short Description	Contract Price
IP08-48T-R4ZL	Rackmount 4U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	21,225.00
IP08-56T-R4Z	Rackmount 4U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	23,325.00
IP08-56T-R4ZL	Rackmount 4U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	23,325.00
IP08-64T-R4Z	Rackmount 4U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	25,425.00
IP08-64T-R4ZL	Rackmount 4U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	25,425.00
IP08-72T-R4Z	Rackmount 4U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	27,525.00
IP08-72T-R4ZL	Rackmount 4U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	27,525.00
IP08-80T-R4Z	Rackmount 4U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	29,625.00
IP08-80T-R4ZL	Rackmount 4U recorder with 8 IP licenses (128 max), dual Gb NIC, HDMI, DVI-I, DisplayPort (2 max. simultaneous), RS-232/485 serial port, RAID 6, DVD, Win 7 64 bit or Ubuntu 12.04 linux on 60GB SSD, redundant power supplies, keyboard and mouse, exacqvision Professional client and server software pre-installed, 3 year warranty and software updates.	29,625.00
5000-40374	CPU Upgrade - A series - Recommended for up to 75% faster client performance. i5 CPU + 4GB additional RAM (8GB total). Available at time of initial order only.	356.25
5000-40382	CPU Upgrade - Z series - E3-1275 Xeon CPU +8GB RAM (16GB Total). Available at time of initial order only.	506.25
5000-40390	CPU Upgrade - S series Enterprise - E3-1275 Xeon CPU + 4GB RAM for high capacity web service. Available at time of initial order only, not compatible with S series Professional.	581.25
5000-40375	CSA option - Z series, total 16GB, 120GB mSATA, Win7 Pro. Not field upgradeable.	675.00
5000-40373	CSA Upgrade - A series - Required to host Certified Software Applications. i7 CPU, 12GB additional RAM (16GB total) and 120GB mSATA with Win7 Pro. Available at time of initial order only.	1,462.50
5000-40149	Dual 10Gbps NIC option with two SFP+ ports. Compatible with Z-series and S-series Enterprise. Includes two 850NM multi-mode LC transceivers. Available at time of initial order only.	2,325.00
5000-40146	A Series Quad NIC Option (2 additional, 4 total). Not field upgradeable.	562.50

Model Number	Product Name and Short Description	Contract Price
5000-40147	Z Series Quad NIC Option (2 additional, 4 total). Not field upgradeable. Available in Z series IPS servers only.	562.50
5000-33001	3TB spare/replacement continuous duty video drive for all LC series servers.	562.50
5000-34001	4TB spare/replacement continuous duty video drive for all LC series servers.	750.00
5000-33000	3TB spare/replacement continuous duty video drive for all ELP and A series servers.	787.50
5000-31001	1TB spare/replacement continuous duty video drive for all LC series servers.	187.50
5000-32001	2TB spare/replacement continuous duty video drive for all LC series servers.	375.00
5000-31000	1TB spare/replacement continuous duty video drive for all ELP and A series servers.	446.25
5000-32000	2TB spare/replacement continuous duty video drive for all ELP, A, Z and S series servers.	525.00
5000-32002	2TB hot spare drive for Z-series and S-series Enterprise. See website for compatibility. Available at initial order only.	525.00
5000-34000	4TB spare/replacement continuous duty video drive for all ELP, A, Z and S series servers.	1,050.00
5000-34002	4TB hot spare drive for Z-series and S-series Enterprise. See website for compatibility. Available at initial order only.	1,050.00
5000-65001	Z-Series 4U Field Repair Kit.	1,950.00
5000-65000	Z-Series 2U and 3U Field Repair Kit.	1,950.00
5000-50300	E-series 19" rackmount shelf, holds up to 3 E-ADE4C or 5 E-ADE1C encoders	33.75
5000-20050	Rackmount Sliding Rail Kit for exacqVision A series 2U and 4U chassis, 20" mounting rail spacing	69.75
5000-20070	Rackmount Sliding Rail Kit for exacqvision Z series chassis, 26" mounting rail spacing	90.00
5000-20060	Rackmount Sliding Rail Kit for exacqVision A series 2U and 4U chassis, 26" mounting rail spacing	90.00
5000-64160	Internal read/write DVD option for ELPR Series servers. Replaces spare drive bay. (Not eligible for purchase w/ units above 4TB)	45.00
5000-40148	S-Series Enterprise Quad NIC Option (1 additional, 4 total). Not field upgradeable. Not compatible with S-series Professional.	93.75
5000-50200	External USB input/output module with 8 TTL inputs, 4 TTL outputs, 1 relay output, 1 RS-485. No external power required.	225.00
5000-40110	Redundant Switching Power Supply for 4U Rackmount A-series.	1,125.00
5000-40341	RAID 5 option for 4U A-series. Available at time of initial order only.	1,500.00
5000-50100	exacqVision desktop surveillance keypad for Windows and Linux client applications. Includes 10 character numeric entry, 16 user definable buttons, pan/tilt/zoom joystick, left/right arrow wheel, one year warranty.	671.25
5000-40216	Microsoft Windows Server 2012 for A and Z series recorders. Available at time of initial order only.	1,837.50

ONNSI Video Management		
OC-PRO-B	Ocularis Professional Base License	404.10
OC-PRO-1C	Ocularis Professional Camera License	125.10
OC-ENT-B	Ocularis Enterprise Base License	899.10
OC-ENT-1C	Ocularis Enterprise Camera License	170.10
OC-ULT-B	Ocularis Ultimate Base License	1,799.10
OC-ULT-1C	Ocularis Ultimate Camera License	269.10
OC-VWM-B	Ocularis Add-On Base Module-VideoWall	1,799.10
OC-VWM-1C	Ocularis Add-On Camera Module-VideoWall	71.10
OC-OS-1C	Ocularis Add-On Module-OpenSight	44.10
OC-AC-1D	Ocularis Entry Manager Integration License (per door)	89.10
OC-CN-1C	Ocularis Camera NVR License (per camera)	80.10



Model Number	Product Name and Short Description	Contract Price
OC-CC9000-B	Ocularis Add-On Module- C•CURE 9000 Integration	1,799.10
SC-OC-PRO-B-1Y	Ocularis Professional Base 1 Year StayCURRENT	68.40
SC-OC-PRO-1C-1Y	Ocularis Professional Camera 1 Year StayCURRENT	21.60
SC-OC-ENT-B-1Y	Ocularis Enterprise Base 1 Year StayCURRENT	153.00
SC-OC-ENT-1C-1Y	Ocularis Enterprise Camera 1 Year StayCURRENT	28.80
SC-OC-ULT-B-1Y	Ocularis Ultimate Base 1 Year StayCURRENT	306.00
SC-OC-ULT-1C-1Y	Ocularis Ultimate Camera 1 Year StayCURRENT	45.90
SC-VWM-B-1Y	Ocularis Add-On Base Module-VideoWall-1 Year StayCURRENT	306.00
SC-VWM-1C-1Y	Ocularis Add-On Camera Module-VideoWall-1 Year StayCURRENT	11.70
SC-OS-1C-1Y	Ocularis Add-On Module-OpenSight-1 Year StayCURRENT	7.20
SC-AC-1D-1Y	Ocularis Entry Manager Integration License (per door)-1 Year StayCURRENT	15.30
SC-CN-1C-1Y	Ocularis Camera NVR License (per camera) -1 Year StayCURRENT	13.50
SC-CC9000-B-1Y	Ocularis Add-On Module- C•CURE 9000 Integration-1 Year StayCURRENT	306.00

ClearPix Servers		
CPX-MIN1-M	ClearPix Mini Desktop 1TB	1,360.80
CPX-MIN3-M	ClearPix Mini Desktop 3TB	1,476.00
CPX-TWR2-M	ClearPix Tower 2TB IP Server	2,655.00
CPX-TWR4-M	ClearPix Tower 4TB IP Server	3,051.00
CPX-TWR6-M	ClearPix Tower 6TB IP Server	3,447.00
CPX-TWR9-M	ClearPix Tower 9TB IP Server	3,924.00
CPX-2UL2-M	ClearPix 2TB 2U Short Depth	2,961.00
CPX-2UL4-M	ClearPix 4TB 2U Short Depth	3,222.00
CPX-2UL6-M	ClearPix 6TB 2U Short Depth	3,375.00
CPX-2UL9-M	ClearPix 9TB 2U Short Depth	3,771.00
CPX-2UL12-M	ClearPix 12TB 2U Short Depth	4,500.00
CPX-2UL16-M	ClearPix 16TB 2U Short Depth	4,995.00
CPX-2UL20-M	ClearPix 20TB 2U Short Depth	6,003.00
CPX-2U5-M	ClearPix 5TB 2U Rackmount	6,300.00
CPX-2U10-M	ClearPix 10TB 2U Rackmount	7,020.00
CPX-2U15-M	ClearPix 15TB 2U Rackmount	7,560.00
CPX-2U20-M	ClearPix 20TB 2U Rackmount	8,280.00
CPX-2U25-M	ClearPix 25TB 2U Rackmount	9,540.00
CPX-2U30-M	ClearPix 30TB 2U Rackmount	9,945.00
CPX-2U40-M	ClearPix 40TB 2U Rackmount	11,700.00
CPX-2U48-M	ClearPix 48TB 2U Rackmount	14,400.00
CPX-2U54-M	ClearPix 54TB 2U Rackmount	15,120.00
CPX-2U60-M	ClearPix 60TB 2U Rackmount	16,020.00
CPX-2U66-M	ClearPix 66TB 2U Rackmount	16,101.00

Model Number	Product Name and Short Description	Contract Price
<b>Razberi Servers</b>		
RAZ-MPRO24-I7-2T	Professional ServerSwitch, 24 PoE ports (270 W), Intel Core i7-3770, 2 TB surveillance HDD, 8 GB DDR3, solid state boot, 2 X 1Gbps uplink, 1 SFP Combo, rack-mountable, includes 3 year warranty, includes Windows Embedded 7 license, VMS licenses sold separately	6,036.42
RAZ-MPRO24-I7-4T	Professional ServerSwitch, 24 PoE ports (270 W), Intel Core i7-3770, 4 TB surveillance HDDs, 8 GB DDR3, solid state boot, 2 X 1Gbps uplink, 1 SFP Combo, rack-mountable, includes 3 year warranty, includes Windows Embedded 7 license, VMS licenses sold separately	6,461.42
RAZ-MPRO24-I7-6T	Professional ServerSwitch, 24 PoE ports (270 W), Intel Core i7-3770, 6 TB surveillance HDDs, 8 GB DDR3, solid state boot, 2 X 1Gbps uplink, 1 SFP Combo, rack-mountable, includes 3 year warranty, includes Windows Embedded 7 license, VMS licenses sold separately	6,886.42
RAZ-MPRO24-I7-8T	Professional ServerSwitch, 24 PoE ports (270 W), Intel Core i7-3770, 8 TB surveillance HDDs, 8 GB DDR3, solid state boot, 2 X 1Gbps uplink, 1 SFP Combo, rack-mountable, includes 3 year warranty, includes Windows Embedded 7 license, VMS licenses sold separately	7,311.42
RAZ-MPRO24-I7-12T	Professional ServerSwitch, 24 PoE ports (270 W), Intel Core i7-3770, 12 TB surveillance HDDs, 8 GB DDR3, solid state boot, 2 X 1Gbps uplink, 1 SFP Combo, rack-mountable, includes 3 year warranty, includes Windows Embedded 7 license, VMS licenses sold separately	8,161.42
RAZ-MPRO24-I7-16T	Professional ServerSwitch, 24 PoE ports (270 W), Intel Core i7-3770, 16 TB surveillance HDDs, 8 GB DDR3, solid state boot, 2 X 1Gbps uplink, 1 SFP Combo, rack-mountable, includes 3 year warranty, includes Windows Embedded 7 license, VMS licenses sold separately	9,247.52
RAZ-MPRO24-I7-24T	Professional ServerSwitch, 24 PoE ports (270 W), Intel Core i7-3770, 24 TB surveillance HDDs, 8 GB DDR3, solid state boot, 2 X 1Gbps uplink, 1 SFP Combo, rack-mountable, includes 3 year warranty, includes Windows Embedded 7 license, VMS licenses sold separately	10,900.30
RAZ-MPRO16-I7-2T	Professional ServerSwitch, 16 PoE ports (270 W), Intel Core i7-3770, 2 TB surveillance HDD, 8 GB DDR3, solid state boot, 2 X 1Gbps uplink, 1 SFP Combo, rack-mountable, includes 3 year warranty, includes Windows Embedded 7 license, VMS licenses sold separately	5,469.75
RAZ-MPRO16-I7-4T	Professional ServerSwitch, 16 PoE ports (270 W), Intel Core i7-3770, 4 TB surveillance HDDs, 8 GB DDR3, solid state boot, 2 X 1Gbps uplink, 1 SFP Combo, rack-mountable, includes 3 year warranty, includes Windows Embedded 7 license, VMS licenses sold separately	5,775.75
RAZ-MPRO16-I7-6T	Professional ServerSwitch, 16 PoE ports (270 W), Intel Core i7-3770, 6 TB surveillance HDDs, 8 GB DDR3, solid state boot, 2 X 1Gbps uplink, 1 SFP Combo, rack-mountable, includes 3 year warranty, includes Windows Embedded 7 license, VMS licenses sold separately	6,200.75
RAZ-MPRO16-I7-8T	Professional ServerSwitch, 16 PoE ports (270 W), Intel Core i7-3770, 8 TB surveillance HDDs, 8 GB DDR3, solid state boot, 2 X 1Gbps uplink, 1 SFP Combo, rack-mountable, includes 3 year warranty, includes Windows Embedded 7 license, VMS licenses sold separately	6,578.52
RAZ-MPRO16-I7-12T	Professional ServerSwitch, 16 PoE ports (270 W), Intel Core i7-3770, 12 TB surveillance HDDs, 8 GB DDR3, solid state boot, 2 X 1Gbps uplink, 1 SFP Combo, rack-mountable, includes 3 year warranty, includes Windows Embedded 7 license, VMS licenses sold separately	7,428.52

Model Number	Product Name and Short Description	Contract Price
RAZ-MPRO16-I7-16T	Professional ServerSwitch, 16 PoE ports (270 W), Intel Core i7-3770, 16 TB surveillance HDDs, 8 GB DDR3, solid state boot, 2 X 1Gbps uplink, 1 SFP Combo, rack-mountable, includes 3 year warranty, includes Windows Embedded 7 license, VMS licenses sold separately	8,514.64
RAZ-MPRO16-I7-24T	Professional ServerSwitch, 16 PoE ports (270 W), Intel Core i7-3770, 24 TB surveillance HDDs, 8 GB DDR3, solid state boot, 2 X 1Gbps uplink, 1 SFP Combo, rack-mountable, includes 3 year warranty, includes Windows Embedded 7 license, VMS licenses sold separately	10,167.41
RAZ-MEM-8GB	Memory upgrade to 8 GB for Professional MPRO4 and MPRO8 models	56.10
RAZ-MEM-16GB	Memory upgrade to 16 GB for Professional MPRO16 and MPRO24 models	106.25
EXTWAR-16/24	5 Year Warranty for RAZ-MPRO16 and RAZ-MPRO24 Professional Server Switches	626.45
RAZ-MPE24-I7-8T	Enterprise ServerSwitch, 24 PoE ports (270 W), Intel Core i7-3770, 8 TB datacenter HDDs, RAID 0/1/5/10, 16 GB DDR3, solid state boot drive, 2 X 1Gbps uplink, 1 SFP Combo, rack-mountable, includes 5 Year Warranty, includes Windows Embedded 7 license, VMS licenses sold separately	8,775.31
RAZ-MPE24-I7-12T	Enterprise ServerSwitch, 24 PoE ports (270 W), Intel Core i7-3770, 12 TB datacenter HDDs, RAID 0/1/5/10, 16 GB DDR3, solid state boot drive, 2 X 1Gbps uplink, 1 SFP Combo, rack-mountable, includes 5 Year Warranty, includes Windows Embedded 7 license, VMS licenses sold separately	10,097.53
RAZ-MPE24-I7-16T	Enterprise ServerSwitch, 24 PoE ports (270 W), Intel Core i7-3770, 16 TB datacenter HDDs, RAID 0/1/5/10, 16 GB DDR3, solid state boot drive, 2 X 1Gbps uplink, 1 SFP Combo, rack-mountable, includes 5 Year Warranty, includes Windows Embedded 7 license, VMS licenses sold separately	11,183.64
WIN2008R2	Operating System upgrade to Windows Server Standard 2008 R2 for Professional MPRO models	1,243.69
WIN2012R2	Operating System upgrade to Windows Server Standard 2012 R2 for Professional MPRO models	1,279.47
IT-5000	IP Camera Installation Tool, Color LCD, powered by PoE/12VDC/battery. Supports Arecont, Avigilon, Axis, Razberi, Sony, Samsung, Vivotek	935.00
IT5000-BCK	IT5000 Battery Charger Kit. Spare Lithium Battery, AC/DC charger and automobile charger. CE, RoHS	56.67

Samsung Video Surveillance		
SNB-6003	WiseNet III Network Box Camera, 2MP, Full HD(1080p), H.264/MJPEG, 120dB WDR, Electronic D/N, SD/SDHC/SDXC,12VDC/24AC/PoE	599.25
SNB-6004	WiseNet III Network Box Camera, 2MP, Full HD(1080p), H.264/MJPEG, Simple Focus, 120dB WDR, True D/N, SD/SDHC/SDXC, 12VDC/24AC/PoE	636.75
SNB-6010	WiseNet III Network Pinhole Camera, 2MP, Full HD(1080p) 30fps, H.264/MJPEG, f4.6mm/71° view angle, 120dB WDR, electrical D/N, micro SD/SDHC, 12VDC/PoE, +14°F ~ 131°F , Analytics, , 8 Meter Cable Length	449.25
SNB-6011	WiseNet III Network Covert Camera, 2MP, Full HD(1080p) 30fps, H.264/MJPEG, f2.4mm Fixed Lens, 134° Horizontal View Angle, 120dB WDR, Electrical D/N, Analog BNC Output, Micro SD/SDHC, 12VDC/PoE, +14°F ~ 131°F , Analytics, 8 Meter Cable Length, 8Meter Cable	539.25
SNB-6011-15	WiseNet III Network Covert Camera, 2MP, Full HD(1080p) 30fps, H.264/MJPEG, f2.4mm Fixed Lens, 134° Horizontal View Angle, 120dB WDR, Electrical D/N, Analog BNC Output, Micro SD/SDHC, 12VDC/PoE, +14°F ~ 131°F , Analytics, 1.5Meter Cable Length	539.25
SNB-7004	WiseNet III Network Box Camera, 3MP 30fps, Full HD(1080p) @ 60fps, H.264/MJPEG, P-Iris / DC-Iris Compatible, Simple Focus, 120dB WDR, True D/N, SD/SDHC/SDXC, 12VDC/24AC/PoE	674.25

Model Number	Product Name and Short Description	Contract Price
SNB-8000	Network Box Camera, 5MP 20fps, Full HD(1080p) 30fps, H.264/MJPEG, Simple Focus, P-iris/DC-iris Compatible, 60dB DWDR, True D/N, Micro SD/SDHC/SDXC, 12VDC/24VAC/PoE	861.75
SNB-B-6024	SNB-6011 * 1, 2MP Network Covert Camera in 8Meter Cable Length SBU-100 * 1, ATM Bracket Mount (Aluminum Frame)	599.25
SNB-B-6025	SNB-6011-15 * 1, 2MP Network Covert Camera in 1.5Meter Cable Length SBU-100 * 1, ATM Bracket Mount (Aluminum Frame)	599.25
SND-6011R	WiseNet III Network IR Dome Camera, 2MP, Full HD(1080p), Fixed Lens(3.8mm), H.264/MJPEG, 120dB WDR, True D/N, SD/SDHC/SDXC, PoE	449.25
SND-6083	WiseNet III Network Dome Camera, 2MP, Full HD(1080p), Vari-Focal Lens 2.8x (3-8.5mm), H.264/MJPEG, 120dB WDR, SD/SDHC/SDXC, 12VDC/PoE	524.25
SND-6084	WiseNet III Network Dome Camera, 2MP, Full HD(1080p), Motorized Simple Focus 2.8x (3-8.5mm), H.264/MJPEG, 120dB WDR, True D/N, SD/SDHC/SDXC, 12VDC/PoE	711.75
SND-6084R	WiseNet III Network IR Dome Camera, 2MP, Full HD(1080p), Motorized Simple Focus 2.8x (3-8.5mm), H.264/MJPEG, 120dB WDR, True D/N, SD/SDHC/SDXC, 12VDC/PoE	786.75
SND-7061	Network Dome Camera, 3MP, Full HD(1080p), Vari-focal Lens 2.8x (3-8.5mm), H.264/MJPEG, Electronic D/N, 12VDC/PoE, IK08	524.25
SND-7082	Network Dome Camera, 3MP, Full HD(1080p), Motorized Lens 2.8x (3-8.5mm), H.264/MJPEG, WDR, True D/N, SD/SDHC, 12VDC/PoE	711.75
SND-7082F	Network Dome Camera, 3MP, Full HD(1080p), Motorized Simple Focus 2.8x (3-8.5mm), H.264/MJPEG, WDR, True D/N, SD/SDHC, 12VDC/PoE, Flush Mount	711.75
SND-7084	WiseNet III Network Dome Camera, 3MP 30fps, Full HD(1080p) @ 60fps, P-Iris Motorized Simple Focus 2.8x (3-8.5mm), H.264/MJPEG, 120dB WDR, True D/N, SD/SDHC/SDXC, Built-in Mic, 12VDC/PoE	786.75
SND-7084R	WiseNet III Network IR Dome Camera, 3MP 30fps, Full HD(1080p) @ 60fps, P-Iris Motorized Simple Focus 2.8x (3-8.5mm), H.264/MJPEG, 120dB WDR, True D/N, SD/SDHC/SDXC, Built-in Mic, IK08, 12VDC/PoE	861.75
SND-L6013	WiseNet Lite Network Dome Camera, 2MP, Full HD(1080p) 30fps, H.264/MJPEG, f3.6mm Fixed Lens, Hallway View, 60dB DWDR, Electrical D/N, 3-Axis Gimbal, Micro SD/SDHC	171.75
SND-L6013R	WiseNet Lite Network IR Dome Camera, 2MP, Full HD(1080p) 30fps, H.264/MJPEG, f3.6mm Fixed Lens, Hallway View, 60dB DWDR, True D/N, 3-Axis Gimbal, Micro SD/SDHC	186.75
SND-L6083R	WiseNet Lite Network IR Dome Camera, 2MP, Full HD(1080p) 30fps, H.264/MJPEG, Vari-Focal 4.3x (2.8-12mm) Lens, Hallway View, 60dB DWDR, True D/N, 3-Axis Gimbal, Micro SD/SDHC	314.25
SNF-7010	WiseNet III Network Fisheye Dome Camera, 3MP, Full HD(1080p), 360', De-warping via Software, H.264/MJPEG, 120dB WDR, SD/SDHC/SDXC, 12VDC/PoE	561.75
SNF-7010V	WiseNet III Network Fisheye Dome Camera, 3MP, Full HD(1080p), 360', De-warping via Software, H.264/MJPEG, 120dB WDR, SD/SDHC/SDXC, 12VDC/PoE, IP66, IK10	599.25
SNF-7010VM	WiseNet III Network Fisheye Dome Camera, 3MP, Full HD(1080p), 360', De-warping via Software, H.264/MJPEG, 120dB WDR, SD/SDHC/SDXC, 12VDC/PoE, IP66, IK10, M12 Connector Out, EN50155	636.75
SNF-8010	Network Fisheye Dome Camera, 5MP 20fps, Full HD(1080p), 180°/360°, De-warping on camera, True D/N, BLC, H.264/MJPEG, SD/SDHC/SDXC, 12VDC/PoE	711.75
SNF-8010VM	Network Vandal Fisheye Dome Camera, 5MP 20fps, Full HD(1080p), 180°/360°, De-warping on camera, True D/N, BLC, H.264/MJPEG, SD/SDHC/SDXC, 12VDC/PoE, IP66, IK10, M12 Connector Out, RJ45 Adapter Included, EN50155, -13°F(-25°C)	786.75

Model Number	Product Name and Short Description	Contract Price
SNO-6011R	WiseNet III Network IR Bullet Camera, 2MP, Full HD(1080p), Fixed Lens (3.8mm), H.264/MJPEG, 120dB WDR, True D/N, SD/SDHC/SDXC, PoE, IP66	486.75
SNO-6084R	WiseNet III Network IR Bullet Camera, 2MP, Full HD(1080p), Motorized Lens 2.8x (3-8.5mm), H.264/MJPEG, 120dB WDR, True D/N, SD/SDHC/SDXC, 12VDC/24VAC/PoE, IP66, IK10, Built-in -58°F 24VAC Heater	936.75
SNO-7084R	WiseNet III Network IR Bullet Camera, 3MP 30fps, Full HD(1080p) @ 60fps, P-Iris Motorized Lens 2.8x (3-8.5mm), H.264/MJPEG, 120dB WDR, True D/N, SD/SDHC/SDXC, 12VDC/24VAC/PoE, IP66, IK10, Built-in -58°F Heater Powered By 24VAC Only	1,124.25
SNO-L6013R	WiseNet Lite Network IR Bullet Camera, 2MP, Full HD(1080p) 30fps, H.264/MJPEG, f3.6mm Fixed Lens, Hallway View, 60dB DWDR, True D/N, Micro SD/SDHC, IP66	186.75
SNO-L6083R	WiseNet Lite Network IR Bullet Camera, 2MP, Full HD(1080p) 30fps, H.264/MJPEG, Vari-Focal 4.3x (2.8-12mm) Lens, Hallway View, 60dB DWDR, True D/N, Micro SD/SDHC, IP66, IK10, -22F	359.25
SNP-6200	Network PTZ Camera, 2MP, Full HD(1080p), H.264/MJPEG, Motorized Zoom Lens 20x (4.45-89mm), WDR, True D/N, SD/SDHC, 24VAC/PoE+	2,249.25
SNP-6200RH	Network 100m IR PTZ Camera, 2MP, Full HD(1080p), H.264/MJPEG, Motorized 20x optical zoom w/ IR focusing, WDR, True D/N, 24VAC, IP66, IK10, Built-in -58°F Heater	3,749.25
SNP-6320	Network PTZ Camera, 2MP, Full HD(1080p) 60fps, H.264/MJPEG, Optical Zoom Lens 32x (4.44-142.6mm), 120dB WDR, True D/N, Auto Tracking, 700°/sec Pan, SD/SDHC/SDXC, 24VAC/PoE, Analytics	2,999.25
SNP-6320H	Network PTZ Camera, 2MP, Full HD(1080p) 60fps, H.264/MJPEG, Optical Zoom Lens 32x (4.44-142.6mm), 120dB WDR, True D/N, Auto Tracking, 700°/sec Pan, SD/SDHC/SDXC, 24VAC/PoE+, IP66, IK9, Heater on -58°F 24VAC or -22°F PoE+, Analytics	3,186.75
SNP-6320RH	Network 492ft (150m) IR PTZ Camera, 2MP, Full HD(1080p) 60fps, H.264/MJPEG, Motorized 32x optical zoom, Auto Tracking, 120dB WDR, HLC, True D/N, 24VAC, IP66, IK10, Built-in -58°F (-50°C) Heater, Analytics	3,749.25
SNV-6012M	WiseNet III Network Mobile Dome Camera, 2MP 1080p HD Vandal-Resistant, 60fps@1080p Full HD, 120dB WDR, Electrical D/N, SD/SDHC/SDXC memory slot, IP66, PoE, M12 connector, EN50155 & EN50121 (vibration rating)	501.75
SNV-6013	WiseNet III Network Compact Dome Camera, 2MP 1080p HD Vandal-Resistant, f2.8mm Fixed Lens 112° Wide View Angle, 60fps@1080p Full HD, WDR (120dB), Electrical D/N, SD/SDHC/SDXC memory slot, IP66, IK10, PoE. Optional f2.1mm 145° Horizontal View Angle Lens	299.25
SNV-6084	WiseNet III Network Vandal Dome Camera, 2MP, Full HD(1080p), Motorized Simple Focus Lens 2.8x (3-8.5mm), H.264/MJPEG, 120dB WDR, TrueD/N, SD/SDHC/SDXC, 12VDC/24VAC/PoE, IP66, IK10, Built-in -40°F PoE Heater	786.75
SNV-6084R	WiseNet III Network IR Vandal Dome Camera, 2MP, Full HD(1080p), Motorized Simple Focus Lens 2.8x (3-8.5mm), H.264/MJPEG, 120dB WDR, TrueD/N, SD/SDHC/SDXC, 12VDC/24VAC/PoE, IP66, IK10, Built-in -40°F 24VAC Heater	861.75
SNV-7080R	Network IR Vandal Dome Camera, 3MP, Full HD(1080p), Motorized Lens 2.8x (3-8.5mm), H.264/MJPEG, WDR, True D/N, SD/SDHC, 12VDC/24AC/PoE, IP66, IK10, Built-in -40°F 24VAC Heater	1,011.75
SNV-7082	Network Vandal Dome Camera, 3MP, Full HD(1080p), Motorized Simple Focus 2.8x (3-8.5mm), H.264/MJPEG, WDR, True D/N, SD/SDHC, 12VDC/PoE, IP66, IK10, Built-in -40°F PoE Heater	899.25
SNV-7084	WiseNet III Network Vandal Dome Camera, 3MP 30fps, Full HD(1080p) @ 60fps, P-Iris Motorized Simple Focus Lens 2.8x (3-8.5mm), H.264/MJPEG, 120dB WDR, TrueD/N, SD/SDHC/SDXC, 12VDC/24VAC/PoE, IP66, IK10, Built-in -40°F	974.25
SNV-7084R	WiseNet III Network IR Vandal Dome Camera, 3MP 30fps, Full HD(1080p) @ 60fps, P-Iris Motorized Simple Focus Lens 2.8x (3-8.5mm), H.264/MJPEG, 120dB WDR, TrueD/N, SD/SDHC/SDXC, 12VDC/24VAC/PoE, IP66, IK10, Built-in -40°F Heater Powered By 24VAC Only	1,086.75

Model Number	Product Name and Short Description	Contract Price
SNV-8080	Network Vandal Dome Camera, 5MP 20fps, Full HD(1080p) 30fps, H.264/MJPEG, f3.6-9.4mm Motorized Lens Simple Focus, 60dB DWDR, True D/N, Micro SD/SDHC/SDXC, 12VDC/24VAC/PoE, IP66, IK10, Built-in -40°F Heater	1,124.25
SNV-L6083R	WiseNet Lite Network IR Vandal Dome Camera, 2MP, Full HD(1080p) 30fps, H.264/MJPEG, Vari-Focal 4.3x (2.8-12mm) Lens, Hallway View, 60dB DWDR, True D/N, 3-Axis Gimbal, Micro SD/SDHC, IP66, IK10, -22F	359.25
SNZ-6320	WiseNet III Network Zoom Box Camera, 2MP, Full HD(1080p) 60fps, Zoom Lens 32x (4.42-142.6mm), H.264/MJPEG, 120dB WDR, Analytics, True D/N, 12VDC/PoE	1,123.50

Sony Video Surveillance		
SNC-CH210	Indoor mini bullet, 1080p/2MP, 88 degree (S/B)	523.50
SNC-DH210	Indoor microdome, 1080p/2MP, 88 degree (W/B)	470.25
SNC-DH210T	Indoor rugged microdome, 1080p/2MP, 88 degree (W/B)	500.25
SNC-XM631	Indoor 1080p. GEN6. 113 degree wide angle. POE only	373.50
SNC-XM632	Outdoor 1080p. GEN6. 113 degree wide angle. RJ45 POE only. IJ10/IP66.	598.50
SNC-XM636	Outdoor 1080p. GEN6. 83 degree wide angle. M12 connector POE only. IK10/IP66.	598.50
SNC-XM637	Outdoor 1080p. GEN6. 113 degree wide angle. M12 connector POE only. IK10/IP66.	598.50
SNC-HM662	360 Panomorphic. 5MP. Outdoor/Indoor, IK10/IP66.	907.50
SNC-EB630	Box type, Ultra WDR, 1080p. 30fps/3stream.	722.25
SNC-EM630	Indoor, Ultra WDR, 1080p. 30fps/3stream.	715.50
SNC-EM631	Indoor, Ultra WDR, 1080p. 30fps/3stream, IK10.	747.75
SNC-EM632RC	OUTDOOR, Ultra WDR, 1080p, 30fps/3stream, IK10, IP66, IR	951.75
SNC-EB632R	OUTDOOR, Ultra WDR, 1080p, 30fps/3stream, IK10, IP66, IR	980.25
SNC-VB630	Box type, Ultra WDR, 1080p. 60fps/3stream, SD Edge.	1,047.00
SNC-VB635	Box type, 1/2" Ultra WDR, 1080p. 60fps/3stream, SD, Edge.	1,481.25
SNC-VM630	Indoor, Ultra WDR, 1080p. 60fps/3stream, SD Edge.	1,047.00
SNC-VM631	Indoor, Ultra WDR, 1080p. 60fps/3stream, SD Edge. IK10.	1,122.00
SNC-VM632R	OUTDOOR, Ultra WDR, 1080p, 60fps/3stream, SD Edge, IK10, IP66, IR	1,272.00
SNC-VB632D	OUTDOOR, Ultra WRD, 1080p. 60fps/3stream. SD Edge, IP66, IR and White Light LED	1,146.00
SNC-EP580	Indoor HD PTZ, 1080p, 20x, 340 degree.(Use ONL/ORL housing)	2,546.25
SNC-ER580	Indoor HD PTZ, 1080p, 20x, 360 degree.(Use ONL/ORL housing)	3,119.25
SNC-WR630	GEN6. Indoor HD PTZ, 1080p, 30x. 12/24/HPOE. (Use ONL/ORL housing Outdoor or use WR632)	3,390.00
SNC-WR632C	GEN6. Outdoor Ready HD PTZ, 1080p, 30x. 360 (IP66, IK10), pendant mount with clear lower dome. AC24V/HPOE+	4,041.75
SNC-UNI	Housing with wall/pole mount f/ Box type camera	146.25
SNC-UNIHB/1	Housing w/ Heater/Blower, wall/pole mount f/ Box type camera	224.25
UNI-ONL7C	Housing w/ Heater/Blower for PTZ camera (Normal)	463.50
UNI-ORL7C	Housing w/ Heater/Blower for PTZ camera (Rugged)	604.50
UNI-RMB1	PTZ Parapet Mount (Use with any Housing for PTZ cameras.)	450.00
UNI-WMB3	PTZ Wall Mount. *New style* (Use with any Housing for PTZ cameras.)	113.25
UNI-CMA1	Corner adaptor for WMB1/WMB3/MDB3	93.75
UNI-PMA1	Pole adaptor for WMB1/WMB3/MDB3	62.25

Model Number	Product Name and Short Description	Contract Price
UNI-PBU1	Power Block Unit (optional) w/ WMB1/WMB3/MDB3	292.50
UNI-MDB3	Gooseneck wall mount KIT for G6 and G5 Outdoor IR domes.	122.25
UNI-WMB4	Gooseneck wall mount for UNI-MDP pendant cap units. 1" (Use with UNI-MDP adaptors)	60.00
UNI-MDPHM	Pendant cap for SNC-HM662 panamorphic camera. 1"	73.50
UNI-MDPDH180	Pendant cap for G6 and G5 Outdoor IR dome cameras. 1"	71.25
UNI-MDPDH120	Pendant cap for G6 and G5 Indoor dome cameras. 1"	71.25
UNI-XMPLATE	Adaptor Plate for XM632 for use with UNI-MDPDH120	39.75
UNI-MDPX	Pendant cap for G5 Indoor X series micro dome cameras. 1"	67.50
UNI-BBB2	Round Backbox for G6 Outdoor IR dome cameras. (VM602/632, EM602/632)	102.75
UNI-BBB1	Surface/Pole mount adaptor for IR Bullet (CH180/160/280/260)	66.00
UNI-WMBB1	Surface/Pole mount adaptor for UNI-WMB1/WMB4	72.75
YT-ICB140	Recessed Ceiling mount for G5 indoor minidomes. (Or Use YT-ICB600 for indoor G6/G5)	73.50
YT-ICB600	Recessed Ceiling mount. Use with INDOOR G6/G5 minidome.(EM600/DH120for example)	73.50
YT-ICB45	Recessed Ceiling mount. Use with OUTDOOR G6/G5 minidome.(EM602/DH160 for example)	63.75
UNI-UMB1	Indoor wall mount for Indoor Gen5 and Gen6 minidomes. RH124/ER/EP and WR600/WR630 ptz.	73.50
UNI-ID7C3	Indoor recessed mount for PTZ. Clear. RH124/EP/ER and WR600/WR630	259.50
UNI-ID7T3	Indoor recessed mount for PTZ. Tinted. RH124/EP/ER and WR600/WR630	259.50
YT-ICB630	Indoor recessed for GEN6 PTZ. WR630/WR600.	144.00
YT-LD124C	Clear cover for YT-ICB630/YT-ICB124. Indoor.	127.50
YT-LD124S	Tinted/Smoked cover for YT-ICB630/YT-ICB124. Indoor	127.50
UNI-RD7C	Clear replacement cover for 7" ptz housings. (UNI series housings)	83.25
UNI-RD7T	Tinted/Smoked replacement cover for 7" ptz housings. (UNI series housings)	83.25
YT-LDR632S	Smoked Cover for SNC-WR602 and WR632 outdoor Gen6 PTZ cameras	324.75
SNCA-WP602	Weather Protection cap for G6 Outdoor IR dome cameras. (VM602/632, EM602/632)	62.25
UNI-LD280S	Smoked Cover for G6/G5 Outdoor IR domes. (VM602/632, EM602/632)	71.25
YT-LD600S	Smoked Cover for G6 Indoor Normal. VM600/EM600/VM630/EM630	37.50
YT-LD601S	Smoked Cover for G6 Indoor Rugged. VM601/EM601/VM631/EM631	37.50
SCA-M30	Indoor Microphone. Power in plug.	261.00
SCA-S30	Outdoor loud speaker. 24VAC.	411.00

## Category: Access Control Solutions

Model Number	Product Name and Short Description	Contract Price
<b>Avigilon Access Control</b>		
AC-APP-16R-PRO	Access Control Manager Professional – Web-Based PACS Appliance for 16 Readers - includes:   physical appliance   embedded Linux OS & Open LDAP licenses for configuration database   Access Control Manager Security Management Software License   One (1), AC-SW-16RCU, 16 Reader Count Software License   Total reader capacity can be expanded from 16 to 32 readers with the purchase of the AC-SW-16RCU, 16 Reader Count Software License   Supports up to 500K identities and 75M stored events and fifty (50) simultaneous operators (via browser)  Three (3) year appliance HW warranty begins at date of shipment	1,333.60
AC-APP-32R-PRO	Access Control Manager Professional – Web-Based PACS Appliance for 32 Readers - includes:   physical appliance   embedded Linux OS & Open LDAP licenses for configuration database   Access Control Manager Security Management Software License   Two (2), AC-SW-16RCU, 16 Reader Count Software License   Total reader capacity cannot be expanded   Supports up to 500K identities and 75M stored events and fifty (50) simultaneous operators (via browser)  Three (3) year appliance HW warranty begins at date of shipment	2,000.00
AC-APP-16R-ENT2	Access Control Manager Enterprise – Web-Based PACS Appliance for 16 Readers - includes:   physical appliance   embedded Linux OS & Open LDAP licenses for configuration database   Access Control Manager Security Management Software License   One (1), AC-SW-16RCU, 16 Reader Count Software License   Total reader capacity can be expanded from 16 to 2,048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-16RCU, 16 Reader Count Software Licenses   Supports up to 500K identities and 150M stored events and fifty (50) simultaneous operators (via browser)  Three (3) year appliance HW warranty begins at date of shipment	2,666.40
AC-APP-32R-ENT2	Access Control Manager Enterprise – Web-Based PACS Appliance for 32 Readers - includes:   physical appliance   embedded Linux OS & Open LDAP licenses for configuration database   Access Control Manager Security Management Software License   Two (2), AC-SW-16RCU, 16 Reader Count Software License   Total reader capacity can be expanded from 32 to 2,048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-16RCU, 16 Reader Count Software Licenses   Supports up to 500K identities and 150M stored events and fifty (50) simultaneous operators (via browser)  Three (3) year appliance HW warranty begins at date of shipment	3,332.80
AC-APP-64R-ENT2	Access Control Manager Enterprise – Web-Based PACS Appliance for 64 Readers - includes:   physical appliance   embedded Linux OS & Open LDAP licenses for configuration database   Access Control Manager Security Management Software License   Four (4), AC-SW-16RCU, 16 Reader Count Software License   Total reader capacity can be expanded from 64 to 2,048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-16RCU, 16 Reader Count Software Licenses   Supports up to 500K identities and 150M stored events and fifty (50) simultaneous operators (via browser)  Three (3) year appliance HW warranty begins at date of shipment	4,666.40



Model Number	Product Name and Short Description	Contract Price
AC-APP-128R-ENT2	Access Control Manager Enterprise – Web-Based PACS Appliance for 128 Readers - includes:   physical appliance   embedded Linux OS & Open LDAP licenses for configuration database   Access Control Manager Security Management Software License   Eight (8), AC-SW-16RCU, 16 Reader Count Software License   Total reader capacity can be expanded from 128 to 2,048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-16RCU, 16 Reader Count Software Licenses   Supports up to 500K identities and 150M stored events and fifty (50) simultaneous operators (via browser)   Three (3) year appliance HW warranty begins at date of shipment	7,333.60
AC-APP-256R-ENT2	Access Control Manager Enterprise – Web-Based PACS Appliance for 256 Readers - includes:   physical appliance   embedded Linux OS & Open LDAP licenses for configuration database   Access Control Manager Security Management Software License   Sixteen (16), AC-SW-16RCU, 16 Reader Count Software License   Total reader capacity can be expanded from 256 to 2,048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-16RCU, 16 Reader Count Software Licenses   Supports up to 500K identities and 150M stored events and fifty (50) simultaneous operators (via browser)   Three (3) year appliance HW warranty begins at date of shipment	12,666.40
AC-APP-512R-ENT2	Access Control Manager Enterprise – Web-Based PACS Appliance for 512 Readers - includes:   physical appliance   embedded Linux OS & Open LDAP licenses for configuration database   Access Control Manager Security Management Software License   Thirty-Two (32), AC-SW-16RCU, 16 Reader Count Software License   Total reader capacity can be expanded from 512 to 2,048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-16RCU, 16 Reader Count Software Licenses   Supports up to 500K identities and 150M stored events and fifty (50) simultaneous operators (via browser)   Three (3) year appliance HW warranty begins at date of shipment	23,333.60
AC-APP-1024R-ENT2	Access Control Manager Enterprise – Web-Based PACS Appliance for 1,024 Readers - includes:   physical appliance   embedded Linux OS & Open LDAP licenses for configuration database   Access Control Manager Security Management Software License   Sixty-Four (64), AC-SW-16RCU, 16 Reader Count Software License   Total reader capacity can be expanded from 1,024 to 2,048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-16RCU, 16 Reader Count Software Licenses   Supports up to 500K identities and 150M stored events and fifty (50) simultaneous operators (via browser)   Three (3) year appliance HW warranty begins at date of shipment	29,333.60
AC-APP-2048R-ENT2	Access Control Manager Enterprise – Web-Based PACS Appliance for 2,048 Readers - includes:   physical appliance   embedded Linux OS & Open LDAP licenses for configuration database   Access Control Manager Security Management Software License   One hundred Twenty-Eight (128), AC-SW-16RCU, 16 Reader Count Software License   Supports up to 500K identities and 150M stored events and fifty (50) simultaneous operators (via browser)   Three (3) year appliance HW warranty begins at date of shipment	44,000.00
AC-APP-16R-VM	Access Control Manager Virtual - Web-Based PACS for 16 Readers - includes: embedded Linux OS & Open LDAP licenses for configuration database  Access Control Manager Security Management Software License   One (1), AC-SW-16RCU, 16 Reader Count Software License   Total reader capacity can be expanded from 16 to 2,048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-16RCU, 16 Reader Count Software Licenses   VMware software required and not included	2,000.00
AC-APP-32R-VM	Access Control Manager Virtual - Web-Based PACS for 32 Readers - includes: embedded Linux OS & Open LDAP licenses for configuration database  Access Control Manager Security Management Software License   Two (2), AC-SW-16RCU, 16 Reader Count Software License   Total reader capacity can be expanded from 32 to 2,048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-16RCU, 16 Reader Count Software Licenses   VMware software required and not included	2,666.40

Model Number	Product Name and Short Description	Contract Price
AC-APP-64R-VM	Access Control Manager Virtual -Web-Based PACS for 64 Readers - includes: embedded Linux OS & Open LDAP licenses for configuration database  Access Control Manager Security Management Software License   Four (4), AC-SW-16RCU, 16 Reader Count Software License   Total reader capacity can be expanded from 64 to 2,048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-16RCU, 16 Reader Count Software Licenses   VMware software required and not included	4,000.00
AC-APP-128R-VM	Access Control Manager Virtual - Web-Based PACS for 128 Readers - includes: embedded Linux OS & Open LDAP licenses for configuration database  Access Control Manager Security Management Software License   Eight (8), AC-SW-16RCU, 16 Reader Count Software License   Total reader capacity can be expanded from 128 to 2,048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-16RCU, 16 Reader Count Software Licenses   VMware software required and not included	6,666.40
AC-APP-256R-VM	Access Control Manager Virtual - Web-Based PACS for 256 Readers - includes: embedded Linux OS & Open LDAP licenses for configuration database  Access Control Manager Security Management Software License   Sixteen (16), AC-SW-16RCU, 16 Reader Count Software License   Total reader capacity can be expanded from 256 to 2,048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-16RCU, 16 Reader Count Software Licenses   VMware software required and not included	12,000.00
AC-APP-512R-VM	Access Control Manager Virtual - Web-Based PACS for 512 Readers - includes: embedded Linux OS & Open LDAP licenses for configuration database  Access Control Manager Security Management Software License   Thirty Two (32), AC-SW-16RCU, 16 Reader Count Software License   Total reader capacity can be expanded from 512 to 2,048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-16RCU, 16 Reader Count Software Licenses   VMware software required and not included	22,667.20
AC-APP-1024R-VM	Access Control Manager Virtual - Web-Based PACS for 1024 Readers - includes: embedded Linux OS & Open LDAP licenses for configuration database  Access Control Manager Security Management Software License   Sixty Four (64), AC-SW-16RCU, 16 Reader Count Software License   Total reader capacity can be expanded from 1,024 to 2,048 readers, in increments of 16, with the purchase of the desired quantity of AC-SW-16RCU, 16 Reader Count Software Licenses   VMware software required and not included	28,000.00
AC-APP-2048R-VM	Access Control Manager Virtual - Web-Based PACS for 2048 Readers - includes: embedded Linux OS & Open LDAP licenses for configuration database  Access Control Manager Security Management Software License   One Hundred Twenty-Eight (128), AC-SW-16RCU, 16 Reader Count Software License   VMware software required and not included	42,666.40
AC-SW-16RCU	16 Reader Count Software License Upgrade	666.40
AC-SW-HID-VERTX-ASM	Access Control Manager NON OEM (Non Avigilon Ordered) HID VertX EVO V1000 or HID VertX EVO V2000 Assimilation License. Quantity of this license must equal the number of V1000 or V2000 NON OEM controllers, which is required for support. If HID VertX EVO controllers are ordered from Avigilon, this item is not required.	400.00
AC-SW-BDGE	Badging Application Software License (one per Appliance or Virtual)	666.40
AC-SW-LIC-AVIGILON		-
AC-SW-LIC-EXACQ	Access Control Manager License for Video Integration for Exacq (per Appliance)	3,332.80
AC-SW-LIC-SALIENT	Access Control Manager License for Video Integration for Salient Systems (per Appliance)	3,332.80
AC-SW-LIC-MILEST	Access Control Manager License for Video Integration for Milestone (per Appliance)	3,332.80
AC-SW-LIC-DEDIMIC	Access Control Manager License for Video Integration for Dedicated Micros Gen3 Products (per Appliance)	3,332.80

Model Number	Product Name and Short Description	Contract Price
AC-SW-LIC-PART	Partitioning License for more than 5 partitions (per Appliance) (not approved for use in a central station or managed services VAR offering)	3,333.60
AC-SW-LIC-SQL	Microsoft SQL Server Connectivity Software License (from Microsoft SQL 2000 forward)	1,333.60
AC-SW-LIC-ORCL	Oracle Server Connectivity Software License (from Oracle DB 9i forward)	2,666.40
AC-SW-LIC-LDAP	LDAP Directory Connectivity Software License (required for integration with Microsoft Active Directory or other directory products)	2,000.00
AC-SW-LIC-XML	XML Events Connectivity Software License	666.40
AC-SW-LIC-REST	REST Connectivity Software License	666.40
AC-SW-LIC-AF	Hot Standby - Auto Failover Software License (per Appliance) includes AC-SW-LIC-REP. This item is not supported on ACM Professional.	4,000.00
AC-SW-LIC-REP	Multi-Appliance Replication Software License (per Appliance). This item is not supported on ACM Professional.	2,666.40
AC-MER-CONT-64DR	Controller, 32MB RAM, Ethernet (Mercury EP2500)	1,373.60
AC-MER-CONT-1DR	Controller, Single Door, 16MB RAM, w/PoE, 2In/2Out/2Rdr (Mercury EP1501)	476.00
AC-MER-CONT-2DR	Controller, 16MB RAM, Ethernet, 8In/4Out/2Rdr (Mercury EP1502)	924.00
AC-MER-CON-MR50	Reader Interface Module - (1 reader: mag or wiegand, 2 inputs, 2 relays) (Mercury MR50)	260.00
AC-MER-CON-MR52	2-Reader Interface Module - (2 reader: mag or wiegand, 8 inputs, 6 relays) (Mercury MR52)	506.40
AC-MER-CON-MR51E	Single Door Interface Module w/PoE - (2 reader: mag/wiegand, 4 inputs, 2 relays) (Mercury MR51E)	400.00
AC-MER-CON-MR16IN	16 Zone Input Monitor Module (with 2 relays) (Mercury MR16IN)	573.60
AC-MER-CON-MR16OUT	16 Relay Output Control Module (Mercury MR16OUT)	573.60
AC-MER-MUX8	RS-232/485 to 8 RS-485 Channel Mux (Mercury MUX8)	473.60
AC-MER-A-TERM5-3	Replace 3-Position Terminal Blocks, 10-pack	20.00
AC-MER-A-TERM5-4	Replace 4-Position Terminal Blocks, 10-pack	26.40
AC-MER-A-TERM5-5	Replace 5-Position Terminal Blocks, 10-pack	33.60
AC-MER-A-TERM5-6	Replace 6-Position Terminal Blocks, 10-pack	40.00
AC-MER-A-TC-MR50	Cable for MR-50 Tamper	2.40
AC-MER-A-RES-1K32	Axial Leaded 1K1%1/4W Resistors, 32-pack	8.00
AC-MER-A-BAT23MM	Lithium Coin Cells BR/CR2325, 20-pack	66.40
AC-MER-M5-IC-1	Intelligent Controller, 32MB RAM, Ethernet, Dual RS485 ports (1 board)	1,146.40
AC-MER-M5-COM-1	Combination Power & RS485; Communications Bridge (1 board)	266.40
AC-MER-M5-2RP-1	Reader Interface Module-(2 Rdr, 4 Inputs, 6 Outputs) (1 board)	586.40
AC-MER-M5-2SRP-1	Supervised Reader Interface Module-(2 Rdr, 4 Inputs, 6 Outputs) (1 board)	586.40
AC-MER-M5-8RP-1	Supervised Reader Interface Module-(8 Supervised Rdr Connections) (1 board)	933.60
AC-MER-M5-20IN-1	20 Zone Input Monitor Module (1 board)	613.60
AC-MER-M5-16DOR-1	16 Relay Output Controller Module-(16 solid state relays) (1 board)	586.40
AC-MER-M5-16DO-1	16 Digital Output Control Module-(16 digital arrays) (1 board)	586.40
AC-MER-AH30RN1-RC	ASSA ABLOY -Mercury Aperio Hub 1:8-with RC Enablement SW	280.00
AC-MER-APD-10-USB	ASSA ABLOY - USB Radio Dongle	360.00
AC-HID-VERTX-V2000	VertX EVO V2000 Reader Interface/Networked Controller (2-Door (2-Reader ports), 4-inputs/4-outputs, 10/100 Ethernet)	868.00

Model Number	Product Name and Short Description	Contract Price
AC-HID-VERTX-V1000	VertX EVO V1000 Networked Controller (Expandable to 64-door via V100 Door/Reader Interface, 2-inputs/2-outputs, 10/100 Ethernet)	868.00
AC-HID-VERTX-V100	VertX V100 Door/Reader Interface (2-Door (2 reader ports), 4-inputs/4-outputs, 3-monitor inputs (tamper/battery/AC), RS485)	420.00
AC-HID-VERTX-V200	VertX V200 Input Monitor Interface (16-inputs, 3-monitor inputs (tamper/battery/AC), RS485)	460.00
AC-HID-VERTX-V300	VertX V300 Output Monitor Interface (12-outputs, 2-general inputs, 3-monitor inputs (tamper/battery/AC), RS485)	492.00
AC-LSP-2DR-MER	Two Door Mercury Single Voltage Integrated Power System supporting two AC-MER-CONT-1DR or one AC-MER-CONT-2DR (Mercury hardware sold separately). Includes painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws and a 75 watt 12V/6A or 24V/3A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to Mercury boards and auxiliary equipment. The power supply features dual outputs, form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet (unless using two AC-MER-CONT-1DR). Cabinet size: 12" x 14" x 4.5" with door lock, tamper switch and two (2) keys. Weight 14 lb.	296.00
AC-LSP-4DR-MER	Four Door Mercury Single Voltage Integrated Power System supporting one AC-MER-CONT-2DR with one AC-MER-CON-MR52 (Mercury hardware sold separately). Includes painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws and a 75 watt 12V/6A or 24V/3A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to Mercury boards and auxiliary equipment. The power supply features dual outputs, form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 16" x 20" x 4.5" with door lock, tamper switch and two (2) keys. Weight 19 lb.	320.00
AC-LSP-8DR-MER	Eight Door Mercury Single Voltage Integrated Power System supporting one AC-MER-CONT-2DR with three AC-MER-CON-MR52 (Mercury hardware sold separately). Includes painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws and a 75 watt 12V/6A or 24V/3A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to Mercury boards and auxiliary equipment. The power supply features dual outputs, form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 20" x 24" x 4.5" with door lock, tamper switch and two (2) keys. Weight 25 lb.	380.00
AC-LSP-16DR-MER	Sixteen Door Mercury Single Voltage Integrated Power System supporting one AC-MER-CONT-2DR with Seven AC-MER-CON-MR52 (Mercury hardware sold separately). Includes painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws and a 150 watt 12V/12A or 24V/6A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to Mercury boards and auxiliary equipment. The power supply features dual outputs, form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 20" x 24" x 4.5" with door lock, tamper switch and two (2) keys. Weight 25 lb.	576.00

Model Number	Product Name and Short Description	Contract Price
AC-LSP-2DR-MER-LCK	Two Door Mercury Dual Voltage Integrated Power System supporting two AC-MER-CONT-1DR or one AC-MER-CONT-2DR (Mercury hardware sold separately). The advantage of a dual voltage power supply is the ability to power both Mercury boards and door locks from the same supply. Includes a painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws and a 75 watt 12V/2A and 24V/2A power supply-battery charger. The power supply is pre-wired to four Class 2, Power Limited (CL2PL) outputs (C4P Board) delivering a regulated independent power connection to each Mercury board and lock power and control. The power supply features dual outputs (12 & 24volts DC), form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet (unless using two AC-MER-CONT-1DR). Cabinet size: 12" x 14" x 4.5" with door lock and two (2) keys. Weight 14 lb.	360.00
AC-LSP-4DR-MER-LCK	Four Door Mercury Dual Voltage Integrated Power System supporting one AC-MER-CONT-2DR with one AC-MER-CON-MR52 (Mercury hardware sold separately). The advantage of a dual voltage power supply is the ability to power both Mercury boards and door locks from the same supply. Includes a painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws and a 75 watt 12V/2A and 24V/2A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to each Mercury board and four fused output (C4 Board) for independent relay lock power. The power supply features dual outputs (12 & 24volts DC), form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 16" x 20" x 4.5" with door lock and two (2) keys. Weight 19 lb.	412.00
AC-LSP-8DR-MER-LCK	Eight Door Mercury Dual Voltage Integrated Power System supporting one AC-MER-CONT-2DR with three AC-MER-CON-MR52 (Mercury hardware sold separately). The advantage of a dual voltage power supply is the ability to power both Mercury boards and door locks from the same supply. Includes a painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws and a 150 watt 12V/4A and 24V/4A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to each Mercury board and eight fused output (C8 Board) for independent relay lock power. The power supply features dual outputs (12 & 24volts DC), form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 20" x 24" x 4.5" with door lock and two (2) keys. Weight 25 lb.	560.00
AC-LSP-16DR-MER-LCK	Sixteen Door Mercury Dual Voltage Integrated Power System supporting one AC-MER-CONT-2DR with seven AC-MER-CON-MR52 (Mercury hardware sold separately). The advantage of a dual voltage power supply is the ability to power Mercury boards and door locks. Includes a painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws. System includes one 150 watt 12V/12A pre-wired to sixteen Class 2, Power Limited (CL2PL) outputs (two D8P Boards) delivering regulated independent power connection to each Mercury board and one 250 watt 24V/10A power supply-battery chargers pre-wired to sixteen fused output (two C8 Boards) for independent relay lock power. Both power supplies features dual outputs (12 & 24volts DC), form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Cabinet size: 20" x 24" x 4.5" with door lock and two (2) keys. Weight 26 lb.	888.00

Model Number	Product Name and Short Description	Contract Price
AC-LSP-2DR-HID	Two Door HID Single Voltage Integrated Power System supporting one AC-HID-VERTEX-V2000 (HID VertX EVO hardware sold separately). Includes painted steel enclosure, removable pre drilled back plate, controller mounting screws and a 75 watt 12V/6A or 24V/3A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to HID VertX EVO board and auxiliary equipment. The power supply features dual outputs, form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 12" x 14" x 4.5" with door lock, tamper switch and two (2) keys. Wt. 14 lb.	296.00
AC-LSP-4DR-HID	Four Door HID Single Voltage Integrated Power System supporting two AC-HID-VERTEX-V2000 or one AC-HID-VERTEX-V1000 with two AC-HID-VERTEX-V100 (HID VertX EVO hardware sold separately). Includes painted steel enclosure, removable pre drilled back plate, controller mounting screws and a 75 watt 12V/6A or 24V/3A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to each HID VertX EVO board and auxiliary equipment. The power supply features dual outputs, form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 16" x 20" x 4.5" with door lock, tamper switch and two (2) keys. Weight 19 lb.	320.00
AC-LSP-8DR-HID	Eight Door HID Single Voltage Integrated Power System supporting one AC-HID-VERTEX-V1000 with four AC-HID-VERTEX-V100 (HID VertX EVO hardware sold separately). Includes painted steel enclosure, removable pre drilled back plate, controller mounting screws and a 75 watt 12V/6A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to each HID VertX EVO board and auxiliary equipment. The power supply features dual outputs, form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 20" x 24" x 4.5" with door lock, tamper switch and two (2) keys. Weight 25 lb.	380.00
AC-LSP-16DR-HID	Sixteen Door HID Single Voltage Integrated Power System supporting one AC-HID-VERTEX-V1000 with eight AC-HID-VERTEX-V100 (HID VertX EVO hardware sold separately). Includes painted steel enclosure, removable pre drilled back plate, controller mounting screws and a 150 watt 12V/12A power supply-battery charger. The power supply is pre-wired to sixteen Class 2, Power Limited (CL2PL) outputs (two D8P Boards) delivering a regulated independent power connection to each HID VertX EVO board and auxiliary equipment. The power supply features dual outputs, form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 20" x 24" x 4.5" with door lock, tamper switch and two (2) keys. Weight 25 lb.	604.00

Model Number	Product Name and Short Description	Contract Price
AC-LSP-2DR-HID-LCK	Two Door HID Dual Voltage Integrated Power System supporting one AC-HID-VERTEX-V2000 (HID VertX EVO hardware sold separately). The advantage of a dual voltage power supply is the ability to power both HID board and door locks from the same supply. Includes painted steel enclosure, removable pre drilled back plate, controller mounting screws and a 75 watt 12V/2A and 24V/2A power supply-battery charger. The power supply is pre-wired to four Class 2, Power Limited (CL2PL) outputs (C4P Board) delivering a regulated independent power connection to HID VertX EVO board and lock power control. The power supply features dual outputs (12 & 24volts DC), form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 12" x 14" x 4.5" with door lock and two (2) keys. Wt. 14 lb.	360.00
AC-LSP-4DR-HID-LCK	Four Door HID Dual Voltage Integrated Power System supporting two AC-HID-VERTEX-V2000 or one AC-HID-VERTEX-V1000 with two AC-HID-VERTEX-V100 (HID VertX EVO hardware sold separately). The advantage of a dual voltage power supply is the ability to power both HID boards and door locks from the same supply. Includes a painted steel enclosure, removable pre drilled back plate, controller mounting screws, and a 75 watt 12V/2A and 24V/2A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to each HID VertX EVO board and four fused output (C4 Board) for independent relay lock power control. The power supply features dual outputs (12 & 24volts DC), form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 16" x 20" x 4.5" with door lock and two (2) keys. Weight 19 lb.	412.00
AC-LSP-8DR-HID-LCK	Eight Door HID Dual Voltage Integrated Power System supporting one AC-HID-VERTEX-V1000 with four AC-HID-VERTEX-V100 (HID VertX EVO hardware sold separately). The advantage of a dual voltage power supply is the ability to power both HID boards and door locks from the same supply. Includes a painted steel enclosure, removable pre drilled back plate, controller mounting screws, and a 150 watt 12V/4A and 24V/4A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to each HID VertX EVO board and eight fused output (C8 Board) for independent relay lock power control. The power supply features dual outputs (12 & 24volts DC), form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 20" x 24" x 4.5" with door lock and two (2) keys. Weight 25 lb.	664.00
AC-LSP-16DR-HID-LCK	Sixteen Door HID Dual Voltage Integrated Power System supporting one AC-HID-VERTEX-V1000 with eight AC-HID-VERTEX-V100 (HID VertX EVO hardware sold separately). The advantage of a dual voltage power supply is the ability to power HID boards and door locks. Includes a painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws. System includes one 75 watt 12V/6A pre-wired to sixteen Class 2, Power Limited (CL2PL) outputs (two D8P Boards) delivering regulated independent power connection to each HID VertX EVO board and one 250 watt 24V/10A power supply-battery chargers pre-wired to sixteen fused output (two C8 Boards) for independent relay lock power. Both power supplies features dual outputs (12 & 24volts DC), form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Cabinet size: 20" x 24" x 4.5" with door lock and two (2) keys. Weight 26 lb.	848.00
AC-LSP-E4M	8 Door Mercury enclosure with removable backplate Battery space for 12V or 24V, 8Ah batteries is available within the cabinet. Comes with door lock and two (2) keys. Weight: 24 lb. Size: 20" x 24" x 4.5"	288.00

Model Number	Product Name and Short Description	Contract Price
AC-LSP-E4M1	16 Door Mercury enclosure with door mount & removable backplate Battery space for 12V or 24V, 8Ah batteries is available within the cabinet. Comes with door lock and two (2) keys. Weight: 26 lb. Size: 20" x 24" x 4.5"	408.00
AC-LSP-E1V	2 Door HID VertX enclosure with removable backplate. Battery space for 12V or 24V, 8Ah batteries is available within the cabinet. Comes with door lock and two (2) keys. Weight: 12 lb. Size: 12" x 14" x 4.5"	212.00
AC-LSP-E2V	4 Door HID VertX enclosure with removable backplate. Battery space for 12V or 24V, 8Ah batteries is available within the cabinet. Comes with door lock and two (2) keys. Weight: 20 lb. Size: 16" x 20" x 4.5"	240.00
AC-LSP-E4V	8 Door HID VertX enclosure with removable backplate *** Accomodates single voltage only *** Battery space for 12V or 24V, 8Ah batteries is available within the cabinet. Comes with door lock and two (2) keys. Weight: 24 lb. Size: 20" x 24" x 4.5"	288.00
AC-LSP-E4V1	8 - 16 Door HID VertX enclosure with door mount & removable backplate *** Accomodates single or dual voltage *** Battery space for 12V or 24V, 8Ah batteries is available within the cabinet. Comes with door lock and two (2) keys. Weight: 75 lb. Size: 20" x 24" x 4.5"	460.00
AC-LSP-FPO75	The FPO75 75W Power Supply Board is a high efficiency, off-line switchmode power supply-battery charger designed as a general purpose power supply to provide uninterrupted power for locks, auxiliary equipment and access controllers. Capable of providing two power outputs and featuring user selectability for 12 or 24 VDC, the unit provides multiple outputs, fire alarm interface, AC fault reporting, system faultreporting, form 'C' fault relay contacts and a host of features and functions designed to support the access control industry.	136.00
AC-LSP-FPO150-PS	The FPO150 150W Power Supply Board is a high efficiency, off-line switchmode power supply-battery charger designed as a general purpose power supply to provide uninterrupted power for locks, auxiliary equipment and access controllers. Capable of providing two power outputs and featuring user selectability for 12 or 24 VDC, the unit provides multiple outputs, fire alarm interface, AC fault reporting, system faultreporting, form 'C' fault relay contacts and a host of features and functions designed to support the access control industry.	228.00
AC-LSP-FPO250	The FPO250 250W Power Supply Board is a high efficiency, off-line switchmode power supply-battery charger designed as a general purpose power supply to provide uninterrupted power for locks, auxiliary equipment and access controllers. Capable of providing two power outputs and featuring user selectability for 12 or 24 VDC, the unit provides multiple outputs, fire alarm interface, AC fault reporting, system faultreporting, form 'C' fault relay contacts and a host of features and functions designed to support the access control industry.	284.00
AC-LSP-C4	The C4 (4 Door) Lock Control Module adds four (4) fused outputs to a FPO power supply for "buffered" lock control and is typically supplied as part of a system or purchased as an expansion piece to an existing system. The C4 provides four (4) access control inputs capable of voltage or dry contact activation and four (4) relay controlled outputs, individually fuse protected at 3A per output.	56.00
AC-LSP-C8	The C8 (8 Door) Lock Control Module lock adds eight (8) fused outputs to a FPO power supply for "buffered" lock control and is typically supplied as part of a system or purchased as an expansion piece to an existing system. The C8 provides eight (8) access control inputs capable of voltage or dry contact activation and eight (8) relay controlled outputs, individually fuse protected at 3A per output.	72.00



Model Number	Product Name and Short Description	Contract Price
AC-LSP-D8P	The DP8 (8 Out) Power Distribution Module provides 8 auxiliary power outputs, each one individually protected by a solid state circuit breaker (D8P) rated at 2.5A each. Each output is programmable to either of the two voltages available when used in a dual voltage power system, or to the continuous output or the resettable output of the power supply when used in a single voltage system.	32.00
AC-LSP-B100	The B100 Secondary Voltage Module provides a means to easily and economically add an additional voltage to any power system. Primary power for the B100 is derived from an main FPO power supply and the B100 steps the FPO voltage down to the user defined range (typically 12VDC). B100 delivers up to 4A maximum current at 12VDC.	48.00
AC-LSP-NL2	The NL2 Network Communication Module communicates and controls power status over a local or wide area network to Access Control Manager (ACM). Provides two SPI ports for connection of one or two power supplies to enable monitoring, reporting and control of the power system. Enables remote testing of one battery set (12 or 24VDC). Recommended for use with single voltage systems or dual voltage systems using B100 12V module.	176.00
AC-LSP-NL4	The NL4 Network Communication Module communicates and controls power status over a local or wide area network to Access Control Manager (ACM). Provides four SPI ports for connection of one or two power supplies to enable monitoring, reporting and control of the power system. Enables remote testing of two battery sets (12 and 24VDC). Recommended for use with dual voltage systems requiring independent FPO power supplies (i.e. sixteen door dual voltage systems).	264.00
AC-LSP-CamlockSet	Replacement Camlock and key for LifeSafety Power enclosures (keyed alike).	16.00
AC-LSP-FPO75-4DR-SV	4 Door Access/Single Voltage 75W PS/C, 12VDC@4A or 24VDC@2A System Features: 40Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, fire alarm input (FAI), four opto isolated, NO/NC, access control inputs, four relay lock control outputs, failsafe or failsecure, and FAI – each output fused for 3A (Class 2 power limited version also available). Fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure: 12" X 14" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification	269.60
AC-LSP-FPO75-4DR-DV	4 Door Access/Dual Voltage 75W PS/C, 12VDC@4A and 24VDC@2A System Features: One battery set supports all voltages, microprocessor battery charging, 40Ah charge capability, continuous and switched DC outputs, eight 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), four opto isolated, NO/NC, access control inputs, four relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure: 12" X 14" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification	349.60

Model Number	Product Name and Short Description	Contract Price
AC-LSP-FPO150-8DR-SV	8 Door Access/Single Voltage 150W PS/C , 12VDC@12A or 24VDC@6A System Features: 80Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, eight 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), eight opto isolated, NO/NC, access control inputs, eight relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure: 16" X 20" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification	429.60
AC-LSP-FPO75/75-8DR-DV	8 Door Access/Dual Voltage 150W PS/C , 12VDC@6A and 24VDC@3A System Features: 40Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, eight 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), eight opto isolated, NO/NC, access control inputs, eight relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure: 16" X 20" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification	450.40
AC-LSP-FPO150/150-8DR-DV	8 Door Access/Dual Voltage 300W PS/C , 12VDC@12A and 24VDC@6A System Features: 80Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, eight 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), eight opto isolated, NO/NC, access control inputs, eight relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure: 16" X 20" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification	600.00
AC-LSP-FPO250/250-8DR-DV	8 Door Access/Dual Voltage 500W PS/C , 12VDC@20A and 24VDC@10A System Features: 80Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, eight 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), eight opto isolated, NO/NC, access control inputs, eight relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure: 16" X 20" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification	690.40
AC-LSP-FPO150-8DR-DV	8 Door Access/Dual Voltage 150W PS/C , 12VDC@4A and 24VDC@4A System Features: One battery set supports all voltages, microprocessor battery charging, 80Ah charge capability, continuous and switched DC outputs, eight 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), eight opto isolated, NO/NC, access control inputs, eight relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure: 16" X 20" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification	477.60

Model Number	Product Name and Short Description	Contract Price
AC-LSP-FPO250-8DR-DV	8 Door Access/Dual Voltage 250W PS/C, 12VDC@4A and 24VDC@8A System Features: One battery set supports all voltages, microprocessor battery charging, 80Ah charge capability, continuous and switched DC outputs, eight 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), eight opto isolated, NO/NC, access control inputs, eight relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure: 16" X 20" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification	522.40
AC-LSP-FPO150-16DR-SV	16 Door Access/Single Voltage 150W PS/C, 12VDC@12A or 24VDC@6A System Features: 80Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, sixteen 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), sixteen opto isolated, NO/NC, access control inputs, sixteen relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure, 20" X 24" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification	584.00
AC-LSP-FPO250-16DR-SV	16 Door Access/Single Voltage 250W PS/C, 12VDC@20A or 24VDC@10A System Features: 80Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, sixteen 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), sixteen opto isolated, NO/NC, access control inputs, sixteen relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure, 20" X 24" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification	629.60
AC-LSP-FPO150/150-16DR-DV	16 Door Access/Dual Voltage 300W PS/C, 12VDC@12A and 24VDC@6A System Features: 80Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, sixteen 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), sixteen opto isolated, NO/NC, access control inputs, sixteen relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure, 20" X 24" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification	754.40
AC-LSP-FPO250/250-16DR-DV	16 Door Access/Dual Voltage 500W PS/C, 12VDC@20A and 24VDC@10A System Features: 80Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, sixteen 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), sixteen opto isolated, NO/NC, access control inputs, sixteen relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure, 20" X 24" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification	846.40

Model Number	Product Name and Short Description	Contract Price
AC-LSP-FPO150-16DR-DV	16 Door Access/Dual Voltage 150W PS/C, 12VDC@4A and 24VDC@4A System Features: One battery set supports all voltages, microprocessor battery charging, 80Ah charge capability, continuous and switched DC outputs, sixteen 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), sixteen opto isolated, NO/NC, access control inputs, sixteen relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure: 20" X 24" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification	632.00
AC-LSP-FPO250-16DR-DV	16 Door Access/Dual Voltage 250W PS/C, 12VDC@4A and 24VDC@8A System Features: One battery set supports all voltages, microprocessor battery charging, 80Ah charge capability, continuous and switched DC outputs, sixteen 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), sixteen opto isolated, NO/NC, access control inputs, sixteen relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure: 20" X 24" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification	677.60
AC-HID-READ-ICLASS-SE-R10	iCLASS SE R10 Contactless Smart Card Reader, Mini-Mullion, No Prox	100.00
AC-HID-READ-ICLASS-SE-R15	iCLASS SE R15 Contactless Smart Card Reader, Mini-Mullion, No Prox	196.00
AC-HID-READ-ICLASS-SE-R40	iCLASS SE R40 Contactless Smart Card Reader, Wall Switch, No Prox	196.00
AC-HID-READ-ICLASS-SE-RK40	iCLASS SE RK40 Contactless Smart Card Keypad Reader, Wall Switch, No Prox	360.00
AC-HID-READ-ICLASS-SE-RP10	iCLASS SE RP10 Contactless Smart Card Reader, Mini-Mullion, STD Prox	130.40
AC-HID-READ-ICLASS-SE-RP15	iCLASS SE RP15 Contactless Smart Card Reader, Mini-Mullion, STD Prox	226.40
AC-HID-READ-ICLASS-SE-RP40	iCLASS SE RP40 Contactless Smart Card Reader, Wall Switch, STD Prox	226.40
AC-HID-READ-ICLASS-SE-RPK40	iCLASS SE RPK40 Contactless Smart Card Keypad Reader, Wall Switch, STD Prox	390.40
AC-HID-CARD-ICLASS-2080	iCLASS Clamshell Contactless Smart Card, 2k bit with 2 application areas	2.58
AC-HID-CARD-ICLASS-2000	iCLASS Contactless Smart Card, 2k bit with 2 application areas	3.86
AC-HID-CARD-ICLASS-2002	iCLASS Contactless Smart Card, 16k bit with 16 application areas	7.00

Model Number	Product Name and Short Description	Contract Price
AC-HID-CARD-ICLASS-2004	iCLASS Contactless Smart Card, 32k bit with 16k/16 + 16k/1 application areas	7.30
AC-HID-CARD-ICLASS-2050	iCLASS Key II Contactless Smart Key 2k bit with 2 application areas	5.02
AC-HID-CARD-ICLASS-SR-2080	iCLASS SR (note: SR instead of SE is correct for this card) Clamshell Contactless Smart Card, 2k bit with 2 application areas	2.58
AC-HID-CARD-ICLASS-SE-3000	iCLASS SE Contactless Smart Card, 2k bit with 2 application areas	3.86
AC-HID-CARD-ICLASS-SE-3002	iCLASS SE Contactless Smart Card, 16k bit with 16 application areas	7.00
AC-HID-CARD-ICLASS-SE-3004	iCLASS SE Contactless Smart Card, 32k bit with 16k/16 + 16k/1 application areas	7.30
AC-HID-TAG-ICLASS-SE-3300	iCLASS SE Contactless Smart Tag, 2k bit with 2 application areas	3.60
AC-HID-READ-MINIPROX	MiniProx Proximity Reader (HID # 5365EKP00)	176.80
AC-HID-READ-THINLINE	ThinLine II Switch Plate Proximity Reader (HID # 5395CK100)	180.00
AC-HID-READ-PROXPRO	ProxPro Proximity Reader (HID # 5355AGN00)	203.20
AC-HID-READ-PROXPRO-KEYPD	ProxPro Proximity Reader with Keypad (HID # 5355AGK00)	321.60
AC-HID-READ-PROXPROII	ProxPro II Proximity Reader (HID # 5455BKN00)	183.20
AC-HID-READ-MAXIPROX	MaxiProx Long Range Proximity Reader (HID # 5375AGN00)	526.40
AC-HID-CARD-PROXCARDII-CL	ProxCARD II Proximity Access Card (Clam Shell) (HID # 1326LMSMV)	2.66
AC-HID-CARD-DUOPROXII-CL	DuoProx II Graphics Quality PVC, Proximity Access Card, w/ Magnetic Stripe (HID # 1336LGGMN)	5.46
AC-HID-FOB-PROXKEYIII-CL	ProxKey III Proximity Access Keyfob (HID# 1346LNSMN)	5.34
AC-HID-TAG-PROXPASSII-VEH	ProxPass II Long Range Active Proximity Access Tag for Vehicle Access (HID# 1351LBSMN)	30.40
AC-HID-CARD-ISOPROXII-GRPH	ISOProx II Graphics Quality PVC, Proximity Access Card (HID #1386LGGMN)	4.94
AC-HID-TAG-MICROPROX-ADH	MicroProx Proximity Access Tag – Peel-off self-adhesive back (HID #1391LKSMN)	3.60
AC-HID-EL-96000-SVM10	SVM™ (main application) per workstation, includes Free Administrator™	2,160.00
AC-HID-EL-96300-ADM10	Administrator™ (additional licenses) per workstation	426.40
AC-HID-EL-98000-EADV10	eAdvance™ (web pre-registration) per web server	2,586.40
AC-HID-EL-96200-SAT	Satellite™ (check point station) per workstation	853.60

Model Number	Product Name and Short Description	Contract Price
AC-HID-EL-SVM10-UPGRD	SVM software upgrade to SVM10	1,720.00
AC-HID-EL-EADV-UPGRD	eAdvance software upgrade to latest version	2,133.60
AC-HID-EL-ACI-UPGRD	Access control integration upgrade to latest version	2,133.60
AC-HID-EL-K12-SVM	1 copy of SVM software, includes Free Administrator™ software (admin/reporting)	2,000.00
AC-HID-EL-SSA-K12	Software maintenance plan (for free updates and upgrades) per year per system	256.00
AC-HID-EL-SSA-ACI	A/C integration annual maintenance per copy (includes upgrades and updates)	720.00
AC-HID-EL-SOS-K12	Sex offender screening service per year per system	256.00
AC-HID-EL-CSS-R2	EL-CSS Snapshell License Card Scanner(HID # EL-CSS-R2)	1,280.00
AC-HID-EL-DYMO-450T	DYMO 450 Turbo Thermal Printer (B&W)	256.00
AC-HID-EL-DYMO-30856	DYMO 30856 non-adhesive badges (250)	30.40
AC-HID-EL-DYMO-30911	DYMO 30911 adhesive self-expiring badges (250)	52.00
AC-HID-EL-TOP-1X5	Topaz SignatureGem LCD 1x5 SigPad (signature block only)	553.60
AC-HID-EL-ACI-AVIG	Access Control Integration - Access Control Manager from EasyLobby - Must also purchase Avigilon - AC-SW-LIC-REST	2,586.40

## Category: Communication Systems

Model Number	Product Name and Short Description	Contract Price
<b>Ednetics Voice Services</b>		
EV-USER1000-5YR	Ednetics Voice Service - monthly fee per user, 1000 user tier, 5-year term	20.00
EV-USER250-5YR	Ednetics Voice Service - monthly fee per user, 250 user tier, 5-year term	25.00
EV-USR100-5YR	Ednetics Voice Service - monthly fee per user, 100 user tier, 5-year term	33.00
EV-USR25-5YR	Ednetics Voice Service - monthly fee per user, 25-99 user tier, 5-year term	33.00
EV-USR1000-5YR	Ednetics Voice Service - monthly fee per user, 1000 user tier, 3-year term	22.00
EV-USER250-3YR	Ednetics Voice Service - monthly fee per user, 250 user tier, 3-year term	27.00
EV-USR100-3YR	Ednetics Voice Service - monthly fee per user, 100 user tier, 3-year term	35.00
EV-USR25-3YR	Ednetics Voice Service - monthly fee per user, 25-99 user tier, 3-year term	35.00
EV-NETACCESS	Ednetics Voice Service - monthly network access for 25-99 user tier	500.00

<b>AND Speakers and Clocks</b>		
<b>AND - IP Speaker - With Display - Wall</b>		
IPSWD-FM	IP Speaker with Display (Flush Mount) • Features 2-way Audio, NTP Time, Text Notification • PoE and SIP Enabled • Includes Flush Mount Enclosure	742.50
IPSWD-FM-IC	IP Speaker with Display (Flush Mount, Singlewire) • Features 2-way Audio, NTP Time, Text Notification • PoE and SIP Enabled • Includes Flush Mount Enclosure • For use with Singlewire Informacast Software	742.50
IPSWD-FM-RWB	IP Speaker with Display and Flashers (Flush Mount) • Features 2-way Audio, NTP Time, Text Notification • PoE and SIP Enabled • Includes Flush Mount Enclosure	832.50
IPSWD-FM-RWB-IC	IP Speaker with Display and Flashers (Flush Mount, Singlewire) • Features 2-way Audio, NTP Time, Text Notification • PoE and SIP Enabled • Includes Flush Mount Enclosure • For use with Singlewire Informacast Software	832.50
IPSWD-SM	IP Speaker with Display (Surface Mount) • Features 2-way Audio, NTP Time, Text Notification • PoE and SIP Enabled • Includes Surface Mount Enclosure	751.50
IPSWD-SM-IC	IP Speaker with Display (Surface Mount, Singlewire) • Features 2-way Audio, NTP Time, Text Notification • PoE and SIP Enabled • Includes Surface Mount Enclosure • For use with Singlewire Informacast Software	751.50
IPSWD-SM-RWB	IP Speaker with Display and Flashers (Surface Mount) • Features 2-way Audio, NTP Time, Text Notification • PoE and SIP Enabled • Includes Surface Mount Enclosure	841.50
IPSWD-SM-RWB-IC	IP Speaker with Display and Flashers (Surface Mount, Singlewire) • Features 2-way Audio, NTP Time, Text Notification • PoE and SIP Enabled • Includes Surface Mount Enclosure • For use with Singlewire Informacast Software	841.50
<b>AND - IP Speaker - Audio Only - Wall</b>		
IPSW-S-FM	IP Speaker Audio Only (Flush Mount) • Features 2-way Audio • PoE and SIP Enabled • Includes Flush Mount Enclosure	405.00
IPSW-S-FM-IC	IP Speaker Audio Only (Flush Mount, Singlewire) • Features 2-way Audio • PoE and SIP Enabled • Includes Flush Mount Enclosure • For use with Singlewire Informacast Software	405.00

Model Number	Product Name and Short Description	Contract Price
IPSW-SM	IP Speaker Audio Only (Surface Mount) • Features 2-way Audio • PoE and SIP Enabled • Includes Surface Mount Enclosure	405.00
IPSW-SM-IC	IP Speaker Audio Only (Surface Mount, Singlewire) • Features 2-way Audio • PoE and SIP Enabled • Includes Surface Mount Enclosure • For use with Singlewire Informacast Software	405.00
<b>AND - IP Speaker - Audio Only - Outdoor</b>		
IPSW-SM-O	IP Outdoor Paging Horn (Surface Mount) • Features 1-Way Audio • IP54 Rated Weather Resistant Steel Enclosure • PoE and SIP Enabled • Includes Surface Mount Enclosure	540.00
IPSW-SM-O-IC	IP Outdoor Paging Horn (Surface Mount, Singlewire) • Features 1-Way Audio • IP54 Rated Weather Resistant Steel Enclosure • PoE and SIP Enabled • Includes Surface Mount Enclosure • For use with Singlewire Informacast Software	540.00
<b>AND - IP Speaker - Audio Only - Ceiling</b>		
IPSCM	IP Ceiling Speaker Audio Only (Square, 2'x2') • Features 2-way Audio • Easy installation - replaces a 2x2 drop ceiling tile • PoE and SIP Enabled	405.00
IPSCM-IC	IP Ceiling Speaker Audio Only (Square, 2'x2', Singlewire) • Features 2-way Audio • Easy installation - replaces a 2x2 drop ceiling tile • PoE and SIP Enabled • For use with Singlewire Informacast Software	405.00
IPSCM-RM	IP Ceiling Speaker Pair Audio Only (Round, 10-5/8") • Features 1-way Audio • This is a pair of speakers (1x IP, 1x Regular) in a master/slave configuration (this is a extremely cost effective model, but requires the system to address both speakers as one) • PoE power, 1 drop supplies both speakers • PoE and SIP Enabled • NOTE: Does NOT include back can or tile bridge (must be purchased separately)	405.00
IPSCM-RM-IC	IP Ceiling Speaker Pair Audio Only (Round, 10-5/8", Singlewire) • Features 1-way Audio • This is a pair of speakers (1x IP, 1x Regular) in a master/slave configuration (this is a extremely cost effective model, but requires the system to address both speakers as one) • PoE power, 1 drop supplies both speakers • PoE and SIP Enabled • NOTE: Does NOT include back can or tile bridge (must be purchased separately) • For use with Singlewire Informacast Software	405.00
<b>AND - IP Clocks</b>		
IPCSS-F	IP Clock Surface Mount Small with Flashers (18" Long, 3" Text) • Compatible with all major IP based software (except Singlewire, see next model) and many PBX systems	877.50
IPCSS-RWB	IP Clock with Flashers (Small) • Features 2-way Audio, NTP Time, Text Notification • PoE and SIP Enabled • 18" long overall (10.5" long display, 3" text height) • Stainless Steel construction • Includes Surface Mount Enclosure	855.00
IPCSS-RWB-IC	IP Clock with Flashers (Small, Singlewire) • Features 2-way Audio, NTP Time, Text Notification • PoE and SIP Enabled • 18" long overall (10.5" long display, 3" text height) • Stainless Steel construction • Includes Surface Mount Enclosure • For use with Singlewire Informacast Software	855.00
IPCSL-RWB	IP Clock with Flashers (Large) • Features 2-way Audio, NTP Time, Text Notification • PoE and SIP Enabled • 22" long overall (17" long display, 5" text height) • Stainless Steel construction • Includes Surface Mount Enclosure	1,035.00
IPCSL-RWB-IC	IP Clock with Flashers (Large, Singlewire) • Features 2-way Audio, NTP Time, Text Notification • PoE and SIP Enabled • 22" long overall (17" long display, 5" text height) • Stainless Steel construction • Includes Surface Mount Enclosure • For use with Singlewire Informacast Software	1,035.00
IPCSL-W-RWB	IP Clock with Flashers, White LED Display (Large) • Features 2-way Audio, NTP Time, Text Notification • PoE and SIP Enabled • 22" long overall (17" long display, 5" text height) • Stainless Steel construction • Includes Surface Mount Enclosure	1,035.00



Model Number	Product Name and Short Description	Contract Price
IPCSL-W-RWB-IC	IP Clock with Flashers, White LED Display (Large, Singlewire) • Features 2-way Audio, NTP Time, Text Notification • PoE and SIP Enabled • 22" long overall (17" long display, 5" text height) • Stainless Steel construction • Includes Surface Mount Enclosure • For use with Singlewire Informacast Software	1,035.00
IPSIGNL-RWB	IP Extra Large Signboard with Flashers • Features 2-way Audio, NTP Time, Text Notification • PoE and SIP Enabled • 54" long overall (52" long display, 5" text height) • Stainless Steel construction • Includes Surface Mount Enclosure	1,440.00
IPSIGNL-RWB-IC	IP Extra Large Signboard with Flashers (Singlewire) • Features 2-way Audio, NTP Time, Text Notification • PoE and SIP Enabled • 54" long overall (52" long display, 5" text height) • Stainless Steel construction • Includes Surface Mount Enclosure • For use with Singlewire Informacast Software	1,440.00
IPCDS-RWB	Double-Sided Clock with Flashers • Features 2-way Audio, NTP Time, Text Notification • Perfect for hallways! • PoE and SIP Enabled • Stainless Steel construction • Includes Wall Bracket	1,350.00
IPCDS-RWB-IC	Double-Sided Clock with Flashers (Singlewire) • Features 2-way Audio, NTP Time, Text Notification • Perfect for hallways! • PoE and SIP Enabled • Stainless Steel construction • Includes Wall Bracket • For use with Singlewire Informacast Software	1,350.00
<b>AND - Controller - Zone Controller</b>		
ZONEC-2	Zone Controller • IP Endpoint with Analog Audio Out • Provides an IP endpoint to drive an analog paging system • Local Mic Input, as well as GPIO Trigger Capabilities. • PoE and SIP Enabled	540.00
ZONEC-2-IC	Zone Controller (Singlewire) • IP Endpoint with Analog Audio Out • Provides an IP endpoint to drive an analog paging system • Local Mic Input, as well as GPIO Trigger Capabilities. • PoE and SIP Enabled • For use with Singlewire Informacast Software	540.00
<b>AND - Accessories</b>		
IPSCM-RM-DB12	Dry-wall Ceiling Brackets for IPSCM-RM (Pack of 12)	86.40
IPBTN-V	IP Button • Push Button used for function such as push to talk, to trigger an event, PANIC, etc • It can connect to most models of AND IP Speakers or IP Clocks • You can connect up to 2 buttons per device	67.50
IP STROBE	IP Strobe End Point • For use indoors only • The AND IP Strobe can be utilized as an additional mode of emergency notification or alert messaging • The IP Strobe is SIP enabled and can be controlled through software or a SIP phone system • This strobe is a Power over Ethernet (PoE, PoE+) device that requires only an RJ-45 cable to connect to existing data networks	360.00
IP STROBE-IC	IP Strobe End Point (Singlewire) • For use indoors only • The AND IP Strobe can be utilized as an additional mode of emergency notification or alert messaging • The IP Strobe is SIP enabled and can be controlled through software or a SIP phone system • This strobe is a Power over Ethernet (PoE, PoE+) device that requires only an RJ-45 cable to connect to existing data networks • For use with Singlewire Informacast Software	360.00
AND-STROBE-KIT-1	IP Strobe with Daughter card • Analog strobe that requires it be connected to an end point (i.e. speaker or display) from the AND Lineup for power and signal	112.50
IPSCM-RM-BB12	Back Box for IPSCM-RM (Pack of 12)	378.00
IPSCM-RM-BB	Back Box for IPSCM-RM (Single)	31.50
IPSCM-RM-CB12	Drop Ceiling Brackets for IPSCM-RM (Pack of 12)	378.00
IPSCM-RM-CB	Drop Ceiling Brackets for IPSCM-RM (Single)	31.50
IPSCM-RM-DB	Dry-wall Ceiling Brackets for IPSCM-RM (Sold individually) • 2 Clamps needed per speaker (4 clamps needed per IPSCMRM Pair)	7.20
AND-FRAME-IPCSS	Wood Frame for IPCSS-RWB • Simple Magentic Snap on wood frame to dress up the appearance of the IPCSSRWB units.	117.00

Model Number	Product Name and Short Description	Contract Price
--------------	------------------------------------	----------------

Atlas Speakers and Clocks		
---------------------------	--	--

<b>IP Loudspeaker Packages</b>		
I8S	Wall/Ceiling IPS, No CLK/No Mic, 9W RMS, 8" SPK, POE, Less Enc.	554.36
I8SM	Wall/Ceiling IPS, Mic (No CLK), 9W RMS, 8" SPK, POE, Less Enc.	692.96
I8SC	Wall Mount IPS, Clock (No Mic), 9W RMS, 8" SPK, POE, Less Enc.	692.96
I8SCM	Wall Mount IPS, Clock & Mic, 9W RMS, 8" SPK, POE, Less Enc.	831.56
I8SCH	Wall Mount IPS, Clock (No Mic), 9W RMS, APF HRN, POE, Less Enc.	831.56
I128SYS	1'x2' Drop In IPS, (No Mic), 9W RMS, 8" SPK, POE, Inc Enc.	692.96
I128SYSM	1'x2' Drop In IPS W/Mic, 9W RMS, APF HRN, POE, Inc Enc.	831.56
IHVP	Weather & Vandal Resistant IPS, 9W RMS, APF HRN, POE, Less Enc.	762.26

<b>Enclosures / Mounting Hardware</b>		
---------------------------------------	--	--

SEA-I8S	Surface Mount Slanted Enclosure for I8S, I8SM	63.86
SEST-I8S	Surface Mount Straight Enclosure for I8S, I8SM	63.86
FEST-I8S	Flush Mount Straight Enclosure for I8S, I8SM	63.86
180-2	Rail PR for Ceiling Mounting of FEST-I8S / FEST-IH Enclosure	7.16
I8S-TB	Tile Bridge for I8S Only - Not for use with Enclosure	3.68
SEA-I8SC	Surface Mount Slanted Enclosure for I8SC, I8SCH & I8SCM	70.16
SEST-I8SC	Surface Mount Straight Enclosure for I8SC, I8SCH & I8SCM	70.16
FEST-I8SC	Flush Mount Straight Enclosure for I8SC, I8SCH & I8SCM	70.16
SEST-IH	Surface Mount Straight Enclosure for IHVP Only, Stainless Steel, White	151.16
FEST-IH	Flush Mount Straight Enclosure for IHVP Only, Stainless Steel, White	151.16

<b>Zone Controllers</b>		
-------------------------	--	--

IPS-ZC1	Single Output Zone Controller with Faceplate, 1RU, POE	692.96
IPS-ZC2	(2) Single Output Zone Controllers with Faceplate, 1RU, POE	1,384.16
ZC1PRO	Single Output ZC W/(2) Contact Closure I/O, Mic In, 2RU, POE	970.16
ZC2PRO	(2) Single Output ZC W/(2) Contact Closure I/O, Mic In, 2RU, POE	1,938.56

<b>Optional External PSU for Non-POE Applications</b>		
---	--	--

IPS-PSU	IP Speaker / ZC External PSU, 12VDC, 830MA, UL Listed	43.16

ClearPix Emergency Notification Systems		
---	--	--

CPX-ENS	WAVE Plus 100 Zone Control Panel	9,640.80
CPX-ENS-Expand	Upgrade / Expand System - 100 Zone Pack	2,171.70
CPX-Add-Radio	Additional Radio Interface (price each)	782.10
CPX-Btn-VirtPanic	Virtual Panic Buttons - 50 Computer Pack	2,171.70
CPX-Btn-Panic	Panic Button	117.00
CPX-Btn-Panic-D	Panic Button (Double)	120.60

Model Number	Product Name and Short Description	Contract Price
CPX-Btn-Belt	Belt Clip Panic Button	120.60
CPX-Btn-Belt-D	Belt Clip Panic Button (Double)	120.60
CPX-Btn-WaterRes	Water Resistant Panic Button	120.60
CPX-Btn-WaterRes-D	Water Resistant Panic Button (Double)	120.60
CPX-Btn-Mushroom-S	Large Momentary Mushroom Button with Surface Mount Box and Cover	414.90
CPX-Btn-Mushroom-W	Momentary Mushroom Wall Button	183.60
CPX-Mod-Dialer	Phone Dialer Module	607.50
CPX-Mod-PA	PA System Integration Module	781.20
CPX-Mod-Loctn	Location Module Hardware and Software License	13,509.00
CPX-Con-Door/Win	Door/Window Magnetic Contact	117.00
CPX-Det-Motion-I	PIR Motion Detector (Indoor)	304.20
CPX-Det-Motion-O	PIR Motion Detector (Outdoor)	477.90
CPX-Det-Tilt	Tilt Sensor	117.00
CPX-Det-Temp	Temperature Sensor	304.20
CPX-Det-PressMat	Pressure Mat	286.20
CPX-Repeater	Repeater	578.70
CPX-Repeater-Loctn	Repeater Locator	1,158.30
CPX-RemoteReceiver	Extends Wireless Signal to Remote Location over the Network	3,474.00
CPX-Tran-Universal	Universal Transmitter	101.70
CPX-Tran-Universal-LP	Long Range Universal Transmitter	540.00
CPX-RelayExp	Input / Output Relay Expansion Board (8 relays)	675.00
CPX-Train-Loctn	Location Module Training and Set-up (per day or part thereof)	3,040.20
CPX-Train-Program	Programming, Training and Setup (per day or part thereof)	1,303.20
CPX-Warranty 2-Ext	2 Year Warranty Extension	1,675.80
<b>Perle Systems</b>		
43031010	Perle Systems - IOLAN DS1 D2R2 I/O DEVICE SERVR 2 DIGITAL I/O 2 RELAY OUTPUT 1DB9M	324.70

<b>Singlewire Informacast Advanced Notification</b>		
IPTA-IC50	InformaCast Advanced Notification Endpoint Licensing - 50 License Bundle (includes first 90 Days of maintenance)	1,650.00
IPTA-IC250	InformaCast Advanced Notification Endpoint Licensing - 250 License Bundle (includes first 90 Days of maintenance)	5,400.00
IPTA-IC1000	InformaCast Advanced Notification Endpoint Licensing - 1000 License Bundle (includes first 90 Days of maintenance)	19,440.00
IPTA-IC2500	InformaCast Advanced Notification Endpoint Licensing - 2500 License Bundle (includes first 90 Days of maintenance)	43,740.00
IPTA-IC5000	InformaCast Advanced Notification Endpoint Licensing - 5000 License Bundle (includes first 90 Days of maintenance)	78,840.00
IPTA-M1Y-A	1 Year Maintenance Subscription Per Endpoint - 50 User Tier	8.31
IPTA-M1Y-B	1 Year Maintenance Subscription Per Endpoint - 250 User Tier	5.70
IPTA-M1Y-C	1 Year Maintenance Subscription Per Endpoint - 1000 User Tier	4.75
IPTA-M3Y-A	3 Year Maintenance Subscription Per Endpoint - 50 User Tier	23.63
IPTA-M3Y-B	3 Year Maintenance Subscription Per Endpoint - 250 User Tier	16.20

Model Number	Product Name and Short Description	Contract Price
IPTA-M5Y-A	5 Year Maintenance Subscription Per Endpoint - 50 User Tier	39.38
IPTA-M5Y-B	5 Year Maintenance Subscription Per Endpoint - 250 User Tier	27.00
IPTA-PI-SM	InformaCast School Messenger Plug-In	897.00
SS-ICMB1YR-250	InformaCast Mobile for Smart Phones 1 Yr Subscription - 250 User Bundle	895.50
SS-ICMB1YR-250A	InformaCast Mobile for Smart Phones 1 Yr Subscription - Additional 250 Users - <2500 Tier	675.00
SS-ICMB1YR-2500	InformaCast Mobile for Smart Phones 1 Yr Subscription - 2,500 User Bundle	5,850.00
SS-ICMB1YR-2500-250A	InformaCast Mobile for Smart Phones 1 Yr Subscription - Additional 250 Users - 2500 Tier	585.00
SS-ICMB1YR-5K	InformaCast Mobile for Smart Phones 1 Yr Subscription - 5,000 User Bundle	9,900.00
SS-ICMB1YR-5K-250A	InformaCast Mobile for Smart Phones 1 Yr Subscription - Additional 250 Users - 5000 Tier	495.00

Third-party Informacast Compatible Accessories		
VIP-801A-IC	Valcom VIP-801A-IC InformaCast IP Page Zone Extender	420.00

Tightrope Carousel - Digital Signage		
<b>Systems Software Application Licenses - Utilized on either Appliance Platform or as a VM</b>		
CAR-DSS-ENT	Signage Content Creation & Management Software (VM): Unlimited Player Connections-Unlimited Channels/Users (Win 7/8 or Server 2008 R2/2012)	13,365.00
CAR-DSS-ENT-30-UG	Signage Content Creation & Management Software (VM): Upgrade 30-Unlimited Player Connections-Unlimited Channels/Users (Win 7/8 or Server 2008 R2/2012)	4,500.00
CAR-DSS-ENT-15-UG	Signage Content Creation & Management Software (VM): Upgrade 15-Unlimited Player Connections-Unlimited Channels/Users (Win 7/8 or Server 2008 R2/2012)	9,000.00
CAR-DSS-ENT-3-UG	Signage Content Creation & Management Software (VM): Upgrade 3-Unlimited Player Connections-Unlimited Channels/Users (Win 7/8 or Server 2008 R2/2012)	11,677.50
CAR-DSS-30	Signage Content Creation & Management Software (VM): 30 Players Connections - Unlimited Channels/Users (Win 7/8 or Server 2008 R2/2012)	8,865.00
CAR-DSS-30-UG	Signage Content Creation & Management Software (VM): Upgrade 15-30 Players Connections - Unlimited Channels/Users System Upgrade	4,500.00
CAR-DSS-30-UG	Signage Content Creation & Management Software (VM): Upgrade 3-30 Players Connections - Unlimited Channels/Users System Upgrade	7,177.50
CAR-DSS-15	Signage Content Creation & Management Software (VM): 15 Players Connections - Unlimited Channels/Users (Win 7/8 or Server 2008 R2/2012)	4,365.00
CAR-DSS-15-UG	Signage Content Creation & Management Software (VM): Upgrade 3-15 Players Connections - Unlimited Channels/Users (Win 7/8 or Server 2008 R2/2012)	2,677.50
CAR-DSS-3	Signage Content Creation & Management Software (VM): 3 Players Connections - Unlimited Channels/Users (Win 7/8 or Server 2008 R2/2012) 1 Player License -	1,687.50
<b>Hardware Appliance Platforms</b>		
CAR-430	Carousel 430 Server Appliance - supporting Signage Content Creation & Mgmnt SW -Svr 2012 - 300 Players max	2,835.00

Model Number	Product Name and Short Description	Contract Price
CAR-330	Carousel 330 Media Appliance - supporting Signage Content Creation & Mgmt SW - Win 7 - 15 Players max	1,170.00
CAR-250	Carousel 250 Media Appliance - supporting Signage Content Creation & Mgmt SW - Win 7 - 3 Players max, 1 RU SFF Chassis-	1,080.00
Tightrope Media Players	Media Players & Media Player License Options	
CAR-4K1142-PLR-BND	BrightSign 4K1142 Media Player Bundle: live video input- HDMI/VGA outputs. HW + 1 player license & 16GB SDHC.	1,125.00
CAR-XD1132-PLR-BND	BrightSign XD1132 Media Player Bundle: live video input- HDMI/VGA outputs.HW +1 player license & 8GB SDHC.	936.00
CAR-XD1132	BrightSign XD1132 networked, interactive media player with live video input, 8 GB SDHC Card.	787.50
CAR-XD1132	BrightSign XD1132 networked, interactive media player with live video input, 8 GB SDHC Card.	598.50
CAR-LIC-PLAYER	Digital signage player software license (1) for Windows 7, Linux, and BrightSign.	337.50
WA100-NA	BrightSign WA100-NA Wireless Module for North America. (802.11a/b/g/n)	45.00
<b>Platform Maintenance with Software Support - Annual</b>		
CAR-SAGOLD-430	CAR-330 HW/SW Assurance per player/per year SW Upgrades (Server included in Player pricing)	765.00
CAR-SAGOLD-330	CAR-330 HW/SW Assurance per player/per year SW Upgrades (Server included in Player pricing)	270.00
CAR-SAGOLD-250	CAR-250 HW/SW Assurance per player/per year SW Upgrades (Server included in Player pricing)	247.50
CAR-SAGOLD-4K1142	CAR-4K1142 HW/SW Assurance per player/per year SW Upgrades (Server included in Player pricing)	144.00
CAR-SAGOLD-XD1132	CAR-XD1132 HW/SW Assurance per player/per year SW Upgrades (Server included in Player pricing)	126.00

<b>Solution Services - Digital Signage</b>		
<b>Systems Services - Application Environment Installation, Integration and Training</b>		
SVC-PH-HOURLY	Remote End User Training Service - 1 hour	135.00
SVC-PH-INTEG	Remote integration Assistance: any advanced features: AD, CAP, SQL & media directories.	315.00
CAR-CRTV-CBC	Custom branded channel setup including a multi-zone layout, several templates and images, and active bulletins-	2,025.00
CAR-PSO-CUST-1	Custom Application Integration Professional Services - R25 & CBORD Integrations	8,550.00
CAR-PSO-CUST-2	Custom Application Integration Professional Services - Way Finding Solution Design/Build/Test/Training	13,455.00
SVC-ON-DAILY	One 8-hour day of on-site training or software installation assistance. Cost of travel not included	1,800.00
SVC-TRVL-DOM	Round-trip domestic US Air & Travel expenses.	1,800.00

<b>NEC Commercial Displays - Digital Signage</b>		
V801	NEC 80" Commercial - V Series LED-backlit LCD flat panel display - 1080p (FullHD) - Edge lit	8,909.10
V652	NEC 55" Commercial - V Series LED-backlit LCD Display - 1080p (FullHD) - edge-lit	4,256.10
V552	NEC 55" Commercial - V Series LED-backlit LCD Display - 1080p (FullHD) - edge-lit	1,934.10
V463	NEC 46" Commercial - V Series LED-backlit LCD Display - 1080p (FullHD) - direct-lit LED	1,187.10
V423	NEC 42" Commercial - V Series LED-backlit LCD Display, w/Speakers - 1080p (FullHD) - direct-lit LED	926.10
V423-TM	NEC 42" Commercial - V Series LED-backlit LCD Display, w/Touchscreen - 1080p (FullHD) - direct-lit LED	2,375.10
V323	NEC 32" Commercial - V Series LED-backlit LCD Display, Speakers, 1080p (FullHD) - edge-lit LED	642.60
V323-AVT	NEC 32" Commercial - V Series LED-backlit LCD Display, TV Tuner, Speakers, 1080p (FullHD) - edge-lit LED	791.10
X841UHD	NEC 84" Commercial - X Series LED display - 4K UHD TV (2160p) - edge-lit	16,829.10

Model Number	Product Name and Short Description	Contract Price
X651UHD	NEC 65" Commercial - X Series 4K LED-backlit LCD Display - 1080p (FullHD) - direct-lit LED	6,830.10
X554UN-2	NEC 55" Commercial - X Series LED-backlit LCD Thin Bezel Display - 1080p (FullHD) - direct-lit LED	5,669.10
E805	NEC 80" Commercial - E Series LED-backlit LCD flat panel display - 1080p (FullHD) - Edge lit	5,543.10
E705	NEC 70" Commercial - E Series LED-backlit LCD flat panel display - 1080p (FullHD) - direct-lit LED	3,167.10
E655	NEC 65" Commercial - E Series LED-backlit LCD flat panel display - 1080p (FullHD) - direct-lit LED - Tuner & Speakers	2,177.10
E654	NEC 65" Commercial - E Series LED-Direct Lit LCD flat panel display - 1080p (FullHD) - direct-lit LED - Tuner & Speakers	2,474.10
E424	NEC 42" Commercial - E Series LED-backlit LCD Display, Speakers, 1080p (FullHD) - edge-lit LED	699.30
E324	NEC 32" Commercial - E Series LED-backlit LCD Display, TV Tuner, Speakers, 720p (SD) - edge-lit LED	431.10
P403	NEC 40" Professional - P Series LED-backlit LCD Display, w/Speakers - 1080p (FullHD) - direct-lit LED	1,434.60
OL-V323	NEC Touchscreen Accessory - infrared - wired - USB - for MultiSync V323, V323 PG, V323-AVT, V323-PC	1,038.60

### Miscellaneous Commercial Display Accessories - Digital Signage

Display Accessories		
LSMVU	Chief Fusion Pull-out Wall Mount Kit for 37" - 80" Display	481.50
FCK016	Chief Mount Kit Alignment Extension for Fusion Mounts - Display Wall Application	47.70
FCA100	Chief Mounting component ( power / surge protector mount bracket )	22.50
FCA102	Chief Mounting component ( 2 brackets ) for Fusion Mounts - Media Player Mount	79.20
TVA-70	TV Armor Display Enclosure - 70"	1,485.00
TVA-55	TV Armor Display Enclosure - 55"	1,152.00
TVA-55	TV Armor Display Enclosure - 46"	1,152.00
P569-006	Tripp Lite High Speed HDMI Cable with Ethernet Digital Video with Audio - 6'	12.41
P581-010	Tripp Lite DVI cable - single link - DisplayPort (M) - DVI-D (M) - 10 ft - molded - black	67.04
P520-006	Tripp Lite Serial extension cable - DB-9 (M) - DB-9 (F) - 6 ft	5.96
SWIVEL6	Tripp Lite Protect It! Surge suppressor - AC 120 V - 6 output connector(s) - Adjustable	19.08

### 2N Communications

9155101C	2N® Helios IP Verso - basic unit with camera	938.70
9155101	2N® Helios IP Verso - basic unit w/o camera	475.20
9155035	2N® Helios IP Verso - 5 nameplates module	95.40
9155031	2N® Helios IP Verso - keypad module	236.70
9155030	2N® Helios IP Verso - infopanel	87.30
9155032	2N® Helios IP Verso - 125kHz RFID card reader	121.50
9155033	2N® Helios IP Verso - 13.56MHz smart card RFID reader	188.10
9155040	2N® Helios IP Verso - 13.56MHz smart card RFID reader NFC ready	208.80
9155034	2N® Helios IP Verso - I/O modul	50.40
9155021	cover box 1M - surface installation frame for 1 module	35.10
9155022	cover box 2M - surface installation frame for 2 modules	42.30

Model Number	Product Name and Short Description	Contract Price
9155023	cover box 3M - surface installation frame for 3 modules	50.40
9155011	flush installation frame for 1 module (must be together with 9155014)	52.20
9155014	2N® Helios IP Verso - flush mount installation box for 1 module (must be together with 9155011)	17.10
9155012	flush installation frame for 2 modules (must be together with 9155015)	60.30
9155015	2N® Helios IP Verso - flush mount installation box for 2 modules (must be together with 9155012)	21.60
9151101	2N Helios IP Force - 1 button	839.70
9151101C	2N Helios IP Force - 1 button + camera	1,079.10
9151101CK	2N Helios IP Force - 1 button + camera + keypad	1,116.00
9151104	2N Helios IP Force - 4 buttons	920.70
9151104C	2N Helios IP Force - 4 buttons + camera	1,116.00
9151101K	2N Helios IP Force - 1 button + keypad	920.70
9151101RP	2N Helios IP Force - 1 button, pictograms (card reader ready)	952.20
9151101CRP	2N Helios IP Force - 1 button + camera, pictograms (card reader ready)	1,162.80
9151101CRPW	2N Helios IP Force - 1 button, camera, pictograms, 10W speaker (card reader ready)	1,170.00
9151101CHRPW	2N Helios IP Force - 1 button, HD camera, pictograms, 10W speaker (card reader ready)	1,332.00
9151101RPW	2N Helios IP Force - 1 button, pictograms, 10W speaker (card reader ready)	963.00
9151102R	2N Helios IP Force - 2 buttons (card reader ready)	878.40
9151102CR	2N Helios IP Force - 2 buttons + camera (card reader ready)	1,064.70
9151101W	2N Helios IP Force - 1 button & 10W speaker	909.00
9151101CW	2N Helios IP Force - 1 button & camera & 10W speaker	1,103.40
9151101CHW	2N Helios IP Force - 1 button & HD camera & 10W speaker	1,224.00
9151104W	2N Helios IP Force - 4 buttons & 10W speaker	1,007.10
9151104CW	2N Helios IP Force - 4 button & camera & 10W speaker	1,147.50
9151104CHW	2N Helios IP Force - 4 button & HD camera & 10W speaker	1,260.00
9151101KW	2N Helios IP Force - 1 button & keypad & 10W speaker	1,009.80
9151101CKW	2N Helios IP Force - 1 button & camera & keypad & 10W speaker	1,187.10
9151101CHKW	2N Helios IP Force - 1 button & HD camera & keypad & 10W speaker	1,260.00
9151102CRW	2N Helios IP Force - 2 buttons & camera (card reader ready) & 10W speaker	1,073.70
9151102CHRW	2N Helios IP Force - 2 buttons & HD camera (card reader ready) & 10W speaker	1,260.00
9151102RW	2N Helios IP Force - 2 buttons (card reader ready) & 10W speaker	936.00
9137905	2N® Helios IP License - Enhanced Audio	48.60
9137906	2N® Helios IP License - Enhanced Video	79.20
9137907	2N® Helios IP License - Enhanced Integration	48.60
9137908	2N® Helios IP License - Enhanced Security	79.20
9137909	2N® Helios IP License - Gold License	192.60
9137915	2N® Helios IP License - NFC License	23.40
9137902	License for G.729 (valid for Helios IP models & SipSpeaker)	34.20
9137910	2N® Helios IP - Informacast License	67.50

Model Number	Product Name and Short Description	Contract Price
914407E	2N® SIP Speaker - Informacast License	67.50
91379040	2N Access Commander - license for +5 users (block of 5 licenses)	64.80
91379041	2N Access Commander - license for +25 users (block of 25 licenses)	234.00
9151001	Brick flush mounting box (for Helios IP Force/Safety)	78.30
9151002	Plasterboard flush mounting board (for Helios IP Force/Safety)	64.80
9152000	Helios IP Safety - metal frame (Orange color)	25.20



## Category: Bidder's Choice

Model Number	Product Name and Short Description	Contract Price
<b>Bosch Security Systems</b>		
D8103	COMMERCIAL ENCLOSURE	40.79
B9512G	Control Panel-32 Areas-599 Pts	693.00
B520-C	B520 Kit, D8103 Enclosure	360.00
D1640	TRANSFORMER,16VAC 40VA	12.78
D122	DUAL BATTERY HARNESS	10.10
D101	LOCK & KEY SET, STANDARD	3.90
B501-10	SDI-2 MOLEX CABLE 10 PACK	20.70
D8103	COMMERCIAL ENCLOSURE	40.79
D9002-5	MTG SKIRT,SIX 3x5, 5/PKG	27.81
B308	8 RELAY MODULE FOR SDI2	118.66
B208	8 INPUT MODULE FOR SDI2 BUS	107.53
B942	COLOR GRAPHIC TOUCH SCREEN KEYPAD WITH PROX (BLACK)	324.00
ISC-BDL2-W12G	BLUE LINE GEN 2 TRITECH 40 FT. BY 40 FT.	49.13
DS936	CEILING MOTION: LOW PROFILE CEILING MOUNT PIR	69.53
D116	SIREN, 12V 15 WATT	10.94
D5371-USB	RPS LITE SEC.BLOCK-USB	469.06

<b>ClearPix Emergency Notification Triggers</b>		
CPX-PEZR	5Ghz Dual Chain Ant. (1 Side)	270.00
CPX-PEZR2	2.4Ghz Dual Chain Antenna	193.50
CPX-BASER	Omni Directional 5Ghz	162.00
CPX-BASER-LR	Omni Directional 5Ghz	360.00

<b>Ekahau Safety and Tracking Solutions</b>		
Ekahau Vision Licensing		

Model Number	Product Name and Short Description	Contract Price
VSN-02	Ekahau Vision 2.0	207.90
VSN-02-0100	Ekahau Vision 2.0 - MOQ 100	179.10
VSN-02-0250	Ekahau Vision 2.0 - MOQ 250	162.90
VSN-02-0500	Ekahau Vision 2.0 - MOQ 500	141.30
VSN-02-0750	Ekahau Vision 2.0 - MOQ 750	124.20
VSN-02-1000	Ekahau Vision 2.0 - MOQ 1000	106.20
VSN-02-1500	Ekahau Vision 2.0 - MOQ 1500	100.80
VSN-02-2000	Ekahau Vision 2.0 - MOQ 2000	93.60
VSN-02-2500	Ekahau Vision 2.0 - MOQ 2500	88.20
VSN-02-3000	Ekahau Vision 2.0 - MOQ 3000	83.70
VSN-02-5000	Ekahau Vision 2.0 - MOQ 5000	81.00
EPC	Ekahau Positioning Client	22.50

Ekahau Asset, Badge and Sensor Tags		
A4	Ekahau A4 Asset Tag	80.00
A4-100	Ekahau A4 Asset Tag - MOQ 100	60.00
A4-1000	Ekahau A4 Asset Tag - MOQ 1000	55.00
A4-3000	Ekahau A4 Asset Tag - MOQ 3000	50.00
A4-P+C	Ekahau A4+ Long-Life Asset Tag and Cable	90.00
A4-P-100	Ekahau A4+ Long-Life Asset Tag and Cable - MOQ 100	70.00
A4-P-1000	Ekahau A4+ Long-Life Asset Tag and Cable - MOQ 1000	65.00
A4-P-3000	Ekahau A4+ Long-Life Asset Tag and Cable - MOQ 3000	60.00
B4	Ekahau B4 Badge Tag	150.00
B4-10	Ekahau B4 Badge Tag - MOQ 10	115.00
B4-100	Ekahau B4 Badge Tag - MOQ 100	99.00
B4-500	Ekahau B4 Badge Tag - MOQ 500	85.00
W4-WBS-LO	Ekahau W4 Tag with Standard Long Wristband	150.00
W4-10	Ekahau W4 Tag with Standard Long Wristband - MOQ 10	115.00
W4-100	Ekahau W4 Tag with Standard Long Wristband - MOQ 100	99.00
W4-500	Ekahau W4 Tag with Standard Long Wristband - MOQ 500	85.00

Model Number	Product Name and Short Description	Contract Price
HS1	Ekahau HS1 Humidity Tag	245.00
HS1-200	Ekahau HS1 Humidity Tag - MOQ 200	200.00
TS-c	Ekahau TS-c Cube Temperature Sensor Tag	245.00
TS-c-200	Ekahau TS-c Cube Temperature Sensor Tag - MOQ 200	200.00
TS1	Ekahau TS1 Temperature Sensor Tag	230.00
TS1-200	Ekahau TS1 Temperature Sensor Tag - MOQ 200	185.00
TS1-NIST	Ekahau TS1 Temperature Sensor Tag with Standard Temperature Probe - NIST Certified	309.00
TS1-TP1	Ekahau TS1 Temperature Sensor Tag with TP1 Temperature Probe	250.00
TS1-TP1-NIST	Ekahau TS1 Temperature Sensor Tag with TP1 Temperature Probe - NIST Certified	329.00
TS1-TP2	Ekahau TS1 Temperature Sensor Tag with TP2 Temperature Probe	345.00
TS1-TP2-NIST	Ekahau TS1 Temperature Sensor Tag with TP2 Temperature Probe - NIST Certified	594.00
TS2	Ekahau TS2 Dual Sensor Temperature Tag	335.00
TS2-200	Ekahau TS2 Dual Sensor Temperature Tag - MOQ 200	285.00
TS2-NIST	Ekahau TS2 Dual Sensor Temperature Tag with (2) Standard Temperature Probes - NIST Certified	493.00
TS2-TP1	Ekahau TS2 Dual Temperature Sensor Tag with (2) TP1 Temperature Probes	375.00
TS2-TP1-NIST	Ekahau TS2 Dual Temperature Sensor Tag with (2) TP1 Temperature Probes - NIST Certified	698.00
TS2-TP2	Ekahau TS2 Dual Temperature Sensor Tag with (2) TP2 Temperature Probes	580.00
TS2-TP2-NIST	Ekahau TS2 Dual Temperature Sensor Tag with (2) TP2 Temperature Probes - NIST Certified	998.00
TR1	Ekahau THERMISTOR Sensor	260.00
TR1-200	Ekahau THERMISTOR Sensor - MOQ 200	200.00

Ekahau Sensor Tag Accessories		
SPC	Ekahau Sensor Programming Cable	24.00
TP	Ekahau TP Standard Temperature Probe	50.00
TP-NIST-3	Ekahau Standard Temperature Probe - NIST Certified	119.00
TP1	Ekahau TP1 Temperature Probe	60.00
TP1-NIST-3	Ekahau TP1 Temperature Probe - NIST Certified	139.00
TP2	Ekahau TP2 Temperature Probe (Cryo Probe)	135.00
TP2-NIST-3	Ekahau TP2 Temperature Probe - NIST Certified	384.00
TSx-GLY	Glycol for Ekahau Temperature Tags	6.50

Model Number	Product Name and Short Description	Contract Price
TSx-MB	Mounting Bracket for TS1 & TS2 Sensors	15.00
TB	Ekahau Thermo Buffer	100.00
TB-NIST	Ekahau Thermo Buffer - NIST Certified	160.00

Ekahau Location Beacon		
LB2	Ekahau LB2 Location Beacon	200.00
LB2-50	Ekahau LB2 Location Beacon - MOQ 50	190.00
LB2-100	Ekahau LB2 Location Beacon - MOQ 100	175.00
LB2-250	Ekahau LB2 Location Beacon - MOQ 250	155.00
LB2-500	Ekahau LB2 Location Beacon - MOQ 500	125.00

Ekahau Accessories		
C301B-10-EU	B4 Multicharger, EU Plug	149.00
C301B-10-OTHER	B4 Multicharger, Other Plug	149.00
C301B-10-UK	B4 Multicharger, UK Plug	149.00
C301B-10-US	B4 Multicharger, US Plug	149.00
MC-W4-10-EU	W4 Multicharger, EU Plug	199.00
MC-W4-10-OTHER	W4 Multicharger, Other Plug	199.00
MC-W4-10-UK	W4 Multicharger, UK Plug	199.00
MC-W4-10-US	W4 Multicharger, US Plug	199.00
C-T301B	B4 Tag Charging Cable and Adapter	10.00
C301B-USB	USB Charging Cable for Ekahau B4 Tag	5.00
C301B-ADAPTER	Adapter for Charging A4+, B4 and W4 Tags	5.00
C-W4	W4 Tag Cradle, Charging Cable and Adapter	15.00
C-W4-Cradle	Cradle for W4 Tag	5.00
C-W4-USB	USB Charging Cable for W4 Single Charger	5.00
C-A4-P-USB	USB Charging Cable for Ekahau A4+ Tag	5.00
C-A4-P-USB-ADAPT	A4+ Tag Charging Cable and Adapter	10.00
ECR2	ECR2 Battery	2.00
SCC-T201	Splitter Cable	24.00

Model Number	Product Name and Short Description	Contract Price
C-LB2-TS	Ekahau Power Supply for LB2/TS	15.00
A4P-MNT-H	A4+ Hang Mount	4.00
A4P-MNT-P	A4+ Mounting Plate	4.00
LANYARD	Ekahau B4 Lanyard	4.00
C301-CIG	Cigarette Charger	15.00
LANYARD-1000	Ekahau B4 Lanyard - MOQ 1000	4.00
PB1	Protection Bag for Ekahau Wi-Fi Tags	8.00

Ekahau Professional Services		
EPT-RTLS	RTLS Customer Training - Onsite	3,500.00
EPT-ECRE	RTLS Training Course	2,495.00

Etherwan		
EX-1250NSP-SB1L-A	Hardened Gigabit SFP Module	153.00
EX-1250TSP-MB4L-A	Hardened Gigabit SFP Module	202.50
EX78801-04B	8-Port Managed Hardened Switch	1,413.00
EX78801-0VB	8-Port Managed Hardened Switch	1,161.00
EX78802-0VB	8-Port Managed Hardened Switch	1,269.00
GS120A-481	120W/2.5A 48VDC Power Adapter	201.60
EX17008	8-Port Web-Smart Ethernet	234.00
EX17008A	8-Port Unmanaged POE Ethernet	189.00
EX17016	16-Port Web-Smart POE Ethernet	387.00
EX17044A	8-Port Unmanaged POE Ethernet	157.50
EX17082	8-Port Web-Smart POE Ethernet	369.00
EX17082A	8-Port Unmanaged POE Ethernet	341.10
EX17162	16-Port Web-Smart Poe Ethernet	511.20
EX17162A	16-Port Unmanaged POE Ethernet	466.20
EX17242	24-Port Web-Smart POE Ethernet	805.50
EX17242L	24-Port Web-Smart POE Ethernet	629.10

Model Number	Product Name and Short Description	Contract Price
<b>Hall Pass Visitor Tracking System</b>		
HP1000	One-Touch Optical Scanner	1,440.00
HP1002	No-Ink Thermal Badge Printer	270.00
HP1003	National Sex Offender Registry Annual Unlimited Access & Monitoring	630.00
HP1015	Barcode Reader	360.00
HP1019	900DX Scanner	1,800.00
HP1100	Standard Name Badges Case of 4 Rolls (300 per Roll)	58.50
HP2100	QuickPass RFID Key Fob Reader	180.00
HP2101	RFID Key Fobs 100 Count	180.00
HP3100	Account Setup & Configuration Custom Logo & Installation Support	-
HP3101	Custody Care Management & Alarms	-
HP3102	Student Tardy Pass Log & Badge Module	-
HP3103	Hall Pass Camera	63.00
HP3104	Volunteer Log & Badge Module	-
HP3105	Instant Alarm Text Messages	-
HP5001	National Criminal Background (per Search)	9.00
HP6215	RFID Faculty Check-In Module	-
HPKIT	Hall Pass Complete Kit Includes HP1000 Scanner, HP1002 Badge Printer, HP3103 Camera, HP2100 RFID Reader, and HP1100 Badges (1200)	2,340.00

<b>Viewz Monitors</b>		
VZ-097RCR-D	Two 10" Black Pro-Grade	659.70
VZ-097RTC	10" Black Pro-Grade 1024x768	298.80
VZ-15RTC	15" Black Metal Pro-Grade	524.70
VZ-15RTV	15" Black Pro-Grade 1024x768	410.40
VZ-17RTC	17" Black Metal Pro-Grade	598.50
VZ-17RTV	17" Black Pro-Grade 1280x1024	399.60
VZ-185LED-E	19" HD 720p LED Monitor	283.50
VZ-185LED-P	19" HD 720p LED Monitor	448.20
VZ-185RCR	18.5" Black Pro-Grade 720p HD	502.20

Model Number	Product Name and Short Description	Contract Price
VZ-19RTC	19" Black Metal Pro-Grade	652.50
VZ-19RTV	19" Black Pro-Grade 1280x1024	441.00
VZ-215D2IP	22" iP Output HD 1080p LED	898.20
VZ-215IPM-B	22" iP Input HD 1080p LED	718.20
VZ-215IPM-W	22" iP Input HD 1080p LED	718.20
VZ-215LED-E	22" HD 1080p LED Monitor	403.20
VZ-215LED-P	22" HD 1080p LED Monitor	523.80
VZ-215LED-S	22" HD 1080p LED Monitor	838.80
VZ-23LED-E	23" HD 1080p LED Monitor	478.80
VZ-23LED-P	23" HD 1080p LED Monitor	562.50
VZ-24RTHL	24" HD 1080p LED Metal Monito	898.20
VZ-27RTHL	27" HD 1080p LED Metal Monito	973.80
VZ-32RTHL	32" HD 1080p LED Metal Monito	1,048.50
VZ-40NL	40" HD 1080p LED Slim 11mm	1,813.50
VZ-42D2IP	42" iP Output HD 1080p LED	1,798.20
VZ-42RTHL	42" HD 1080p LED Metal Monito	1,498.50
VZ-46NL	46" HD 1080p LED Slim 12mm	2,338.20
VZ-46UNL	46" HD 1080p LED ULTRA-Slim	3,187.80
VZ-50UHD	50" 4K LED Black Metal Bezel	7,499.70
VZ-55NL	55" HD 1080p LED Slim 18mm	3,448.80
VZ-55UNL	55" HD 1080p LED ULTRA-Slim	4,498.20
VZ-PVM-I2B3	23" Black IP Public View	1,307.70
VZ-PVM-I2W3	23" White IP Public View	1,307.70
VZ-PVM-I3B3	27" Black IP Public View	1,553.40
VZ-PVM-I3W3	27" White IP Public View	1,553.40
VZ-PVM-I4B3	32" Black IP Public View	1,762.20
VZ-PVM-I4W3	32" White IP Public View	1,762.20
VZ-PVM-Z1B4	10" Black Public View Monitor	645.30
VZ-PVM-Z1W4	10" White Public View Monitor	645.30
VZ-PVM-Z2B3	23" Black HD Public View	924.30

Model Number	Product Name and Short Description	Contract Price
VZ-PVM-Z2W3	23" White 1080p HD Public Vie	924.30
VZ-PVM-Z3B3	27" Black 1080p HD Public	1,185.30
VZ-PVM-Z3W3	27" Black 1080p HD Public	1,185.30
VZ-PVM-Z4B3	32" Black 1080p HD Public	1,347.30
VZ-PVM-Z4W3	32" White 1080p HD Public Vie	1,347.30
VZ-XM46	46" Video Wall Monitor	703.80
VZ-XM55	55" Video Wall Monitor	703.80





# GENCOMM™

## Catalog of School Safety Solutions

DigitalEdge Contract #ESD112-DE-15B ● Updated November 10, 2015

States Awarded: AL / CA / CO / HI / ID / MT / NV / NM / OR / UT / WA / WY

For information about the products and services in this catalog, call 801-266-5731 to find your state or regional representative.

***Important Note to Purchasers:***

For audit verification, it's very important that you note DigitalEdge Contract #ESD112-DE-15B on all purchase-related documentation. Please check your organizations's governing laws to see if you need to enter into an interlocal agreement with ESD 112 in order to use our contract as a purchasing vehicle.

PURCHASING POWER FOR  
21ST CENTURY SCHOOLS

**DigitalEdge**



A Purchasing Program at Educational Service District 112 ● 2500 NE 65th Avenue ● Vancouver, WA 98661

E: [digitaledge.specialist@esd112.org](mailto:digitaledge.specialist@esd112.org) ● P: 360.952.3415 ● W: [digitaledge.esd112.org](http://digitaledge.esd112.org)

# Catalog Overview

---



## Category:

*Video Surveillance Solutions*

*Access Control Solutions*

*Communication Systems*

## Manufacturers:

Samsung

Vanderbilt

Telecor

**Category:**  
**Video Surveillance Solutions (Cameras, Video Management Hardware, Software)**

Manufacturer	Model Number	Product Name and Short Description	Contract Price
Samsung	SND-L6013R	WiseNet Lite Network IR Dome Camera, 2MP, Full HD(1080p) 30fps, H.264/MJPEG, f3.6mm Fixed Lens, Hallway View, 60dB DWDR, True D/N, 3-Axis Gimbal, Micro SD/SDHC	151.39
Samsung	SND-L6083R	WiseNet Lite Network IR Dome Camera, 2MP, Full HD(1080p) 30fps, H.264/MJPEG, Vari-Focal 4.3x (2.8-12mm) Lens, Hallway View, 60dB DWDR, True D/N, 3-Axis Gimbal, Micro SD/SDHC	254.75
Samsung	SNO-L6083R	WiseNet Lite Network IR Bullet Camera, 2MP, Full HD(1080p) 30fps, H.264/MJPEG, Vari-Focal 4.3x (2.8-12mm) Lens, Hallway View, 60dB DWDR, True D/N, Micro SD/SDHC, IP66, IK10, -22F	291.23
Samsung	SNV-L6083R	WiseNet Lite Network IR Vandal Dome Camera, 2MP, Full HD(1080p) 30fps, H.264/MJPEG, Vari-Focal 4.3x (2.8-12mm) Lens, Hallway View, 60dB DWDR, True D/N, 3-Axis Gimbal, Micro SD/SDHC, IP66, IK10, -22F	291.23
Samsung	SNV-6013	WiseNet III Network Compact Dome Camera, 2MP 1080p HD Vandal-Resistant, f2.8mm Fixed Lens 112° Wide View Angle, 60fps@1080p Full HD, WDR (120dB), Electrical D/N, SD/SDHC/SDXC memory slot, IP66, IK10, PoE. Optional f2.1mm 145° Horizontal View Angle Lens	242.59
Samsung	SND-6011R	WiseNet III Network IR Dome Camera, 2MP, Full HD(1080p), Fixed Lens(3.8mm), H.264/MJPEG, 120dB WDR, True D/N, SD/SDHC/SDXC, PoE	364.19
Samsung	SND-6084	WiseNet III Network Dome Camera, 2MP, Full HD(1080p), Motorized Simple Focus 2.8x (3-8.5mm), H.264/MJPEG, 120dB WDR, True D/N, SD/SDHC/SDXC, 12VDC/PoE	576.99
Samsung	SND-6084R	WiseNet III Network IR Dome Camera, 2MP, Full HD(1080p), Motorized Simple Focus 2.8x (3-8.5mm), H.264/MJPEG, 120dB WDR, True D/N, SD/SDHC/SDXC, 12VDC/PoE	637.79
Samsung	SNV-6084	WiseNet III Network Vandal Dome Camera, 2MP, Full HD(1080p), Motorized Simple Focus Lens 2.8x (3-8.5mm), H.264/MJPEG, 120dB WDR, TrueD/N, SD/SDHC/SDXC, 12VDC/24VAC/PoE, IP66, IK10, Built-in -40°F PoE Heater	637.79
Samsung	SNV-6084R	WiseNet III Network IR Vandal Dome Camera, 2MP, Full HD(1080p), Motorized Simple Focus Lens 2.8x (3-8.5mm), H.264/MJPEG, 120dB WDR, TrueD/N, SD/SDHC/SDXC, 12VDC/24VAC/PoE, IP66, IK10, Built-in -40°F 24VAC Heater	698.59
Samsung	SNO-6084R	WiseNet III Network IR Bullet Camera, 2MP, Full HD(1080p), Motorized Lens 2.8x (3-8.5mm), H.264/MJPEG, 120dB WDR, True D/N, SD/SDHC/SDXC, 12VDC/24VAC/PoE, IP66, IK10, Built-in -58°F 24VAC Heater	759.39
Samsung	SND-7084	WiseNet III Network Dome Camera, 3MP 30fps, Full HD(1080p) @ 60fps, P-Iris Motorized Simple Focus 2.8x (3-8.5mm), H.264/MJPEG, 120dB WDR, True D/N, SD/SDHC/SDXC, Built-in Mic, 12VDC/PoE	637.79
Samsung	SND-7084R	WiseNet III Network IR Dome Camera, 3MP 30fps, Full HD(1080p) @ 60fps, P-Iris Motorized Simple Focus 2.8x (3-8.5mm), H.264/MJPEG, 120dB WDR, True D/N, SD/SDHC/SDXC, Built-in Mic, IK08, 12VDC/PoE	698.59
Samsung	SNV-7084	WiseNet III Network Vandal Dome Camera, 3MP 30fps, Full HD(1080p) @ 60fps, P-Iris Motorized Simple Focus Lens 2.8x (3-8.5mm), H.264/MJPEG, 120dB WDR, TrueD/N, SD/SDHC/SDXC, 12VDC/24VAC/PoE, IP66, IK10, Built-in -40°F	789.79

Manufacturer	Model Number	Product Name and Short Description	Contract Price
Samsung	SNV-7084R	WiseNet III Network IR Vandal Dome Camera, 3MP 30fps, Full HD(1080p) @ 60fps, P-Iris Motorized Simple Focus Lens 2.8x (3-8.5mm), H.264/MJPEG, 120dB WDR, TrueD/N, SD/SDHC/SDXC, 12VDC/24VAC/PoE, IP66, IK10, Built-in -40°F Heater Powered By 24VAC Only	880.99
Samsung	SNO-7084R	WiseNet III Network IR Bullet Camera, 3MP 30fps, Full HD(1080p) @ 60fps, P-Iris Motorized Lens 2.8x (3-8.5mm), H.264/MJPEG, 120dB WDR, True D/N, SD/SDHC/SDXC, 12VDC/24VAC/PoE, IP66, IK10, Built-in -58°F Heater Powered By 24VAC Only	911.39
Samsung	SNV-8080	Network Vandal Dome Camera, 5MP 20fps, Full HD(1080p) 30fps, H.264/MJPEG, f3.6-9.4mm Motorized Lens Simple Focus, 60dB DWDR, True D/N, Micro SD/SDHC/SDXC, 12VDC/24VAC/PoE, IP66, IK10, Built-in -40°F Heater	911.39
Samsung	SNF-7010	WiseNet III Network Fisheye Dome Camera, 3MP, Full HD(1080p), 360°, De-warping via Software, H.264/MJPEG, 120dB WDR, SD/SDHC/SDXC, 12VDC/PoE	455.39
Samsung	SNF-7010V	WiseNet III Network Fisheye Dome Camera, 3MP, Full HD(1080p), 360°, De-warping via Software, H.264/MJPEG, 120dB WDR, SD/SDHC/SDXC, 12VDC/PoE, IP66, IK10	485.79
Samsung	SNF-8010	Network Fisheye Dome Camera, 5MP 20fps, Full HD(1080p), 180°/360°, De-warping on camera, True D/N, BLC, H.264/MJPEG, SD/SDHC/SDXC, 12VDC/PoE	576.99
Samsung	SNF-8010VM	Network Vandal Fisheye Dome Camera, 5MP 20fps, Full HD(1080p), 180°/360°, De-warping on camera, True D/N, BLC, H.264/MJPEG, SD/SDHC/SDXC, 12VDC/PoE, IP66, IK10, M12 Connector Out, RJ45 Adapter Included, EN50155, -13°F(-25°C)	637.79
Samsung	SNP-5430	Network PTZ Camera, 1.3MP, HD(720p) 60fps, H.264/MJPEG, Optical Zoom Lens 43x (3.5-150.5mm), 120dB WDR, True D/N, Auto Tracking, 700°/sec Pan, SD/SDHC/SDXC, 24VAC/PoE, Analytics	2,340.19
Samsung	SNP-6320	Network PTZ Camera, 2MP, Full HD(1080p) 60fps, H.264/MJPEG, Optical Zoom Lens 32x (4.44-142.6mm), 120dB WDR, True D/N, Auto Tracking, 700°/sec Pan, SD/SDHC/SDXC, 24VAC/PoE, Analytics	2,431.39
Samsung	SNP-5321	Wisenet III Network PTZ Camera, 1.3MP, HD(720p) 60fps, H.264/MJPEG, Optical Zoom Lens 32x (4.44-142.8mm), 120dB WDR, True D/N, 700°/sec Pan, SD/SDHC/SDXC, 24VAC/PoE+, Analytics	1,519.39
Samsung	SNP-5430H	Network PTZ Camera, 1.3MP, HD(720p) 60fps, H.264/MJPEG, Optical Zoom Lens 43x (3.5-150.5mm), 120dB WDR, True D/N, Auto Tracking, 700°/sec Pan, SD/SDHC/SDXC, 24VAC/PoE+, IP66, IK10, Heater on -58°F 24VAC or -22°F PoE+, Analytics	2,492.19
Samsung	SNP-6320H	Network PTZ Camera, 2MP, Full HD(1080p) 60fps, H.264/MJPEG, Optical Zoom Lens 32x (4.44-142.6mm), 120dB WDR, True D/N, Auto Tracking, 700°/sec Pan, SD/SDHC/SDXC, 24VAC/PoE+, IP66, IK9, Heater on -58°F 24VAC or -22°F PoE+, Analytics	2,583.39
Samsung	SNP-5321H	Wisenet III Network PTZ Camera, 1.3MP, HD(720p) 60fps, H.264/MJPEG, Optical Zoom Lens 32x (4.44-142.8mm), 120dB WDR, True D/N, 700°/sec Pan, SD/SDHC/SDXC, 24VAC/PoE+, IP66, IK10, Heater on -58°F 24VAC, Analytics	1,762.59
Samsung	SNP-6320RH	Network 492ft (150m) IR PTZ Camera, 2MP, Full HD(1080p) 60fps, H.264/MJPEG, Motorized 32x optical zoom, Auto Tracking, 120dB WDR, HLC, True D/N, 24VAC, IP66, IK10, Built-in -58°F (-50°C) Heater, Analytics	3,039.39
Samsung	SRN-473S-1TB	NVR, 1TB 4CH PoE+ Built-in (IEEE 802.3at, Total 50W on 4 Camera Ports, PoE/+ Auto-Sensing and Power Distribution), Up to 4K Recording, 64Mbps Recording & Playback throughput, HDMI/VGA Out, Audio Out, Alarm I/O, 1 HDD bay	424.99

Manufacturer	Model Number	Product Name and Short Description	Contract Price
Samsung	SRN-473S-2TB	NVR, 2TB 4CH PoE+ Built-in (IEEE 802.3at, Total 50W on 4 Camera Ports, PoE/+ Auto-Sensing and Power Distribution), Up to 4K Recording, 64Mbps Recording & Playback throughput, HDMI/VGA Out, Audio Out, Alarm I/O, 1 HDD bay	534.43
Samsung	SRN-873S-1TB	NVR, 1TB 8CH PoE+ Built-in (IEEE 802.3at, Total 100W on 8 Camera Ports, PoE/+ Auto-Sensing and Power Distribution), Up to 4K Recording, 128Mbps Recording & Playback throughput, HDMI/VGA Out, Audio Out, Alarm I/O, 2 HDD bays	607.39
Samsung	SRN-873S-2TB	NVR, 2TB 8CH PoE+ Built-in (IEEE 802.3at, Total 100W on 8 Camera Ports, PoE/+ Auto-Sensing and Power Distribution), Up to 4K Recording, 128Mbps Recording & Playback throughput, HDMI/VGA Out, Audio Out, Alarm I/O, 2 HDD bays	716.83
Samsung	SRN-873S-4TB	NVR, 4TB 8CH PoE+ Built-in (IEEE 802.3at, Total 100W on 8 Camera Ports, PoE/+ Auto-Sensing and Power Distribution), Up to 4K Recording, 128Mbps Recording & Playback throughput, HDMI/VGA Out, Audio Out, Alarm I/O, 2 HDD bays	935.71
Samsung	SRN-1673S-1TB	NVR, 1TB 16CH PoE+ Built-in (IEEE 802.3at, Total 200W on 16 Camera Ports, PoE/+ Auto-Sensing and Power Distribution), Up to 4K Recording, 160Mbps Recording & Playback throughput, HDMI/VGA Out, Audio Out, Alarm I/O, 4 HDD bays	972.19
Samsung	SRN-1673S-2TB	NVR, 2TB 16CH PoE+ Built-in (IEEE 802.3at, Total 200W on 16 Camera Ports, PoE/+ Auto-Sensing and Power Distribution), Up to 4K Recording, 160Mbps Recording & Playback throughput, HDMI/VGA Out, Audio Out, Alarm I/O, 4 HDD bays	1,081.63
Samsung	SRN-1673S-4TB	NVR, 4TB 16CH PoE+ Built-in (IEEE 802.3at, Total 200W on 16 Camera Ports, PoE/+ Auto-Sensing and Power Distribution), Up to 4K Recording, 160Mbps Recording & Playback throughput, HDMI/VGA Out, Audio Out, Alarm I/O, 4 HDD bays	1,300.51
Samsung	SRN-1673S-6TB	NVR, 6TB 16CH PoE+ Built-in (IEEE 802.3at, Total 200W on 16 Camera Ports, PoE/+ Auto-Sensing and Power Distribution), Up to 4K Recording, 160Mbps Recording & Playback throughput, HDMI/VGA Out, Audio Out, Alarm I/O, 4 HDD bays	1,519.39
Samsung	SRN-1673S-8TB	NVR, 8TB 16CH PoE+ Built-in (IEEE 802.3at, Total 200W on 16 Camera Ports, PoE/+ Auto-Sensing and Power Distribution), Up to 4K Recording, 160Mbps Recording & Playback throughput, HDMI/VGA Out, Audio Out, Alarm I/O, 4 HDD bays	1,738.27
Samsung	SRN-1000-4TB	NVR, 64CH, 4TB RAW, 100Mbps Recording/64Mbps Playback throughput, 8 HDD bays	2,577.92
Samsung	SRN-1000-6TB	NVR, 64CH, 6TB RAW, 100Mbps Recording/64Mbps Playback throughput, 8 HDD bays	2,796.80
Samsung	SRN-1000-10TB	NVR, 64CH, 10TB RAW, 100Mbps Recording/64Mbps Playback throughput, 8 HDD bays	3,234.56
Samsung	SRN-1000-16TB	NVR, 64CH, 16TB RAW, 100Mbps Recording/64Mbps Playback throughput, 8 HDD bays	3,891.20
Samsung	SRN-1000-24TB	NVR, 64CH, 24TB RAW, 100Mbps Recording/64Mbps Playback throughput, 8 HDD bays	4,766.72
Samsung	SRN-4000-12TB	NVR, 64CH, 12TB RAW, 400Mbps Recording/100Mbps Playback throughput, 12 Hot Swap HDD Bays, iSCSI, Redundant Power, HDMI/D-Sub VGA Local Display, DI/O, 2-Way Audio, ONVIF, Supports RAID 5/6 - Field Configuration and Setup Required (2TB * 6)	7,173.79
Samsung	SRN-4000-20TB	NVR, 64CH, 20TB RAW, 400Mbps Recording/100Mbps Playback throughput, 12 Hot Swap HDD Bays, iSCSI, Redundant Power, HDMI/D-Sub VGA Local Display, DI/O, 2-Way Audio, ONVIF, Supports RAID 5 - Field Configuration and Setup Required (2TB * 10)	8,049.31

Manufacturer	Model Number	Product Name and Short Description	Contract Price
Samsung	SRN-4000-30TB	NVR, 64CH, 30TB RAW, 400Mbps Recording/100Mbps Playback throughput, 12 Hot Swap HDD Bays, iSCSI, Redundant Power, HDMI/D-Sub VGA Local Display, DI/O, 2-Way Audio, ONVIF, Supports RAID 5 - Field Configuration and Setup Required (3TB * 10)	9,143.71
Samsung	SRN-4000-48TB	NVR, 64CH, 48TB RAW, 400Mbps Recording/100Mbps Playback throughput, 12 Hot Swap HDD Bays, iSCSI, Redundant Power, HDMI/D-Sub VGA Local Display, DI/O, 2-Way Audio, ONVIF, Supports RAID 5/6 - Field Configuration and Setup Required (4TB * 12)	11,113.63
Samsung	SMT-1930	18.5" LED Monitor, 720p (1360x768), HDMI, BNC, VGA, Widescreen, Built-in Speaker (2W), VESA DPM Compatible	297.92
Samsung	SMT-2232	22" LED Monitor, 1080p (1920x1080), 2 BNC Loop Throughs, HDMI, Built-in Speaker (2W), Tempered Glass, VESA DPM Compatible	601.92
Samsung	SMT-2730	27" LED Monitor, 1080p (1920x1080), HDMI, Built-in Speaker (10W), VESA DPM Compatible	723.52
Samsung	SMT-3232	32" LED Monitor, 1080p (1920x1080), DVI, HDMI, VGA, Composite, Widescreen, Built-in Speaker (10W), VESA DPM Compatible	1,027.52
Samsung	SMT-4031	40" LED Monitor, 1080p (1920x1080), DVI, 2HDMI, VGA, Composite, Widescreen, Built-in Speaker (10W), VESA DPM Compatible (200x200mm)	1,513.92
Samsung	SBP-300HM6	Medium Cap Adapter (Aluminum) Accessory, (SCV-6081R, SNV-8080, SNV-7084/R, SNV-6084/R, SNV-5084/R) Works with Mount (SBP-300WM1, SBP-300WM, SBP-300CM, SBP-300LM)	29.79
Samsung	SBP-300HM4	Small Cap Adapter (Aluminum), Accessory for 3MP Fisheye Cameras (SNF-7010, SNF-7010V, SNF-7010VM), Works with Mounts (SBP-300CM, SBP-300LM, SBP-300WM, SBP-300WM1)	29.79
Samsung	SBP-301HM2	Small Cap Adapter (Aluminum) Accessory, (SCV-5082/5083/5083R/6080, SCD-6080, SCV-3083/3082/3081, SCV-2082R/2081R, SCV-2081, SND-7084/7084R, SND-7082, SND-6084/6084R/6083, SND-5084/5084R/5083/5080, SND-3082, SNV-1080/1080R, SNV-L6083R/L5083R) Works with Mounts (SBP-300WM/W1/CM/LM), Ivory	29.79
Samsung	SBP-300WM	Wall Mount Gooseneck Accessory, Ivory	48.03
Samsung	SBP-300WM1	Wall Mount Accessory, (SCP-3430H/2430H, SCP-3370TH/3370H, SCP-2370TH/2370H, SCP-3250H/2250H, SCP-3120VH, SNP-5430H/6320H, SNP-5200H/3302H, SNP-3371TH/3371H, SNP-3120VH, SBP-300HM/HM2/HM3), Ivory	48.03
Samsung	SBP-300LM	Parapet Mount Accessory, Ivory	240.16
Samsung	SBP-300PM	Pole Mount Adapter Accessory, use with SBP-300WM, Ivory	48.03
Samsung	PWR-P-POE30	PoE+ Injector, 30W, 10/100/1000Mbps Base-T, AC100~240V Input, 50/60Hz, 54VDC/.06Amp Output, CE/FCC Compliant, LED Indicator for Power and Network, Operational Temperature 32°F ~ 104°F (0 ~ 40°C)	60.19
Samsung	SPE-101	Encoder, 1CH, H.264, MPEG-4, MJPEG multiple codec, Multiple streaming simultaneously, Max. 30(25)fps at 4CIF resolution, 10/100BASE-T, ONVIF protocol support, PoE	139.23
Samsung	SPE-400	Encoder, 4CH H.264, 30fps@D1, SD Memory Card Slot, 4CH BNC Input, RS-485/422 Interface, ONVIF protocol support, 12VDC	327.71

## Category: Access Control Solutions

Manufacturer	Model Number	Product Name and Short Description	Contract Price
Vanderbilt	VSMS-SFT-1	VSMS Single (1) User Enterprise Software	953.25
Vanderbilt	VSMS-SFT-5	VSMS Five (5) Client Enterprise Software	4,762.50
Vanderbilt	VSMS-SFT-10	VSMS (10) Client Enterprise Software	7,431.00
Vanderbilt	VSMS-SFT-25	VSMS (25) Client Enterprise Software	19,527.00
Vanderbilt	VSMSUP-E1	SMS Enterprise Software Version Upgrade - Single User	375.00
Vanderbilt	VSMSUP-E5	SMS Enterprise Software Version Upgrade - 5 User	450.00
Vanderbilt	VSMSUP-E10	SMS Enterprise Software Version Upgrade - 10 User	750.00
Vanderbilt	VSMSUP-E25	SMS Enterprise Software Version Upgrade - 25+ User	1,350.00
Vanderbilt	VELSMSCL	SMS Electronic Client License	953.25
Vanderbilt	VRRUP	Redundant Recovery Version Upgrade	1,350.00
Vanderbilt	VELGST-LIC	SMS Guest Pass License	1,360.50
Vanderbilt	VGUEST-WEB	SMS Guest Pass Web Interface	2,756.25
Vanderbilt	SMS-WEB	SMS Web Interface	2,756.25
Vanderbilt	VCWS	SMS Client Workstation	5,076.00
Vanderbilt	VENROLL	Enrollment Reader	1,049.25
Vanderbilt	VRR	SMS Redundant Recovery Solution	31,854.75
Vanderbilt	VSMS-API	VSMS API	7,087.50
Vanderbilt	VSMS-SVR-1	VSMS Server and Single (1) User Enterprise Software	6,261.00
Vanderbilt	VSMS-SVR-5	VSMS Server and Five (5) Client Enterprise Software	10,167.00
Vanderbilt	VSEL-SFT-1	SMS Select Offline Lock Single (1) User Software with 1 Yr. Maintenance Agreement	1,410.00
Vanderbilt	VSEL-SFT-5	SMS Select Offline Lock Five (5) Client Software with 1 Yr. Maintenance Agreement	6,163.50
Vanderbilt	VSEL-SVR-1	Select Offline Lock Single (1) User Software and Server	6,378.00
Vanderbilt	VSEL-SVR-5	Select Offline Lock Five (5) Client Software and Server	10,200.00
Vanderbilt	VCWS	Client Workstation	5,076.00
Vanderbilt	VSMSUP-S1	SMS Software Version Upgrade - Single User	375.00
Vanderbilt	VSMSUP-S5	SMS Software Version Upgrade - 5 User	450.00
Vanderbilt	VELSELECT	SMS Electronic Client License	501.00
Vanderbilt	VSEL-ENT	SMS Select Software to Enterprise Software Upgrade	427.50
Vanderbilt	CL-ENCODER-2	Select Magnetic Stripe Card Encoder	3,543.75
Vanderbilt	VENROLL	Enrollment Reader	1,049.25
Vanderbilt	VLIC-ONS	Single Online Device License	150.00
Vanderbilt	VLIC-ON16	Block of 16 Online Device Licenses	2,160.00
Vanderbilt	VLIC-ON32	Block of 32 Online Device Licenses	3,840.00
Vanderbilt	VLIC-OFFS	Single Offline Device License	75.00

Manufacturer	Model Number	Product Name and Short Description	Contract Price
Vanderbilt	VLIC-OFFS32	Block of 32 Offline Device Licenses	1,920.00
Vanderbilt	VLIC-OFFS64	Block of 64 Offline Device Licenses	2,880.00



## Category: Communication Systems

Manufacturer	Model Number	Product Name and Short Description	Contract Price
Telecor	2413	Surface Box for 2.5 Wireless Clocks	27.10
Telecor	2414	Dual Mount Housing for 2.5 Wireless Clocks	108.72
Telecor	2415	Surface Box for 4" Wireless Clocks	36.09
Telecor	2416	Dual Mount Housing for 4" Wireless Clocks	108.72
Telecor	2423	Dual Mounting Kit for 2421/2431	142.91
Telecor	2443	Digital Calendar Clock/Speaker Baffle Assembly	581.35
Telecor	2471	2461 Surface Conversion Kit	45.30
Telecor	2472	Dual Mounting Kit for 2461	226.50
Telecor	2491	12" Single Face Analog Clock(24-120VAC)	190.26
Telecor	2492	12" Double Face Analog Clock(24-120VAC)	495.28
Telecor	2493	16" Single Face Analog Clock(24-120VAC)	235.56
Telecor	2494	16" Double Face Analog Clock(24-120VAC)	611.55
Telecor	3421	2.5" Single Face Digital IP Clock POE	311.06
Telecor	3431	4" Single Face Digital IP Clock POE	372.97
Telecor	3461	12" Single Face Analog IP Clock POE	291.43
Telecor	3463	16" Single Face Analog IP Clock POE	317.10
Telecor	3464	12" Double Face Analog IP Clock POE	684.03
Telecor	3465	16" Double Face Analog IP Clock POE Qty 100+	752.58
Telecor	200-1	Assembly, Wiring, Crating (used with 200 Series Racks)	271.80
Telecor	2400-GPS	Clock Controller C/W GPS, Antenna, Rack Mtg	2,023.40
Telecor	2400-R-24	Master Clock - Rack Mount c/w BA2401	1,431.48
Telecor	2400-RXB	External Relay Zone Board	163.08
Telecor	2400-S-120	Master Clock - Surface Mount (120VAC)	1,661.00
Telecor	2400-S-24	Master Clock - Surface Mount (24VAC/DC)	1,691.20
Telecor	2400-SNTP	Network Adaptor, Rack Mtg	898.45
Telecor	2400-TCR/GPS	Clock Controller c/w Transceiver GPS, Antenna, Rack Mtg.	2,695.35
Telecor	2405	Power Transformer (24VAC, 5Amp)	127.20
Telecor	2406	Power Transformer (24VAC, 10Amp)	150.25
Telecor	2411-115	2.5 " Wireless Digital Clock 115v	298.98
Telecor	2411-24	2.5 " Wireless Digital Clock 24v	292.94
Telecor	2412-115	4 " Wireless Digital Clock 115v	342.77
Telecor	2412-24	4 " Wireless Digital Clock 24v	336.73
Telecor	242	42" Equipment Rack c/w Rear Door	656.85
Telecor	2421-120	2.5" Digital Clock (120VAC)	162.54

Manufacturer	Model Number	Product Name and Short Description	Contract Price
Telecor	2421-24	2.5" Digital Clock (24VAC)	150.25
Telecor	2421-BBF	Recessed Enclosure for 2421	21.14
Telecor	2421-BBS	Surface Enclosure for 2421	29.45
Telecor	2425-120	2.5" Digital Clock Module (120VAC Replacement)	139.77
Telecor	2425-24	2.5" Digital Clock Module (24VAC Replacement)	131.91
Telecor	2426-120	2.5" Digital Clock HH:MM:ss(120V)	311.82
Telecor	2426-24	2.5" Digital Clock HH:MM:ss(24V)	302.00
Telecor	2427-120	Elapsed Timer HH:MM:ss(120V)	387.10
Telecor	2427-24	Elapsed Timer HH:MM:ss(24V)	376.90
Telecor	2431-120	4" Digital Clock (120VAC)	205.36
Telecor	2431-24	4" Digital Clock (24VAC)	197.81
Telecor	2431-BBF	Recessed Enclosure for 2431	27.94
Telecor	2431-BBS	Surface Enclosure for 2431	42.66
Telecor	2433-A	Guard For 2430-S and 2480 Series	172.74
Telecor	2435-120	4.0" Digital Clock Module (120VAC Replacement)	171.17
Telecor	2435-24	4.0" Digital Clock Module (24VAC Replacement)	163.32
Telecor	2440-120	2.5" Digital Clock/Speaker Baffle (120VAC)	197.81
Telecor	2440-24	2.5" Digital Clock/Speaker Baffle(vertical align) (24VAC)	193.28
Telecor	2443-BBF	Flush Backbox for 2443	64.93
Telecor	2443-BBS	Surface Backbox for 2443	77.01
Telecor	2453	Recessed Back Box for 2440-120	24.73
Telecor	2460-120	10" Analog Clock Semi-Flush (120VAC)(Black)	279.35
Telecor	2460-24	10" Analog Clock Semi-Flush (24VAC)(Black)	279.35
Telecor	2461-120	12" Analog Clock Semi-Flush (120 VA)(Black)	215.93
Telecor	2461-24	12" Analog Clock Semi-Flush (24 VA)(Black)	215.93
Telecor	2461A-120	12" Single Face Analog Clock Semi Flush (120VAC)	128.35
Telecor	2461A-24	12" Single Face Analog Clock Semi Flush (24VAC)	128.35
Telecor	2461-D	12" Single Face 24 Volt, AC/DC Analog Clock Qty 1-49	128.35
Telecor	2462-120	15" Analog Clock Semi-Flush (120VAC)(Black)	294.45
Telecor	2462-24	15" Analog Clock Semi-Flush (24VAC)(Black)	294.45
Telecor	2463-120	15" Analog Clock Surface Mount (120VAC)(Black)	332.20
Telecor	2463-24	15" Analog Clock Surface Mount (24VAC)(Black)	332.20
Telecor	2463A-120	16" Single Face Analog Clock Semi Flush (120VAC)	170.63
Telecor	2463A-24	16" Single Face Analog Clock Semi Flush (24VAC)	170.63
Telecor	2463-D	16" Single Face 24 Volt, AC/DC Analog Clock Qty 1-49	170.63
Telecor	2464-120	12" Double Face Analog Clock, Surface Mount (120VAC)	359.38
Telecor	2464-24	12" Double Face Analog Clock, Surface Mount (24VAC)	359.38
Telecor	2464-D	12" Dual Face 24 Volt, AC/DC Analog Clock Qty 1-49	359.38
Telecor	2465-120	16" Double Face Analog Clock, Surface Mount (120VAC)	486.22

Manufacturer	Model Number	Product Name and Short Description	Contract Price
Telecor	2465-24	16" Double Face Analog Clock, Surface Mount (24VAC)	486.22
Telecor	2465-D	16" Dual Face 24 Volt, AC/DC Analog Clock Qty 1-49	486.22
Telecor	2470-BB	Back Box for 2460, 2461, 2462	18.12
Telecor	2471-A	Surface Mount Rings for 2461-A	26.80
Telecor	2473	Wire Guard for 2461/2462/2463	121.56
Telecor	2476-A	Surface Mounting Rings for 2463	36.62
Telecor	2481-TBP	Timer Button Panel	60.46
Telecor	2484-120	Digital Calender Clock (120V)	519.44
Telecor	2484-24	Digital Calender Clock (24V)	513.40
Telecor	2490-R	Wireless Repeater	717.25
Telecor	2490-TCR	Wireless Clock Controller/Transceiver	1,552.28
Telecor	2495-B	12" Single Face Battery Powered Clock	172.14
Telecor	2496-B	12" Dual Face Battery Powered Clock	481.69
Telecor	2497-B	16" Single Face Battery Powered Clock	231.03
Telecor	2498-B	16" Dual Face Battery Powered Clock	587.39
Telecor	261	61" Equipment Rack c/w Rear Door	951.30
Telecor	277	77" Equipment Rack c/w Rear Door	993.58
Telecor	30W-A	30W Output Relay (Single Channel)	24.39
Telecor	3400-TS	IP Time Server - Rack Mtg	1,283.50
Telecor	3421-BBF	Flush Housing for 3421	30.99
Telecor	3421-BBS	Surface Housing for 3421	25.82
Telecor	3421-DMH	Double Mount Housing for 3421	103.28
Telecor	3431-BBF	Flush Housing for 3431	43.04
Telecor	3431-BBS	Surface Housing for 3431	34.34
Telecor	3431-DMH	Double Mount Housing for 3431	103.28
Telecor	3-BBS	Surface Enclosure for ICS-3 Series	22.38
Telecor	7003-7S	Telephone Cabinet Surface Mount	123.67
Telecor	A-15T	15 Watt Re-Entrant Horn Loudspeaker	89.09
Telecor	A-30T	30 Watt Re-Entrant Horn Loudspeaker	106.83
Telecor	ABU-3A-MB	Amplifier Buffer Unit Channel A Model B	564.74
Telecor	AC-15	Power Bar Rack Mount	119.29
Telecor	AMS-100 Basic	Main Control Assembly	2,067.19
Telecor	AMS-50 Basic	Main Control Assembly	2,153.26
Telecor	AMS-BC	By-Pass Card (1 per 5 Stations)	90.60
Telecor	AMS-CPA	Aux Connector Panel	270.29
Telecor	AMS-CPS	Standard Connector Panel	182.71
Telecor	AMS-EC	Extender Card	90.60
Telecor	AMS-LC	Line Card (1 per 5 Channels)	688.56
Telecor	AMS-RB-I	Relay Board w/ Ind relay contacts	696.11

Manufacturer	Model Number	Product Name and Short Description	Contract Price
Telecor	CS-1	Momentary Call Switch Plate	10.27
Telecor	CS-1 2/4	Momentary Call Switch Plate (2-Wire)	20.02
Telecor	CS-1PC	Momentary Contact Switch c/w Pull Cord Plate	26.70
Telecor	CS-1-PT	Momentary Call Switch Plate c/w Pigtails	12.84
Telecor	CS-2	Emergency/Normal Call Switch Plate	22.38
Telecor	CS-3	Call/Privacy Switch	14.72
Telecor	CS-3-PT	Call/Privacy Switch w/ wire leads	23.56
Telecor	CS5-1	Cat 5 Normal MIBU Call Switch	43.79
Telecor	CS5-3	Cat 5 MIBU Emergency Call Switch	35.49
Telecor	CS5-7	Cat 5 Regular Call Switch	32.47
Telecor	CS-K	Key Call Switch Plate	32.84
Telecor	CT-200	Castor Kit for Equipment Rack	112.50
Telecor	CTBU-MA	Console Termination Board	65.31
Telecor	CTD-100F	0.100" Nose Section for MCT	282.37
Telecor	CTD-156F	0.156" Nose Section for MCT	282.37
Telecor	CTR-5	Professional Ratchet Crimping Tool	139.68
Telecor	CVS-1A	CVS XL Single Channel Upgrade c/w	936.20
Telecor	CVS-2A	CVS XL Dual Channel Upgrade c/w	1,549.26
Telecor	CVS-4A	CVS T2 Dual Channel Upgrade c/w	1,659.49
Telecor	DBP	Driver Buffer Unit	273.31
Telecor	DCU-0	Secondary Decoder Unit	173.65
Telecor	DOP-0	Station Card-Speaker only (Dual Channel Systems)	892.41
Telecor	DTBU	Driver Terminal Unit (1 per 2 DBU-8)	141.94
Telecor	DTMF-RD-MA	DTMF Receiver/Decoder Unit Model A used with THP's	646.28
Telecor	DWC-DSK1000	DW Connect Connect Desk Top Alert License	9,470.72
Telecor	DWC-I/O	DW Connect I/O Interface License	6,505.08
Telecor	DWC-S	DW Connect Server	6,115.50
Telecor	DWC-SW5	DW Connect Software License	6,342.00
Telecor	DWP-I-IP	District Wide Paging Interface	1,947.90
Telecor	FC-50	Flat Ribbon Cable (50 Conductor)	65.31
Telecor	G3	3" Weather Tight Gasket	6.42
Telecor	H10	Round Recessed Enclosure	11.31
Telecor	H20	Square Recessed Enclosure for 2440-24	13.32
Telecor	H8	Enclosure for STB-11 (requires T8 Bridge)	10.87
Telecor	HS-1	Telephone Handset (Dynamic) w/ Wall Plate	154.29
Telecor	HS-1301-(B)LN	Single Line Phone c/w Message Waiting Lamp (Black)	44.55
Telecor	HS-1301-(B)LT	Administrative phone (Black) c/w LED for Telecor System	69.08
Telecor	HS-1301-(B)S	Administrative phone (Black) 25 V Speaker built in	84.18
Telecor	HS-1301-(G)LN	Single Line Phone c/w Message Waiting Lamp (Dove Grey)	44.55

Manufacturer	Model Number	Product Name and Short Description	Contract Price
Telecor	HS-1301-(G)LT	Administrative phone (D. Grey) c/w LED for Telecor System	69.08
Telecor	HS-1301-(G)S	Administrative phone (D. Grey) 25 V Speaker built in	84.18
Telecor	HS-1301B	Administrative phone (Black)	42.28
Telecor	HS-1301G	Administrative phone (Dove Grey)	42.28
Telecor	HS-3	Telephone Handset (Dynamic) w/ Call Switch	177.43
Telecor	IBU-1	Input Buffer Unit (4-Wire)	291.43
Telecor	IBU-1 2/4	Input Buffer Unit (2-Wire)	291.43
Telecor	IC-1	Intercom Station c/w Call Switch	71.35
Telecor	IC-1PC	Intercom Station c/w Pull Cord Switch	103.06
Telecor	IC-3	Intercom Station c/w Call/Privacy Switch	78.52
Telecor	IC-60	Sloped Front Desktop Metal Cabinet	336.73
Telecor	ICS-2	2 Gang I.C Station	76.56
Telecor	ICS-2A	2 Gang I.C Station with call in	83.62
Telecor	ICS-2M	2-Gang I.C. Station c/w Mushroom Switch	122.49
Telecor	ICS-3	3" I.C. Station	78.91
Telecor	ICS-3A	3" I.C. Station w/ Call-In Switch	85.98
Telecor	ICS-3M	3" I.C. Station w/ Mushroom Switch	110.32
Telecor	ICS-IP-3A	3-Gang IP I.C Station with Call-in	679.50
Telecor	IOP-0	IC Station Card - Speaker Only 25 points (Single Channel)	403.17
Telecor	IOP-2	IC Station Card - Call-In & Speaker (2 Wire)	504.34
Telecor	IOP-4	IC Station Card - Call-In & Speaker 25 points (4 Wire)	456.02
Telecor	IOP-I	IC Station Card - Call-In Only (Single & Dual Channel)	283.88
Telecor	IPI-MA	IP Interface Card (to be installed in CCU-XL)	1,472.25
Telecor	IPI-MB	IP Interface Card, Model B (to be installed in CCU-XL)	1,532.65
Telecor	IPI-MC	IP Interface Card (to be installed in CCU-XL)	1,532.65
Telecor	MCC-300	Administrative Control Console	943.75
Telecor	MCM-A	Modular RJ-11to Mascon Connector	19.63
Telecor	MCT	Panduit Manual Tool	437.90
Telecor	MIBU-T2	Multiple Input Buffer Unit	389.58
Telecor	MIBU-XL	Multiple Input Buffer Unit - XL Version	415.25
Telecor	MN-1032	Clip on Rack Nuts #10-32 (50 per package)	37.00
Telecor	MRT-100F	Panduit Hand Tool (0.100" spacing)	41.15
Telecor	MRT-156F	Panduit Hand Tool .156 spacing	41.15
Telecor	MS-1032	Mounting Screws #10-32 Black (50 per package)	11.78
Telecor	MW-10BK	Fibre Mounting Washers #10 Black (50 per package)	9.82
Telecor	OBU-4B	Output Buffer Unit - 25 Station-Dry Contact Relay Board	457.53
Telecor	OBU-4D	Output Buffer Unit - 25 Station (Single Channel)	262.74
Telecor	OBU-4X2	Output Buffer Unit - 25 Stations (Dual Channel)	324.65
Telecor	OBU-TCII	Output Buffer Unit (25 Switched 24 Volt Stations)	336.73

Manufacturer	Model Number	Product Name and Short Description	Contract Price
Telecor	OPX-D	Internally connected PBI-6 Adapter	14.35
Telecor	PA-AM/A	Paging Amplifier Attenuator Module - Installed in Amplifier	72.86
Telecor	PA-AM/W	Paging Amplifier Attenuator Module - Installed on Wall	67.57
Telecor	PA-MM	Amplifier Monitor Module - Installed in Amplifier	125.33
Telecor	PA-PM	Amplifier Priority Module - Installed in Amplifier	179.69
Telecor	PDD-1	Prolite Display Driver	264.25
Telecor	PH-ST0	Headset	155.53
Telecor	PSU-2	Power Supply (24VDC, 4.5 Amps 5VDC, 5A)	730.84
Telecor	PSU-2+	Power Supply (24VDC, 6.5 Amps 5VDC, 4.5A)	860.70
Telecor	PSU-2B	Power Supply (24VDC/4.5A,5VDC/5A)	776.14
Telecor	PSU-2B-TCS	Power Supply (24VDC/4.0A,5VDC/5A) Tel-Comm Server	1,719.89
Telecor	PSU-EXP	Expansion Power Supply	664.40
Telecor	PV-HA2-032	Host Adapter- 32 port	431.86
Telecor	PV-HA2-064	Host Adapter- 64port	674.97
Telecor	PV-HCT-C01	CTIM	224.99
Telecor	PV-HCT-M01	PCOM Module (PC Option Module)	154.02
Telecor	PV-HWC-B10	19" Rack Accessory Bracket for PV-HWC-P10	76.26
Telecor	PV-HWC-C10	Caller ID Option Module-8-Port	906.00
Telecor	PV-HWC-P10	Cut-Over Box-4-Port	333.71
Telecor	PV-HWC-T10	TI Interface Card	2,218.19
Telecor	PV-PEU-200	Port Exp.Unit Model 200	2,358.62
Telecor	PV-PEU-SLT32	32 Port Expansion Unit Single Line Telephones	3,874.66
Telecor	PV-SCT-A01	Attendant (Software Only)	298.98
Telecor	PV-SCT-T01	Connect (Software Only)	209.89
Telecor	PV-SDP-300	DP300 Display Phone	270.29
Telecor	PV-SWL-A10	ACD 5-Agent Software License	741.41
Telecor	PV-SWL-C10	VS Call Accounting SMDR Software	768.59
Telecor	PV-SWL-C11	VS Call Accounting ACD add on Module	292.94
Telecor	PV-SWL-C12	VS Call Accounting Costing add on Module	292.94
Telecor	PV-SWL-C13	VS Call Accounting Live PABX Reporting add-on module	292.94
Telecor	PV-SWL-V10	Voice Channel Expansion Software License	685.54
Telecor	RCD-7-XL	Remote Clock Driver no display for T2 ver. 6.3 or higher	212.91
Telecor	RCP	25 Station Crd-Dry Contact Relay Board	459.04
Telecor	RG-90V	90VAC Ring Generator	442.43
Telecor	RGD-I	Ring Detector Interface	234.05
Telecor	RLY-MY4	Pilot Relay for Clock Correction	56.25
Telecor	RNG-A	Ring Transfer Relay Board	24.16
Telecor	RS232-I/O	RS-232 Interface Card	886.37
Telecor	RTU-4X1	Hight Output Termination Board 1 channel	857.68

Manufacturer	Model Number	Product Name and Short Description	Contract Price
Telecor	RTU-4X2	Hight Output Termination Board 2 channel	1,312.19
Telecor	S8T2570	8" Speaker 25/70 xfmr Assembly	15.42
Telecor	SCS-1	Call-In Switch on 1 Gang Plate	42.87
Telecor	SCS-1M	Call-In Switch with Mushroom Cap on 1 Gang Plate	60.43
Telecor	SH20	Mounting Frame Enclosure for 2440-24	24.21
Telecor	SH20-SB	Square Surface Enclosure for 2440-24	33.85
Telecor	SHS-1	Armoured Cable Handset (Carbon)	160.06
Telecor	SHS-VS	Armoured Carbon Handset c/w Wall Plate	164.95
Telecor	ST-8/4	Telephone Wall Plate	3.47
Telecor	ST-8/6	Telephone Wall Plate for MCC-300 and DP300	4.32
Telecor	STB-11	Speaker/Transformer/Baffle Assembly, Packages of 6	21.09
Telecor	STB-5	Suspended ceiling speaker assembly	54.74
Telecor	SW-SNTP	SNTP Software	1,510.00
Telecor	SW-WEB	Web Software	755.00
Telecor	T2/2Basic	Main Control Assembly for Dual Channel C/W	5,428.45
Telecor	T2/Basic	Main Control Assembly C/W	4,617.58
Telecor	T8	Support Bridge for STB-11 Assembly	6.15
Telecor	TBU	Input/Output Termination Board (Single Channel)	132.50
Telecor	TBU-4X2	Input/Output Termination Board (Dual Channel)	658.36
Telecor	TBU-AUX	Auxiliary Relay Termination Unit c/w 15 High Power Outputs, 5 Dry Contact and 5 Switched 24V Pts	356.36
Telecor	TBU-CPU-3	Termination Board for CPU/RS232 port	100.04
Telecor	TBU-IP-MA	Remote IP Termination Unit (supports 25 call switch/speaker circuits) BA2401 included	2,400.90
Telecor	TC-50	Twisted Ribbon Cable (50 Conductor)	64.93
Telecor	TC-60	Twisted Ribbon Cable (60 Conductor)	74.37
Telecor	T-CDP	AM/FM CD Player - Rack Mount (Needs BA1201)	422.80
Telecor	TCH-15	15' Cable Assembly (per 25 stations - 2 per IOP-4)	52.85
Telecor	TCH-25	25' Cable Assembly (per 25 stations - 2 per IOP-4)	73.24
Telecor	TCH-5	5' Cable Assembly (per 25 Stations - 2 per IOP-4)	33.22
Telecor	TCH-RJ21-SH	5ft Male-Male Cable Assembly for PV-PEU-SLT32	116.27
Telecor	TCII 2/4	2/4 Adaptor for TBU (1 per 5 stations)	24.16
Telecor	TCS-MA	Rack Mounted Server with Preloaded XP Pro, (Telecor Web-Editor, Tel-site, Tel-Comm), Network Card Tel-Com Server - Model A	2,027.93
Telecor	TEL-125	125 Watt Amplifier - Rack Mount	724.80
Telecor	TEL-250	250 Watt Amplifier - Rack Mount	1,232.16
Telecor	TEL-30-IP	30 watt IP Amplifier	1,728.95
Telecor	TEL-60	60 Watt Amplifier - Rack Mount	570.78
Telecor	THP	Telephone Station Card (requires 1 DTMF-RD/System)	767.08
Telecor	TILA	Telephone Line Amplifier (needs 1 BA2401 per 4 Tila's)	354.85
Telecor	TILA-R	Rack Mount Chassis (1 per 4 TILAs)	71.73

Manufacturer	Model Number	Product Name and Short Description	Contract Price
Telecor	TM-16X3	Terminal Block (capacity for 16 x RJ11)	197.81
Telecor	TM-2X25	Terminal Block (Supports 2 TCH or 2 CHAP-25/2-P or 1 TCH-RJ21-SH)	82.30
Telecor	TRT-25	Termination Unit for Ring Only Phones (needs RG-90V)	431.86
Telecor	TSC-(25F/25F)	10' Tel-Comm Serial Cable - PC to RS232	67.57
Telecor	TSC-(25F/9F)	10' Tel-Comm Serial Cable - Laptop to RS232	67.57
Telecor	TSC-(Modem)	12' Tel-Comm Serial Cable - Modem to RS232	67.57
Telecor	TVS1-CVS-205	CVS Bundle C/W	4,475.19
Telecor	Upgrade	Upgrade to PSU-2B-TCS Power Supply/Tel-Comm Server	990.56
Telecor	VC-DWP	Visual District Wide Paging Software	943.75
Telecor	VC-TIII/XL-6.6-1	Visual Console Version 6.6 (1 user license)	679.50
Telecor	VC-TIII/XL-6.7-1	Visual Console Version 6.7 (1 user license)	679.50
Telecor	VC-TIII/XL-6.8-1	Visual Console Version 6.8 (1 user license)	552.66
Telecor	XL/2 Basic	Main Control Assembly Dual Channel C/W	5,331.81
Telecor	XL/Basic	Main Control Assembly C/W	3,269.15
Telecor	XL-AWK	Accessory Wall Mounting Kit	73.24
Telecor	XL-RMK	Rack Mount Kit (Includes PSU-RMK)	98.91
Telecor	XL-WMK	Wall Mount Kit	91.36